

VESR Bibliography

This list is all the publications submitted to us for work conducted at, based out of, or associated with the Reserve. We make no claims as to the completeness of the list. Errors and omissions should be reported to the Reserve Director. There are over 1,000 entries divided into the following categories:

Books

[Book Sections](#)

[Symposia Proceedings](#)

[Technical Reports](#)

[Theses and Dissertations](#)

[Journal Articles](#)

[Magazine Articles](#)

[Newspaper Articles](#)

[Websites](#)

[Invited Seminars](#)

[Audiovisual Material](#)

Books:

- Booth, W. C., G. G. Colomb, et al. (1995). *The Craft of Research*. Chicago, The University of Chicago Press.
- Bytnerowicz, A., M. J. Arbaugh, et al., Eds. (2003). *Ozone Air Pollution in the Sierra Nevada: Distribution and Effects on Forests*. *Developments in Environmental Science 2*. Oxford, Elsevier Science.
- Dajoz, R. (1996). *Precis d'écologie*. Paris, France, Dunod.
- Dajoz, R. (1998). *Les insectes et la forêt*. Paris, France, Tec & Doc-Lavoisier.
- Dajoz, R. (2000). *Insects and Forests*. Paris, France, Lavoisier Publishing.
- Derricourt, R. (1996). *An Author's guide to scholarly publishing*. Princeton, New Jersey, Princeton University Press.
- Dozier, J., R. J. Barry, et al. (1989). *Prospects and Concerns for Satellite Remote Sensing of Snow and Ice*. Washington, DC, National Academy Press.
- Dozier, J., P. o. R. S. o. Snow, et al. (1991). *Prospects and Concerns for Satellite Remote Sensing of Snow and Ice*. Washington, D. C., National Academy Press.
- Eagleson, P. S., W. H. Brutsaert, et al. (1991). *Opportunities in the Hydrologic Sciences*. Washington, DC, National Academy Press.
- Erhard, D. and M. M. Tilzer (2002). *Ecological Excursion to the Western USA.*, University of Konstanz.
- Fiske, P. S. (1996). *To boldly go. A Practical Career Guide for Scientists*. Washington, D.C., American Geophysical Union.
- Herbst, D. B., A. Y. Feng, et al. (2001). *The California Streamside Biosurvey*. Sacramento, CA, State Water Resources Control Board publication.
- Howald, A. M. and B. K. Orr (2000). *A flora of Valentine Eastern Sierra Reserve, 2nd Edition*. Santa Barbara, CA, University of California, Santa Barbara Museum of Systematics and Ecology.
- Laws, J. M. (2007). *The Laws Guide to the Sierra Nevada*, Heyday Books and The California Academy of Sciences.
- Maestripieri, D. and J. M. Mateo (2007 In Review). *Maternal Effects in Mammals*. Chicago, University of Chicago Press.
- Melack, J. M., R. Jellison, et al. (2001). *Saline Lakes*. Norwell, MA, Kluwer Academic Publishers.
- Needham, J. G. and P. R. Needham (1941). *A Guide to the Study of Fresh-Water Biology, With Special Reference to Aquatic Insects and other Invertebrate Animals and Phytoplankton*. Ithaca, New York, Comstock Publishing Company, Inc.
- Patten, D. T., F. P. Conte, et al. (1987). *The Mono Basin Ecosystem: Effects of Changing Lake Level*.

Washington, D. C., National Academy Press.

Tobias, S., D. E. Chubin, et al. (1995). Rethinking Science as a career. Perceptions and realities in the physical sciences. Tucson, Arizona, Research Corporation.

Vizgirdas, R. and E. M. Vizgirdas (2006). Wild plants of the Sierra Nevada. Reno, University of Nevada Press.

Book Sections:

Bales, R. C. (1992). Snowmelt and the ionic pulse. The Encyclopedia of Earth Science. Orlando, Florida., Academic Press. 1: 199-207.

Bale, A., G. T. Orlob, et al. (1988). Paleocologic modeling of hydrologic processes. Advances in Environmental Modelling. 1988: 29-42.

Bowen, S. T., E. Fogarino, et al. (1984). Artemia Speciation: Ecological Isolation. Vernal Pools and Intermittant Streams. S. K. Jain and P. Moyle. Davis, California, University of California. 28: 102-114.

Carpenter, F. L. (1983). Pollination energetics in avian communities: Simple concepts and complex realities. Handbook of Experimental Pollination Ecology. C. E. Jones and R. J. Little. New York, Van Nostrand Reinhold Company.

Chappell, M. A. and G. C. Bachman (2002). Energetic costs of begging behaviour. The Evolution of Begging: Competition, Cooperation and Communication. J. W. a. M. Leonard. Boston, Kluwer: 143-162.

Davis, R. E., J. Dozier, et al. (1987). Measurement of snow grain properties. Seasonal Snowcover: Physics, Chemistry, Hydrology. W. J. Orville-Thomas and H. G. Jones. Dordrecht., D. Reidel. 211: 53-74.

Dozier, J. and A. H. Strahler. (1983). Ground investigations in support of remote sensing. Manual of Remote Sensing. R. N. Colwell. Falls Church, VA, American Society of Photogrammetry. 1: 959-988.

Davis, R. E., R. Jordan, et al. (2001). Validation of Snow Models. Model Validation: Perspectives in Hydrological Sciences. M. G. Anderson and P. D. Bates, John Wiley and Sons Ltd.: 261-292.

Dozier, J. (In press (1990)). Remote sensing of snow at high spectral resolution. Advances in Space Research.

Dozier, J., Y. Gjessing, et al. (1991). Chemical processes in snow - where should we go? Seasonal Snowpacks: Processes of Compositional Change. ATO ASI Series,. M. T. a. H. G. J. T. Davies. Berlin, Springer-Verlag. 28: 457-460.

Dozier, J. (1989). Remote sensing of snow in visible and near-infrared wavelengths. Theory and Application of Optical Remote Sensing. G. Asrar. New York, John Wiley: 527-547.

Dozier, J. (1987). Remote sensing of snow characteristics in the southern Sierra Nevada. Large Scale Effects of Season Snow Cover. R. Goodison, G. Barry and J. Dozier. Wallingford, UK, International Association of Hydrological Sciences. 166: 305-314.

Dozier, J., R. E. Davis, et al. (1987). On the objective analysis of snow microstructure. Avalanche Formation Movement and Effects. B. Salm and H. Gubler. Wallingford, UK, International Association of Hydrological Sciences. 162: 49-60.

Elder, K., J. Michaelsen, et al. (1995). Small basin modeling of snow water equivalence using binary regression tree methods. Biogeochemistry of Seasonally Snow-Covered Watersheds. K. A. Tonnessen, M. W. Williams and M. Tranter. Wallingford, UK, International Association for Scientific Hydrology. Publication No. 228: 129-139.

Elder, K. and J. Dozier (1990). Improving methods for measurement and estimation of snow storage in alpine watersheds. Hydrology in Mountains Regions, I, Hydrological Measurements: The Water Cycle. H. Lang and A. Musy. Wallingford, UK, International Association for Scientific Hydrology. Publication No. 193: 1541-1552.

Gibson, R. M. and J. W. Bradbury (1986). Male and female mating strategies on sage grouse leks. Ecological Aspects of Social Evolution. D. I. Rubenstein and R. W. Wrangham. Princeton, Princeton University Press: 379-398.

Herbst, D. B. and G. L. Dana. (1980). Environmental physiology of salt tolerance in an alkaline salt lake population of Artemia from Mono Lake, California, U.S.A. The Brine Shrimp Artemia. G. Persoone, P. Sorgeloos, O. Riels and E. Jasper. Wetteren, Belgium, Universa Press. 2: 157-167.

- Holmes, W. G. and J. M. Mateo (2007). Kin Recognition in Rodents - critical issues, empirical evidence and model systems. *Rodent Societies*. J. O. W. a. P. W. Sherman. Chicago, University of Chicago Press: 216-228.
- Holmes, W. (1990). Parent-offspring recognition in mammals: a proximate and ultimate perspective. *Mammalian Parenting*. N. A. Krasnegor and R. S. Bridges. New York, Oxford University Press: 441-460.
- Jellison, R., W. D. Williams, et al. (In press). Salt lakes - values, threats, and future. *Aquatic ecosystems: trends and global prospects*. N. Pulonin, Cambridge Univ. Press.
- Johnson, T., J. Dozier, et al. (1999). Snow accumulation trends in California. *Ice Physics in the Natural and Endangered Environment*. J. S. Wettlaufer. Berlin, Springer-Verlag. 56: 299-304.
- Johnson, T. R., J. Dozier, et al. (1999). Climate change and Sierra Nevada snowpack. *Interactions between the Cryosphere, Climate and Greenhouse Gases*. M. Tranter, R. Armstrong, E. Brunet al. Wallingford, UK, International Association of Hydrological Sciences Publication No. 256. 256: 63-70.
- Jiang, L., J. Shi, et al. (2004). Study of snow water equivalence inversion technique with simulating model. *Microwave Remote Sensing of the Atmosphere and Environment*. G. Skofronick Jackson and S. Uratsuka, Proceedings of SPIE vol. 5654: 157-166, doi: 10.1117/12.578318.
- Kattelman, R. and H. Dunning (1996). Diversion taxes on water to finance watershed management. *Watershed Restoration Management: Physical, Chemical and Biological Considerations*. J. J. McDonnell, J. B. Stribling, L. R. Neville and D. J. Leopold. Herndon, VA, American Water Resources Association: 237-244.
- Kattelman, R. (1996). A review of watershed degradation and rehabilitation throughout the Sierra Nevada. *Watershed Restoration Management: Physical, Chemical and Biological Considerations*. J. J. McDonnell, J. B. Stribling, L. R. Neville and D. J. Leopold. Herndon, VA, American Water Resources Association: 199-208.
- Kattelman, R. (1995). Impacts of gold mining on water resources of the Sierra Nevada. *Water resources at risk*. W. R. Hotchkiss, J. S. Downey, E. D. Gutentag and a. J. E. Moore. Minneapolis, MN, American Institute of Hydrology: 66-74.
- Kattelman, R. (1997). Flooding from rain-on-snow events in the Sierra Nevada. *Destructive Water: Water-Caused Natural Disasters, their Abatement and Control*. G. H. Leavesley, H. F. Lins, F. Nobiliset al.
- Kattelman, R. and T. Watanabe (1997). Draining Himalayan glacial lakes before they burst. *Destructive Water: Water-Caused Natural Disasters, their Abatement and Control*. G. H. Leavesley, H. F. Lins, F. Nobiliset al: 337-343.
- Kattelman, R. (1997). Educating water users about upstream watershed management. *Water Resources Education, Training, and Practice*. J. J. Warwick. Herndon, VA, American Water Resources Association: 525-532.
- Lenz, P. H. (1980). Ecology of an alkali-adapted variety of *Artemia* from Mono Lake, California, U.S.A. *Ecology, Culturing, Use in Aquaculture*. G. Persoone, P. Soregloos, O. Roels and E. Jaspers. Wetteren, Belgium, Universa Press. 3: 79-96.
- Lenz, P. H. and G. L. Dana. (1987). Life-cycles studies in *Artemia*: A comparison between a subtropical and a temperate population. *Artemia Research and Its Applications*. P. Sorgeloos, E. Jaspers, D. A. Bergston and W. Decler. Wetteren, Belgium, Universa Press. 3: 89-100.
- Lenz, P. H. (1987). Ecological studies on *Artemia*: a review. *Artemia Research and Its Applications*. P. Sorgeloos, E. Jaspers, D. A. Bergston and W. Decler. Wetteren, Belgium, Universa Press. 3: 5-18.
- Mateo, J. M. (In Press (2007)). Kinship signals in animals. *New Encyclopedia of Neuroscience*. L. Squire, Oxford: Elsevier.
- Mateo, J. M. (2007). Ontogeny of adaptive behaviors. *Rodent Societies*. J. O. W. a. P. W. Sherman. Chicago, University of Chicago Press: 195-206.
- Melack, J. M. (1988). Aquatic plants in extreme environments. *Vegetation of inland waters*. J. J. Symoens. Dordrecht, Netherlands, Kluwer Academic Publishers.
- Mateo, J. M. (In review (2007)). Development of anti-predator behavior. *Handbook of Developmental and Comparative Neuroscience: Epigenesis, Evolution, and Behavior*. J. H. F. S. R. R. M.S. Blumberg, Oxford University Press.
- Mateo, J. M. (In press 2008). Maternal influences on habitat selection, social relationships and survival

- behaviors. *Maternal Effects in Mammals*. Chicago, University of Chicago Press.
- Melack, J. M. and J. L. Stoddard (1991). *Sierra Nevada. Regional Case Studies: Acidic Atmospheric Deposition and Ecological Consequences*. D. F. Charles. New York, Springer-Verlag.
- Melack, J. M., M. Williams, et al. (1990). *Episodic acidification during snowmelt in waters of the Sierra Nevada, California. Mountain Watersheds*. L. Poppoff, L. Leopold, C. Goldman and S. Loeb. Berkeley, California, UC Press.
- Melack, J. M. and J. M. Barica (1999). *Environmental aspects of eutrophication. Planning and Management of Lake and Reservoirs, An Integrated Approach to Eutrophication*, Tech. Publ. Ser. 11. A. Mudroch. Shiga, Japan, UNEP International Environmental Technology Centre: 13-50.
- Rothstein, S. I. (1994). *The cowbird's invasion of the far west: history, causes and consequences experienced by host species. A Century of Avifaunal Change in Western North American Studies in Avian Biology*. J. J. R. Jehl and N. K. Johnson. 15.
- Tomback, D. F. (1983). *Nutcrackers and pines: coevolution or coadaptation? Coevolution*. N. H. Niteck. Chicago, University of Chicago Press: 179-223.

Symposia Proceedings:

- Bales, R. C. and M. W. Williams (1991). *Mesoscale chemical properties of the snowpack as a function of grain-scale processes*. EOS, Transactions, American Geophysical Union.
- Bales, R. C., C. Petersen, et al. (1991). *Non-steady state model of ion flux through homogeneous snow*. 20th IUGG General Assembly, IAHS Workshop HWS-4., Vienna.
- Bales, R. C. and R. E. Davis. (1990). *Distributed approach to modeling the chemical composition of snowmelt runoff*. EOS, Transactions, American Geophysical Union.
- Bach, A. J., R. I. Dorn, et al. (1992). *Paleohydrological and paleoclimatological implications of glacial moraine complexes from Pine Creek, Bloody Canyon and Bishop Creed, Eastern Sierra Nevada. The History of Water: Eastern Sierra Nevada, Owens Valley, White-Inyo Mountains. WMRS Symposium.*, University of California, Los Angeles.
- Bach, A. J., R. I. Dorn, et al. (1992). *Glacial avulsion in Peistocene moraine complexes of the east-central Sierra Nevada, California. The History of Water: Eastern Sierra Nevada, Owens Valley, White Inyo Mountains, WMRS Symposium.*, University of California, Los Angeles.
- Alpert, H. and M. E. Loik (2007.). *Factors Driving /Pinus jeffreyi/ Regeneration at a Forest-Shrubland Ecotone in Eastern California*. Ecological Society of America Annual Meeting, San Jose, CA.
- Almanza, E. P. and J. M. Melack (1980). *Landsat analyses of phytoplankton patchiness and seasonality in Mono Lake, California. Abstracts American Society of Limnology and Oceanography Winter Meeting.*, Los Angeles, California.
- Albright, T., J. Shi, et al. (1997). *Assessing the accuracy of SIR-C snow cover classification. Proceedings of the International Snow Science Workshop 1996.*, Banff, AB, Canada.
- Aizen, V. B., E. M. Aizen, et al. (1995). *Characteristics of runoff formation in the Kirgizskiy Alatau, Tien Shan. IAHS publication* .
- Bradford, G. R., A. L. Page, et al. (1984). *Chemical composition of the lakes in the Sierra Nevada of California. Second Biennial Conference of Research in California's National Parks*.
- Bradbury, J. W. (1987). *Mate choice in sage grouse. Meeting of the Annual Behavior Society.*, Williamstown, Massachusetts.
- Brown, A. B., L. J. Lund, et al. (1989). *The influence of soil on surface water composition in an Eastern Sierra watershed. Proceedings of the International Mountain Watershed Symposium*.
- Brown, A. D. and M. A. Lueking (1988). *Subalpine soil processes influence surface water composition in Emerald Lake watershed, Sierra Nevada, California. International Mountain Watershed Symposium, Lake Tahoe, California*.
- Brown, A. B., L. J. Lund, et al. (1988). *The influence of soils on the chemical composition of surface water from a Sierra Nevada watershed. Proceedings of International Mountain Watershed Symposium: Subalpine processes and water quality.*, Lake Tahoe, Nevada.
- Brown, A. D. and L. J. Lund (1987). *Soils as a source of base cations in surface waters in the Sierra Nevada, California. Agronomy Abstracts*.
- Brown, A. D., M. A. Lueking, et al. (1986). *Sampling and characterization of the soil solution of alpine soils. Agronomy Abstracts*.
- Bradford, D. (1991). *Acid deposition in the Sierra Nevada, California: Effects of low pH and inorganic*

- aluminum on two declining species of amphibians. *American Zoologist*.
- Cardinale, B. J. (2008). Biodiversity and the functioning of ecosystems. 3rd. Annual Meeting of Young Researchers in Earth Science, New Orleans, LA.
- Cardinale, B. J., D. Bennett, et al. (2007). Does community production drive species diversity or vice versa? Towards resolution of a diversity paradox. Ecological Society of America 92nd annual conference., San Jose, CA.
- Burak, S. and R. E. Davis (2001). Preliminary evaluation of snow accumulation patterns based on storm type, Mammoth Mountain, California. Proceedings of the 69th Western Snow Conference.
- Budinoff, C. R. and J. T. Hollibaugh. (2007). Arsenite-dependent anoxygenic photosynthesis by bacteria from Mono Lake, California. AGU annual meeting, San Francisco, CA,.
- Budinoff, C. and J. T. Hollibaugh (2003). Ecology and physiology of a Mono Lake cyanobacterium. 11th International Symposium on Phototrophic Prokaryotes., Tokyo, Japan.
- Budinoff, C. and J. T. Hollibaugh (2003). Ecology and physiology of a phylogenetically unique *Synechococcus* from Mono Lake. American Society of Limnology and Oceanography Aquatic Sciences Meeting, Salt Lake City, Utah.
- Brown, A. D., M. R. Williams, et al. (1993). Hydrochemical investigations of snow melt effect on runoff composition in small alpine catchments. EOS, Transactions, American Geophysical Union.
- Carpenter, F. L. (1991). Concluding remarks: Social patterns in nectarivorous birds. *Acta XX Congressus Internationalis Ornithologici*.
- Carpenter, F. L. (1988). Pollen-transfer efficiency compensates for pollinator crashes in a specialized bird-pollinated plant. *Acta. XIX Congressus Internationalis Ornithologici*, Ottawa, Canada.
- Carpenter, F. L., M. A. Hixon, et al. (1981). Premigratory changes in time budgets of territorial hummingbirds. Western Society of Naturalists 62nd Annual Meeting.
- Carpenter, F. L. (1981). Hummingbirds and pollination energetics in the Sierra Nevada. Cooper Ornithological Society Annual Meeting.
- Carpenter, F. L. (1980). Territory and migration in Rufous hummingbirds. Cooper Ornithological Society Annual Meeting.
- Carpenter, F. L. (1978). Importance of birds as pollinators in the eastern Sierra Nevada. Cooper Ornithological Society 48th Annual Meeting.
- Carini, S. and S. B. Joye (2003). Seasonal variations in aerobic methane oxidation rates in Mono Lake, (USA) as a function of geochemical variables and methanotroph community composition. AGU/EUG/EGU Meeting, Nice, France.
- Carini, S. and S. B. Joye (2003). Patterns of aerobic methane oxidation and methanotroph community composition during development of thermal stratification in Mono Lake, California. American Society of Limnology and Oceanography Aquatic Sciences Meeting., Salt Lake City, Utah.
- Cardinale, B. J. (2008). Biodiversity loss and the functioning of aquatic ecosystems: The rivet hypothesis revisited. North American Benthological Society 56th annual meeting, Salt Lake City, Utah.
- Colee, M. T., T. H. Painter, et al. (2000). A spatially distributed physical snowmelt model in an alpine catchment. Proceedings, Western Snow Conference.
- Colee, M. T., T. H. Painter, et al. (2000). A high-resolution distributed snowmelt model in an alpine catchment. Proceedings of the 68th Western Snow Conference.
- Carpenter, F. L., M. A. Hixon, et al. (1991). Sexual differences in resource acquisition by migrant hummingbirds. *Acta, XX Congressus Internationalis Ornithologici*. New Zealand Ornithological Congress Trust Board, Wellington, New Zealand.
- Daly, S. F., R. E. Davis, et al. (2000). Spatially distributed snow modelling for a comprehensive study of the Sacramento and San Joaquin basins, California. Procs. 57th Eastern Snow Conference.
- Culbertson, C., L. Miller, et al. (1986). Mono Lake I. Preliminary description of a unique photroph occurring within the water column oxic/anoxic transition zone. Winter meeting of the American Society of Limnology and Oceanography, San Francisco, California.
- Corn, P. S. and R. A. Knapp (2000). Fish stocking in protected areas: summary of a workshop. USDA Forest Service Proceedings.
- Cooper, S. D. (1995). Evaluation of acid deposition effects on Sierra Nevada aquatic invertebrates and fish. Atmospheric Acidity Protection Program, Assessment Workshop, California Air Resources Board., Costa Mesa, California.
- Cooper, S. D., K. Kratz, et al. (1995). The influence of scale on predator impacts on lower trophic levels. (Invited paper for a special session on Testing the influence of environmental heterogeneity on

- patterns and processes in streams). 43rd Annual Meeting, North American Benthological Society, Keystone Resort, Colorado.
- Cooper, S. D., K. Kratz, et al. (1993). The effects of stonefly predators on lower trophic levels in large stream channels. Presented at the 41st Annual Meetings of the North American Benthological Society, Calgary, Alberta.
- Cooper, S. D., D. W. Winkler, et al. (1983). The effect of grebe predation on the *Artemia* population in Mono Lake. Abstract for the Mono Lake Symposium Workshop., University of California Santa Barbara.
- Dana, G. L., R. Jellison, et al. (1992). Utilization of the 13-year Mono Lake database to elucidate patterns in zooplankton dynamics. Annual meeting of the American Society of Limnology and Oceanography, Santa Fe, New Mexico.
- Dana, G. L., R. Jellison, et al. (1990). Distribution of *Artemia monica* cysts in the sediments and reconstruction of historical cyst production. Annual Meeting of the American Society of Limnology and Oceanography., Williamsburg, Virginia.
- Dana, G. L. (1989). Life-history observations on the *Artemia* population in Mono Lake during a recent period of meromixis (1983-1988). Annual Meeting of the Southern California Academy of Sciences, California Lutheran University., Thousand Oaks, California.
- Dana, G. L. and R. Jellison (1989). Development and growth of *Artemia monica* under laboratory conditions tracking the natural environment. Annual Meeting of the American Society of Limnology and Oceanography., Fairbanks, Alaska.
- Dana, G. L., R. Jellison, et al. (1988). Cyst production of the brine shrimp, *Artemia monica*, in Mono Lake, California. IV International Symposium on Athalassic (Inland) Saline Lakes, Banyoles, Spain.
- Dana, G. L., R. Jellison, et al. (1988). Factors effecting population size of the brine shrimp, *Artemia monica*, in hypersaline Mono Lake, California. Annual Meeting of the American Society of Limnology & Oceanography, Boulder, Colorado.
- Dana, G. L. and P. H. Lenz (1985). Salinity bioassay of an *Artemia* population in Mono Lake, California. 48th Annual Meeting, American Society of Limnology and Oceanography.
- Dana, G. L. (1982). Hatching in Mono Lake *Artemia* cysts. Mono Lake: an Ecosystem in Transition? A Symposium Workshop sponsored by the University of California., University of California Santa Barbara.
- Dana, G. L. (1981). *Artemia* in temporary alkaline ponds near Fallon, Nevada with a comparison of its life history strategies in temporary and permanent habitats. Vernal Pools and Intermittant Streams. Proceedings of the Symposium by the Institute of Ecology, UC Davis., University of California, Davis, Institute of Ecology.
- Dana, G. L., K. Hitchner, et al. (1980). Mono Lake *Artemia*: ecological isolation. Abstracts American Association for the Advancement of Science Meetings, Pacific Division., Davis, California.
- Davis, R. E. and D. Marks (1980). Undisturbed measurement of the energy and mass balances of a deep alpine snowcover. Proceedings of the Western Snow Conference.
- Davidson, L. A. and A. E. Davidson (2004). The range of protists in Mono Lake, a Hypersaline soda lake in the Eastern Sierras. 36th Annual Midwest Protozoology Meeting, Chicago, IL.
- Davis, R. E., T. Pangburn, et al. (1999). Can satellite snow maps, ground measurements and modeling improve water management and control in the Kings River basin, California? Proceedings of the 67th Western Snow Conference.
- Davis, R. E., K. Elder, et al. (1996). Analysis of weather and avalanche records from Alta, Utah and Mammoth Mountain, California using classification trees. Proceedings of the International Snow Science Workshop, Banff, Alberta, Canada.
- Davis, R. E. (1996). Snow cover mapping and water equivalent interpolation. Annual meeting of the California Cooperative Snow Survey, Department of Water Resources., Sonora, CA.
- Davis, R. E., C. E. Petersen, et al. (1995). Ion flux through a shallow snowpack: Effects of initial conditions and melt sequences. Biogeochemistry of Seasonally Snow-Covered Catchments. IAHS Publication.
- Davis, R. E. and K. Elder (1994). Application of classification and regression trees: selection of avalanche activity indices at Mammoth Mountain. Proceedings of the ISSW'94.
- Davis, R. E. and K. Elder (1994). Measurement and data analysis of weather and avalanche records: recent directions and perspectives with case studies. Proceedings of the Eastern Snow Conference.

- Davis, R. E., K. Elder, et al. (1993). Estimating Total Snow Volume in a Small Alpine Watershed Using Remote Sensed Data and Ground-Based Surveys. Proceedings of the 50th Eastern Snow Conference.
- Davis, R. E., K. Elder, et al. (1993). Comparing snow volume estimates for an alpine basin. EOS, Transactions, American Geophysical Union 74.
- Davis, R. E. and J. Shi (1993). Microwave measurements of snowcover: progress towards operational hydrology. EOS, Transactions, American Geophysical Union 74.
- Davis, R. E., K. Elder, et al. (1992). Applications of classification tree methodology to avalanche data management and forecasting. Proceedings of the ISSW.
- Davis, R. E. (1992). Stream cooling by heat transfer to partially-submerged rocks. Proceedings of the Eastern Snow Conference.
- Davis, R. E. (1991). Links between snowpack chemistry and snowpack physics. Processes of Chemical Change in Snowpacks, Springer-Verlag, Berlin.
- Davis, R. E. and R. C. Bales (1990). Recent developments in snow-chemistry research in Western U.S. Proceedings in Eastern Snow Conference 47.
- Davis, R. E. and R. C. Bales (1989). Modeling Approaches to Estimating Water Flow Through Snow for Hydrologic and Environmental Applications. EOS, Transactions, American Geophysical Union.
- Davis, R. E. and S. A. Burak (1988). Snow cover forecasting in ungaged areas. International Snow Science Workshop., Whistler, Canada.
- Davis, R. E., J. Dozier, et al. (1987). Snow Property measurements correlative to microwave emission at 35 GHz. Proceedings of the 1986 International Geoscience and Remote Sensing Symposium., European Space Agency Publication 254.
- Davis, R. E., J. Dozier, et al. (1986). Snow property measurements correlative to microwave emission at 35 GHz. Proceedings IGARSS '86, IEEE 86CH2268-1.
- Davis, R. E., J. Dozier, et al. (1984). Micrometeorological measurements and instrumentation in support of remote sensing observations of an alpine snow cover. Proceedings of the 1984 Western Snow Conference.
- Dozier, J. (1984). Snow reflectance measurements from LANDSAT-4 thematic mapper over rugged terrain. Proceedings, Tenth International Symposium on Machine Processing of Remotely Sensed Data, with Special Emphasis on Thematic Mapper Data and Geographic Information Systems, West Lafayette, IN, Purdue University.
- Dozier, J. (1983). Snow reflectance from thematic mapper. Proceedings of Landsat-4 Investigators Early Results Symposium, NASA, GSFC.
- Dozier, J. (1982). Remote sensing of the snow surface radiation budget. American Geophysical Union, Fall Meeting, San Francisco, California.
- Dozier, J. (1979). A solar radiation model for a snow surface in mountainous terrain. Modeling of Snow Cover Runoff, U.S. Army Cold Regions Research and Engineering Laboratory.
- Donovan, L. A., J. H. Richards, et al. (1994). Soil chemistry and woody plant leaf chemistry along a toxic ion gradient at Mono Lake, CA. Bulletin of the Ecological Society of America.
- Diehl, S., K. Kratz, et al. (1995). Effects of trout density on grazing invertebrates and benthic algae in a high altitude stream. American Society of Limnology and Oceanography, Annual Meeting, Reno, Nevada.
- Diamond, J. M. and B. S. Obst (1989). Constraints that digestive physiology imposes on behavioral ecology and development of birds. Proceedings of 100th meeting Deutsche Ornithologen-Gesellschaft.
- Davis, R. E. and J. Johnson (2000). Preliminary tests and evaluation of a digital snow board. Proc. ISSW., Big Sky, Mt.
- Davis, R. E. (2000). A closer look at between storm factors affecting avalanche activity: a temperature index of near surface metamorphism. Proc. International Snow Science Workshop, Big Sky, MT.
- Davis, R. E., S. F. Daly, et al. (2000). Lessons learned from spatially distributing a simple snow model over the Sierra Nevada, California. EOS Transactions, AGU, Fall Meeting Supplement.
- Dozier, J. and M. W. Williams (1992). Hydrology and hydrochemistry of alpine basins. EOS, Transactions, American Geophysical Union.
- Dozier, J. and M. W. Williams (1991). Hydrology and hydrochemistry of alpine basins. Geophysics News. American Geophysical Union, Washington D. C.
- Dozier, J. (1990). Bidirectional reflectance of snow from 0.4 to 2.5 μm . Proceedings IGARSS '90, IEEE

90CH2825-8.

- Dozier, J., R. E. Davis, et al. (1990). Bidirectional reflectance of snow from 0.4 to 2.5 m. Proceedings of the 1989 International Geoscience and Remote Sensing Symposium.
- Dozier, J. and J. Frew (1989). Rapid calculation of terrain parameters for radiation modeling from digital elevation data. Proceedings IGARSS '89, IEEE 89CH2768-0.
- Dozier, J., R. E. Davis, et al. (1989). Reflectance and transmittance of snow at high spectral resolution. Proceedings of the 1989 International Geoscience and Remote Sensing Symposium., IEEE 89CH2768-0.
- Dozier, J., R. E. Davis, et al. (1988). The spectral bi-directional reflectance of snow. Proceedings of the 4th International Colloquium of Spectral Signatures of Objects in Remote Sensing., Aussois, France, European Space Agency.
- Dozier, J., R. E. Davis, et al. (1987). Snow microstructure measurements using stereology. Snow Property Measurement Workshop. Technical Memorandum 140, National Research Council of Canada, Ottawa.
- Dozier, J. (1986). Remote sensing of snow properties in mountainous terrain. Snow Watch '85, World Data Center for Glaciology GD-18.
- Dozier, J. (1985). Spectral signature of snow in visible and near-infrared wavelengths. Spectral Signatures of Objects in Remote Sensing, European Space Agency SP-247.
- Elder, K., W. Rosenthal, et al. (1997). Estimating the spatial distribution of snow water equivalence in a montane watershed. Proceedings of the Western Snow Conference.
- Elder, K., R. E. Davis, et al. (1991). Terrain classification of snow-covered watersheds. Proceedings of the 48th Eastern Snow Conference.
- Elder, K., M. Williams, et al. (1991). Spatial considerations of snow chemistry as a non-point contamination source in alpine watersheds. First USA/USSR Joint Conference on Environmental Hydrology and Hydrogeology, Leningrad, USSR, American Institute of Hydrology.
- Elder, K. and J. Dozier (1991). Snow accumulation at different spatial scales in the Sierra Nevada. EOS, Transactions, American Geophysical Union.
- Elder, K., M. W. Williams, et al. (1990). Spatial considerations of snow chemistry as a non-point contamination source in alpine watersheds. Proceedings of First USA-USSR Joint Conference on Environmental Hydrology and Hydrogeology, Minneapolis, American Institute of Hydrology.
- Elder, K. and J. Dozier (1990). Improving Methods for Measurement and Estimation of Snow Storage in Alpine Watersheds. Proceedings of two Lausanne Symposia, Lausanne, IAHS.
- Elder, K. and R. Kattelmann (1990). Refinements in Dilution Gauging for Mountain Streams. Proceedings of two Lausanne Symposia, IAHS.
- Elder, K. and B. Armstrong (1987). A quantitative approach for verifying avalanche hazard ratings. Proceedings of the Davos Symposium, IAHS.
- El-Amany, M., G. R. Bradford, et al. (1984). The alkalinity of pristine lakes in the high Sierra Mountains. Proceedings of the 77th Annual Meeting of the Air Pollution Control Association., San Francisco.
- El-Amany, M., G. R. Bradford, et al. (1984). The alkalinity of high Sierra lakes. Second Biennial Conference of Research in California's National Parks., UC Davis.
- Dubayah, R. O., J. Dozier, et al. (1989). The distribution of clear-sky radiation over varying terrain. Proceedings of the International Geoscience and Remote Sensing Symposium.
- Enzmann, B. (2008). Gyne Investment and implications for colony founding strategies in harvester ants (genus *Pogonomyrmex*). Mildred Mathias Symposium 2008, Bodega Marine Laboratory/Reserve.
- Embury, M. and R. Kattelmann (1996). Water management in the Sierra Nevada: Aquatic and riparian impacts. EOS, Transactions, American Geophysical Union.
- Elliot-Fisk, D. L., C. A. Toft, et al. (1993). Development of Late Holocene shoreline ecosystems at Mono Lake, California. Association of American Geographers, 89th Annual Meeting, Atlanta., Washington D. C.
- Elder, K. and R. E. Davis (2000). Decision trees predicting avalanche response: tool for training. Proc. ISSW, Big Sky, Mt.
- Elder, K. and R. E. Davis (2000). Retrieval of snow-covered area in cloudy remotely sensed imagery. EOS Transactions, AGU, Fall Meeting Supplement.
- Fisher, J. and J. T. Hollibaugh (2004). Role of sulfide, selenate and nitrate in arsenite oxidation in Mono Lake, CA. American Geophysical Union Annual Meeting, San Francisco, CA.
- Epanchin, P., R. Knapp, et al. (2006). Indirect Effects of Trout on Birds in an Alpine Environment. The

- American Fisheries Society, California-Nevada Chapter, Symposium and 40th Annual Meeting, San Luis Obispo, CA.
- Gabbe, A. (2004). The effects of nectar reward quality on hummingbird foraging behavior: implications for the evolution of dilute sucrose concentration in *Ipomopsis aggregata*. Mathias Symposium, Bodega Marine Laboratory/Reserve.
- Frolik, J., C. Skalka, et al. (2008). An Investigation of New Snow Water Equivalence Sensing Modalities. AGU Fall meeting 2008.
- Frew, J. (2004). Earth System Science Server (ES3): local infrastructure for Earth science product management. NASA ESTO Earth Science Technology Conference, Palo Alto, CA.
- Frampton, M. and D. Marks (1980). Mapping snow surface temperature from thermal satellite data in the southern Sierra Nevada. Proceedings of the Western Snow Conference.
- Fleischer, R. C. and S. I. Rothstein (1984). Individual variability in the cowbird's flight whistle: age differences and bilingual birds. American Ornithologists' Union Annual Meeting, Lawrence, Kansas.
- Fleischer, R. C. and S. I. Rothstein (1983). Vocal, morphological and alloymic variation in populations of the brown-headed cowbird. American Ornithologists' Union Annual Meeting, New York, New York.
- Giri, B. J., N. Bano, et al. (2003). Phylogenetic diversity of RuBisCO gene along a redox gradient in Mono Lake, USA. American Society of Limnology and Oceanography, Salt Lake City, Utah.
- Gibson, R. M. (1988). Relationships between parasite load, mating success and phenotypic cues in male sage grouse. Symposium of the American Society of Zoologists, San Francisco, California.
- Gibson, R. M. (1988). Responses of female sage grouse to field playbacks of male display vocalizations. Meeting of the Animal Behavior Society, Missula, Montana.
- Gibson, R. M. (1988). Playback of male display attracts females in a lek breeding bird. Meeting of the Animal Behavior Society, Missula, Montana.
- Gibson, R. M. (1987). Sexual selection in sage grouse: do females choose more viable males? International Ethological Congress, Madison, Wisconsin.
- Griffith, A. B. and M. E. Loik (2004). Effects of precipitation change and cattle grazing on the invasive grass *Bromus tectorum*. Annual Meeting of the Ecological Society of America, , Portland, OR.
- Griffith, A. (2004). Effects of climate change and grazing on the invasive annual grass, *Bromus tectorum*. Mathias Symposium, Bodega Marine Laboratory/Reserve.
- Green, R. O. and J. Dozier (1996). Retrieval of surface snow grain size and melt water from AVIRIS spectra. Eighth Airborne Geoscience Workshop, Pasadena, CA, Jet Propulsion Laboratory.
- Green, R. O. and J. Dozier (1995). Measurement of the spectral absorption of liquid water in melting snow with an imaging spectrometer. Fifth Airborne Geoscience Workshop, Pasadena, CA, Jet Propulsion Laboratory Publication 95-01.
- Goodison, B. E., R. G. Barry, et al. (1987). Large Scale Effects of Seasonal Snow Cover. International Association of Hydrological Sciences, Wallingford, UK.
- Gomez, L. E., C. W. Chen, et al. (1988). Estimate of dry deposition to the Eastern Brook Lake watershed. International Mountain Watershed Symposium, Lake Tahoe, California.
- Herbst, D. B. (1992). Changing lake level and salinity at Mono Lake: habitat conservation problems for the alkali fly. The History of Water: Eastern Sierra Nevada, Owens Valley, White-Inyo Mountains. WMRS Symposium, University of California, Los Angeles.
- Herbst, D. B. and T. J. Bradley (1991). A population model for the alkali fly at Mono Lake (California) based on depth distribution and hard substrate habitat availability. 5th International Symposium on Saline Lakes, La Paz, Bolivia.
- Herbst, D. B. (1989). Developmental effects of salinity and algal food availability on the alkali fly *Ephydra hians* Say (Diptera: Ephydriidae). Annual Meeting of the Southern California Academy of Sciences.
- Herbst, D. B. (1988). Distribution and abundance of the alkali fly (*Ephydra hians*) at Mono Lake, California. IV International Symposium on Athalassic (Inland) Saline Lakes, Bangoses, Spain.
- Herbst, D. B. and T. J. Bradley (1987). Malpighian tubule lime glands in an insect from an alkaline salt lake. Annual Meeting of American Society of Zoologists, New Orleans.
- Herbert, B. E. and L. J. Lund (1987). Modelling the variation of wet deposition and throughfall in a Sierra Nevada watershed. Agronomy Abstracts.
- Harrington, R. F. and R. C. Bales (1993). Spatial variability of snowmelt and ion release from a seasonal

- snowpack at Mammoth Lakes, California. EOS, Transactions, American Geophysical Union 74.
- Harrington, R. and R. C. Bales (1992). Laboratory experiments a a model for field-scale vaiability in water and solute relase from melting snow. EOS, Transactions, American Geophysical Union.
- Herbst, D. B., E. L. Silldorff, et al. (2004). The influence of introduced trout on Native Aquatic Invertebrate Communities in a Paired Watershed Study of Streams in Yosemite National Park. Bulletin of the North American Benthological Society, Vancouver, BC.
- Herbst, D. (2002). Establishing Reference Conditions for Streams and Measuring Ecological Responses to Management Actions Using Aquatic Invertebrate Biological Assessments. Sierra Nevada Science Symposium, Kings Beach, CA.
- Herbst, D. B. (1995). Salinity inhibition of nitrogenase activity in sediments from Mono Lake, California. Physiological Ecology Group, Annual Meeting, White Mountain Research Station, Bishop, California.
- Herbst, D. B. and R. A. Knapp (1995). Biomonitoring of rangeland streams under different livestock grazing practices. North American Benthological Society, Annual Meeting, Keystone, Colorado.
- Herbst, D. B. (1995). Salinity limitations on the benthic productivity of Mono Lake. American Society of Limnology and Oceanography, Annual Meeting, Reno, Nevada.
- Hering, J. G., J. A. Wilkie, et al. (1999). Redox cycling of arsenic in geothermally-influenced waters. Annual Meeting of the Geological Society of America.
- Hering, J. G. and J. A. Wilkie (1997). Arsenic Geochemistry in Source Waters of the Los Angeles Aqueduct. 4th International Conference on the Biogeochemistry of Trace Elements, Berkeley, CA.
- Hollibaugh, J. T., S. Carini, et al. (2004). Thio-arsenic species in alkaline, hypersaline, meromictic Mono Lake, California. American Geophysical Union Annual Meeting, San Francisco, CA.
- Hollibaugh, J. T., S. B. Humayoun, et al. (2003). Diversity of bacteria in alkaline, hypersaline Mono Lake, California during a period of meromixis. Aquatic Sciences Meeting of the American Society of Limnology and Oceanography, Salt Lake City, Utah, USA.
- Hollibaugh, J. T., G. Rocop, et al. (2002). An unusual Synechococcus from Mono Lake, California. American Society of Limnology and Oceanography Annual Meeting, Victoria, British Columbia, Canada.
- Hoef, S. E., F. Lucas, et al. (2001). Characterization of bacterial arsenate reduction in the anoxic bottom waters of a meromictic, hypersaline, alkaline soda lake: Mono Lake, California. International Symposium on Environmental Biogeochemistry., Warsaw, Poland.
- Holt, E. W. and H. P. Taylor, Jr. (1996). Low-18O meteoric hydrothermal signatures in groundmass and fiamme of the 0.76 Ma Bishop Tuff, California. EOS, Transactions, American Geophysical Union.
- Holt, E. W. and G. A. Mahood (1993). Debris-avalanche emplacement of a Mid-Cretaceous caldera-collapse breccia, Minarels Caldera, Sierra Nevada, CA. Geol. Soc. Am.
- Holmes, R. W. (1980). Late pleistocene lake level changes, Mono Lake. Abstracts American Association for the Advancement of Science Mono Lake Symposium, Davis, California.
- Hollibaugh, J. T. (2008). Arsenic in Mono Lake - the importance of an unusual TEA in an extreme environment. China-U.S. Workshop on Collaborative Research on Geomicrobiological Processes in Extreme Environments., China University of Geosciences - Beiing, China.
- Hollibaugh, J. T., C. Budinoff, et al. (2006). Sulfide oxidation coupled to arsenate- or nitrate-reduction by a diverse microbial community in an arsenic-enriched soda lake. 11th International Symposium on Microbial Ecology, Vienna, Austria.
- Hollibaugh, J. T., C. Budinoff, et al. (2006). Sulfide oxidation coupled to arsenate- or nitrate-reduction by a diverse microbial community in a soda lake. Georgia Tech Microbial Ecology Symposium, Atlanta, GA.
- Jellison, R., G. L. Dana, et al. (1992). Ecosystem responses to changes in freshwater inflow to Mono Lake, California. The History of Water: Eastern Sierra, Owens Valley, White-Inyo Mountains. WMRS Symposium, University of California, Los Angeles.
- Jellison, R., G. L. Dana, et al. (1990). Vertical ammonium fluxes in hypersaline mono lake during a period of meromixis. Annual Meeting of the American Society of Limnology and Oceanography, Williamsburg, Virginia.
- Jellison, R. and G. L. Dana (1989). Cohort analysis of an *Artemia monica* population using a simulation model. Annual Meeting of the American Society of Limnology and Oceanography, Fairbanks, Alaska.
- Jellison, R., G. L. Dana, et al. (1988). Changes in algal abundance and ammonium concentrations

- following the onset of meromixis in hypersaline Mono Lake. Annual meeting of the American Society of Limnology and Oceanography, Boulder Colorado.
- Jellison, R. (1985). Zooplankton mediated nitrogen and phytoplankton dynamics in a hyposaline lake. 48th Annual Meeting, American Society of Limnology and Oceanography, Inc., Minneapolis, Minnesota.
- Humayoun, S. B., G. Leclair, et al. (2001). Composition of bacterial assemblages from alkaline, hypersaline Mono Lake, California. International Symposium on Microbial Ecology., Amsterdam, the Netherlands.
- Jellison, R., J. M. Melack, et al. (1993). Algal production and nitrogen availability during the onset, persistence, and breakdown of meromixis in hypersaline Mono Lake, California. Abstracts of the 1993 annual meeting of the American Society of Limnology and Oceanography, Edmonton, Alberta, Canada.
- Jellison, R., G. L. Dana, et al. (1992). Zooplankton dynamics under a regime of slowly increasing salinities interrupted by a six-year period of meromixis. Annual meeting of the American Society of Limnology and Oceanography, Santa Fe, New Mexico.
- Jellison, R., J. R. Romero, et al. (1997). The onset of meromixis during restoration of Mono Lake, California. Aquatic Sciences Meeting, American Society of Limnology and Oceanography, Santa Fe, NM.
- Jellison, R. and M. Sevon (2004). Conservation and management of four large saline lakes in the Western Great Basin (USA). 29th International Congress of Limnology, 8-14 August 2004, Lahti, Finland.
- Jellison, R. and J. M. Melack (2003). Effect of meromictic episodes at Mono Lake, California and the potential to lessen their occurrence and impacts through active management. Aquatic Sciences Meeting of the American Society of Limnology and Oceanography, Salt Lake City, Utah, USA.
- Jellison, R., J. M. Melack, et al. (2002). Ecological consequences of the onset of meromixis during the restoration of Mono Lake, California, USA. Annual Meeting of the American Society of Limnology and Oceanography, Victoria, British Columbia, Canada.
- Jellison, R. (2005). Brine Shrimp population dynamics in hypersaline Mono Lake: Interactions among mixing regimes, salinity, and recruitment bottlenecks. IX International Conference on Salt Lake Research, Perth Australia, Curtin University of Technology, Bentley, Western Australia.
- Johnson, T. R., J. Dozier, et al. (1997). River basin variations in Sierra Nevada snowpack accumulation trend. Proceedings, Western Snow Conference.
- Johnson, T., P. Fohl, et al. (1997). Climate change and Sierra Nevada snowpack. Proceedings of the International Snow Science Workshop, Banff, AB, Canada.
- Johnson, T. R., P. Fohl, et al. (1996). Climate change and Sierra Nevada snowpack. Proceedings, Twelfth International Snow Science Workshop.
- Jiang, L., J. Shi, et al. (2004). A comparison of dry snow emission model with field observations. Proceedings IGARSS 2004, IEEE No.04CH37612.
- Jiang, S., G. Steward, et al. (2001). Abundance and diversity of viruses in an alkaline hypersaline lake - Mono Lake, California. American Society of Limnology and Oceanography Annual Meeting, Albuquerque NM.
- Joye, S. B., S. Carini, et al. (2003). Seasonal decoupling of sulfate reduction and anaerobic oxidation of methane in Mono Lake, California. AGU/EUG/EGU Meeting, Nice, France.
- Joye, S. B., S. A. Carini, et al. (2003). Spatial and seasonal patterns of the anaerobic oxidation of methane in Mono Lake, California. American Society of Limnology and Oceanography Aquatic Sciences Meeting., Salt Lake City, Utah.
- Joye, S. B. (2001). Biogeochemistry of methane in alkaline, hypersaline Mono Lake. University of Georgia Department of Microbiology, Athens, Georgia.
- Joye, S. B., S. A. Carini, et al. (2001). Methane oxidation and the distribution of methanotrophs in the environment. American Society for Microbiology Annual Meeting, Atlanta, Georgia.
- Joye, S. B. (2001). Molecular biogeochemistry: Linking the distribution of microbes to their biogeochemical function in the environment. International Symposium on Environmental Biogeochemistry., Warsaw, Poland.
- Joye, S. B., S. Carini, et al. (2001). Molecular ecology and biogeochemistry of methane cycling in an alkaline, hypersaline lake. International Symposium on Microbial Ecology., Amsterdam, the Netherlands.

- Joye, S. B. (2000). Achaean analogs: Methane biogeochemistry in an alkaline soda lake: Mono Lake, California. Carnegie Institution of Washington Geophysical Laboratory., Washington, DC.
- Kattelman, R. C. (1996). Snowmelt contributions to flooding in the American river basin. Proceedings of the Western Snow Conference, Bend, Oregon.
- Kattelman, R., R. Osterhuber, et al. (1996). Research at the Central Sierra Snow Laboratory: History and hope. Proceedings of the Western Snow Conference.
- Kattelman, R. and T. Yamada (1996). Storms and avalanches of November, 1995, Khumbu Himal, Nepal. Proceedings of the International Snow Science Workshop, Canadian Avalanche Association, Revelstoke, B.C.
- Kattelman, R. (1996). Coping with reservoir sedimentation in the Sierra Nevada of California. Proceedings of the International Conference on Reservoir Sedimentation, Colorado State University, Fort Collins.
- Kattelman, R. (1996). Changing development of Nepal's water resources. EOS, Transactions, American Geophysical Union.
- Kattelman, R., K. Elder, et al. (1995). Some surveys of snow chemistry in the Tien Shan of Kirghizstan and Kazakhstan. IAHS Publication 228: .
- Kattelman, R. C. and D. Dawson (1994). Water diversions and withdrawal for municipal supply in the eastern Sierra Nevada. Effects of Human-Induced Changes On Hydrologic Systems. Proceedings of the Annual Summer Symposium of the American Water Resources Association, Jackson Hole, Wyoming.
- Kattelman, R. C. and K. Elder (1993). Accumulation and ablation of snow cover in an alpine basin in the Sierra Nevada, USA. Snow and Glacier Hydrology, International Association of Hydrological Sciences.
- Kattelman, R. C. (1992). Historic floods in the eastern Sierra Nevada. The History of Water: Eastern Sierra Nevada, Owens Valley, White-Inyo Mountains. WMRS Symposium, University of California, Los Angeles.
- Kattelman, R., N. Berg, et al. (1991). A history of rain-on-snow- floods in the Sierra Nevada. Proceedings Western Snow Conference.
- Kattelman, R. C. (1991). Peak flows from snowmelt runoff in the Sierra Nevada, USA. Snow Hydrology and Forests in High Alpine Area. International Association of Hydrological Sciences.
- Kattelman, R. and J. Dozier (1991). Environmental Hydrology of the Sierra Nevada, California, USA. Proceedings of First USA-USR Joint Conference on Environmental Hydrology and Hydrogeology, Leningrad, Kendall Hunt, Dubuque.
- Kattelman, R. and J. Dozier (1990). Environmental hydrology of the Sierra Nevada. Proceedings of First USA-USSR Joint Conference on Environmental Hydrology and Hydrogeology, Minneapolis, American Institute of Hydrology.
- Kattelman, R., K. Elder, et al. (1988). Monitoring basin-wide snowmelt with ablation stakes. Proceedings, International Snow Science Workshop, Whistler, BC, ISSW Committee.
- Knapp, R. A. and K. M. Matthews (1994). The impact of livestock grazing on Golden Trout (*Oncorhynchus mykiss aguabonita*) in their native streams. CANV American Fisheries Society Meeting.
- Kattelman, R. (2000). Riparian vegetation loss in the Sierra Nevada. Riparian Ecology and Management in Multi-Land Use Watersheds, Middlesburg, VA, American Water Resources Association.
- Kattelman, R. (2000). Opportunities for expanding watershed management in the Sierra Nevada. Watershed Management 2000: Science and Engineering Technology for the new millenium, New York, NY, American Society of Civil Engineers.
- Kattelman, R. (1999). Environmental water allocations in Sierra Nevada watersheds. Watershed Management to Protect Declining Species, Middlesburg, VA, American Water Resources Association.
- Kattelman, R. (1999). Prospects for reinvestment in Sierra Nevada headwaters. River Basin Management to Meet Competing Needs, Denver, CO, U.S. Committee on Irrigation and Drainage.
- Kattelman, R. (1999). Hydrology and opinions in the restoration of Mono basin streams. Science Into Policy: Water in the Public Realm.
- Kattelman, R. (1999). Proposed fire management strategies and potential hydrologic effects in the Sierra Nevada. Science Into Policy: Water in the Public Realm.
- Kattelman, R. (1999). Snowmelt contributions to flooding in the Lake Tahoe basin. Proceeding of the

- Western Snow Conference, 1999.
- Kattelman, R. (1997). Snowpack characteristics of an alpine site in the Sierra Nevada. Proceedings of the 65th Western Snow Conference.
- Kattelman, R. (1997). Very warm storms and Sierra Nevada snowpacks. Proceedings of the 65th Western Snow Conference.
- Knapp, R. A. and K. R. Matthews (2000). Effects of nonnative fishes on wilderness lake ecosystems in the Sierra Nevada and recommendations for reducing impacts. Proceedings: Wilderness Science in a Time of Change: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station., Ogden, UT.
- Knapp, R. A. (1994). Watershed Restoration: Looking beyond Salmonids. Salmonid Restoration Conference, Redding, California.
- Kuwabara, J. S. and H. V. Leland (1982). Copper (II) transport along Convict Creek (a Sierra Nevada stream). American Geophysical Union and American Society of Limnology and Oceanography Meeting, San Francisco, California.
- LeCleir, G. R., A. Buchan, et al. (2004). Comparison of group I chitinase gene sequences from diverse environments: implications of environmental effects on extracellular enzymes. American Society of Limnology and Oceanography, Savannah, Georgia.
- Laos, F. M., M. W. Williams, et al. (1992). Physio-chemical processes that determine the magnitude of the ionic pulse. EOS, Transactions, American Geophysical Union.
- Lenz, P. (1979). Ecology of an alkali-adapted variety of *Artemia* from Mono Lake, California. International Symposium on the Brine Shrimp, *Artemia salina*.
- Leland, H. V. and T. M. Jenkins (1984). Responses of a wild brown trout population to sub-lethal concentrations of copper. American Society of Limnology and Oceanography., Vancouver, B. C.
- Leland, H. V. (1983). A comparison of functional and structural measurements in assessing periphyton response to copper. Symposium on the Rationale for Sampling and Interpretation of Ecological Data in the Assessment of Freshwater Ecosystems. American Society of Testing and Materials., Philadelphia, Pennsylvania.
- Leland, H. V. (1983). Effects of copper on structure of benthic communities of a Sierra Nevada, California stream. Societas Internationalis Limnologie, Lyon, France.
- Leland, H. V. (1983). Responses of aquatic insects to copper. North American Benthological Society, La Crosse, Wisconsin.
- Leland, H. V. (1982). Effects of copper on benthic communities of Convict Creek, California. Pacific Fisheries Biologist, 44th Annual Meeting, South Lake Tahoe, California.
- Leland, H. V. (1982). Effects of copper on algal species composition in a Sierra Nevada, California stream. North American Benthological Society 30th Annual Meeting, Ann Arbor, Michigan.
- Leland, H. V. (1980). Functional and structural responses of Aufwuchs to copper. Dynamics of Lotic Ecosystems, Savannah River Ecology Laboratory Symposium, Augusta, Georgia.
- Leland, H. V. (1980). Effects of copper on structure of a stream community. Societas Internationalis Limnologie, Kyoto, Japan.
- Loik, M. E. (2004). Ecological consequences of long-term climate change in the Great Basin Desert. Annual Meeting of the Ecological Society of America, Portland, OR.
- Lenz, P. H. (1986). Grazing and the control of phytoplankton abundances in a hypersaline lake. Meeting of American Society of Limnology and Oceanography, Kinston, Rhode Island.
- Lenz, P. H. and G. L. Dana (1984). Salinity bioassay of an *Artemia* population from Mono Lake, California. American Society of Limnology and Oceanography, Minneapolis, Minnesota.
- Lenz, P. H. and G. L. Dana (1984). Large-scale patchiness in *Artemia* in Mono Lake (California) a hypersaline, terminal lake. Abstracts 47th Annual Meeting of American Society of Limnology and Oceanography, Vancouver, British Columbia.
- Lenz, P. H. (1982). Life history of *Artemia* in Mono Lake. Abstract for the Mono Lake Symposium/Workshop, University of California, Santa Barbara.
- Lenz, P. H. (1980). *Artemia* in the Mono Lake ecosystem. Mono Lake Symposium at the annual AAS meeting, Pacific Division, Davis, California.
- MacIntyre, S. (1995). Overturning scales within the euphotic zone of Lake Biwa, Japan. Proceedings of the IUTAM Symposium on Physical Limnology, Broome, Western Australia.
- Lui, W. C., L. J. Lund, et al. (1987). Sensitivity of Sierra Nevada soils to acidic deposition. Agronomy Abstracts.

- Lueking, M. A. and L. J. Lund (1985). Nitrogen and sulfur mineralization in high elevation Sierra Nevada soils. *Agronomy Abstracts*.
- Lucas, F. S., J. Switzer-Blum, et al. (2001). Identification of mRNA differentially transcribed by *Sulfurospirillum barnesii* SES-3 during selenate versus nitrate respiration. *International Symposium on Microbial Ecology*, Amsterdam, the Netherlands.
- Loik, M. E. (2007). *Out in the Cold, Rain & Snow: Climate Change in the Eastern Sierra Nevada*. USFS Mono Basin Visitor's Center, Lee Vining, CA.
- Loik, M. E., A. B. Griffith, et al. (2007). Snowfall, snow depth, and melt impacts on carbon cycling at the Great Basin Desert and Sierra Nevada ecotone. *Ecological Society of America Annual Meeting*, San Jose, CA.
- Loik, M. (2007). Challenges and approaches to simulating climate change in the Sierra Nevada. *Science and Environmental Policy Dept.*, California State University, Monterey Bay, Marina, CA.
- Mateo, J. M. (1998). Mechanisms and function of behavioral plasticity in ground squirrels. *Psychology Department*, University of California Davis.
- Mateo, J. M. (1997). Mechanisms and retention of individual recognition in ground squirrels. *Annual Meeting of the Animal Behavior Society*, College Park, MD.
- Mateo, J. M. (1995). Development of discrimination among alarm calls in ground squirrels. *Annual Meeting of the Animal Behavior Society*, Lincoln, NE.
- Mateo, J. M. (1995). Alarm-call responses of juvenile ground squirrels. *Behavioral Biology Group*, Michigan State University, MI.
- Mateo, J. M. (1994). Ontogeny of alarm call responses in Belding's ground squirrels. *Annual Meeting of the Animal Behavior Society*, Seattle, WA.
- Marks, D., A. Winstral, et al. (2002). Topographic and canopy controls on snow deposition, snow-cover energy balance and snowmelt. *Conference on Remote Sensing and hydrology, 2000*, Santa Fe, NM, *International Association of Hydrological Sciences*.
- Marks, D., B. McGurk, et al. (1988). Snow volume comparisons for atmospheric deposition monitoring. *Western Snow Conference*.
- Marks, D., R. Kattelmann, et al. (1986). Monitoring snowcover properties and processes in a small alpine watershed. *Proceedings of Sixth International Northern Research Basins Symposium/Workshop*, Michigan Technological University, Houghton.
- Marks, D. (1982). Net all-wave radiation as an index to snowmelt runoff. *American Geophysical Union, Fall Meeting*, San Francisco, California.
- Marks, B. and D. Marks (1980). Areal determination of the influence of a forest canopy on the surface radiant energy exchange. *Proceedings of the Western Snow Conference*.
- Mateo, J. M. (2004). Experience-independent modulation of stress hormones may facilitate acquisition of survival behaviors. *Animal Behaviour Society*, Oaxaca, MX.
- Mateo, J. M. (2003). Developmental and hormonal influences on cognition. *25th Winter Animal Behavior Conference*, Jackson Hole, WY.
- Mateo, J. M. (2003). Developmental and population variation in stress hormones and their influence on learning. *Animal Behavior Society*, Boise, Idaho.
- Mateo, J. M. (2003). The advantages and disadvantages of field research. *Animal Behavior Society*, Boise, Idaho.
- Mateo, J. M. (2002). Developmental, biological, and social mechanisms of kin-based behaviors. *Committee on Human Development*, University of Chicago.
- Mateo, J. M. (2002). Functions and mechanisms of kin recognition. *Biology department*, Swarthmore College.
- Mateo, J. M. (2002). Evolution of kin-recognition components. *Department of Ecology, Evolution, and Behavior*, University of Minnesota.
- Mateo, J. M. (2002). Kin Recognition abilities and nepotism as a function of sociality. *Proceedings of the Royal Society of London, Series B*.
- Mateo, J. M. (2001). Mechanisms of kin recognition in ground squirrels. *Section of neurobiology, Physiology and Behavior*, University of California Davis.
- Mateo, J. M. (2001). Evolution of kin-recognition components in ground squirrels. *Biology Department*, University of Rochester.
- Mateo, J. M. (2001). Chemical communication and kin recognition in rodents. *Annual Meeting of the American Society of Mammalogists*, Missoula, MT.

- Mateo, J. M. (2001). Variation in the development of fin-recognition mechanisms. Annual Meeting of the Animal Behavior Society, Corvallis, OR.
- Mateo, J. M. (2000). Mechanisms of kin recognition in ground squirrels. Winter Animal Behavior Conference, Jackson Hole, WY.
- Mateo, J. M. (2000). Mechanisms of social recognition in ground squirrels. Psychology Department, University of Pennsylvania.
- Mateo, J. M. (2000). Kin recognition in ground squirrels. Biology Department, University of Massachusetts, Amherst.
- Mateo, J. M. (2000). Evolution of kin recognition components. Ecology and Evolution Department, University of Chicago.
- Mateo, J. M. (1999). Development of social-recognition cues in ground squirrels. Annual Meeting of the Animal Behavior Society, Lewisburg, PA.
- Melack, J. M., R. Jellison, et al. (1985). Responses of plankton in hypersaline Mono Lake to water diversion and El Nino. Abstracts of the 48th annual meeting of the American Society of Limnology and Oceanography, Inc.
- Melack, J. M. (1984). Biology and limnology of Mono Lake. Mono Lake: Beyond the Public Trust Doctrine, Proceedings of the Symposium sponsored by University of California, Los Angeles Extension, Public Policy Program., University of California, Los Angeles.
- Melack, J. M., Y. Liang, et al. (1982). Ecological responses of the plankton of Mono Lake to increased salinity. Abstract for Mono Lake Symposium Workshop, Santa Barbara, California.
- Melack, J. M., J. L. Stoddard, et al. (1982). Acid precipitation and buffer capacity of lakes in the Sierra Nevada, California. Proceedings of the International Symposium on Hydrometeorology., American Water Resources Association.
- Melack, J. M. (1980). Transition from a winter phytoplankton bloom to a deep chlorophyll maximum in Mono Lake, California. Abstracts American Society of Limnology and Oceanography Winter Meeting, Los Angeles, California.
- Melack, J. M. (1980). Limnology of the Mono Lake ecosystem. Abstracts American Association for the Advancement of Science Mono Lake Symposium Workshop.
- Melack, J. M. and P. H. Lenz (1979). Plankton heterogeneity in an alkaline, saline lake (Mono Lake, California). American Society of Limnology and Oceanography, 42nd Annual Meeting, Stony Brook, New York.
- Medhurst, R. B. and D. B. Herbst (2003). An Alternative Method for Decontamination: Bleach Toxicity to New Zealand Mud Snails from Upper Owens River. 3rd Annual symposium on the New Zealand Mudsnail, Bozeman, Montana.
- McGurk, B. J., N. H. Berg, et al. (1990). Monitoring Atmospheric Deposition in California's Sierra Nevada: A Comparison of Methods. Atmospheric Deposition (Proceedings of the Baltimore Symposium, May 1989), Baltimore, IAHS.
- McCall, A. C. (2004). Induced effects of herbivory on reproductive tissues in *Nicotiana attenuata* (Solanaceae). Mathias Symposium, Bodega Marine Laboratory/Reserve.
- May, S. E. (2004). Effects of water speed and meiofauna flux on the distribution of benthic suspension-feeding Hydropsychid caddisfly larvae (Trichoptera: Hydropsychidae). Mathias Symposium, Bodega Marine Laboratory/Reserve.
- Melack, J. M., J. O. Sickman, et al. (1997). Nitrogen and major solute dynamics in the high elevation catchments of the Sierra Nevada. California Society, San Francisco, CA.
- Melack, J. M. and J. Sickman (1995). Snowmelt induced changes in the chemistry of seven high-elevation streams, Sierra Nevada, California. IAHS Publication 228, IAHS.
- Melack, J. M. and M. Gastil (1994). Airborne visible imaging spectrometry applied to limnology: Chlorophyll variation in Mono Lake. Proceedings of International Symposium on Spectral Sensing Research, San Diego, California.
- Melack, J. M. and M. Gastil (1994). Comparison of spectral feature algorithms for remote sensing of chlorophyll in eutrophic lakes. Proceedings of Intern. Geosci. Remote Sens. Symposium. IV.
- Melack, J. M., S. Hamilton, et al. (1993). Sediment release of major solutes in a high altitude lake. Sixth International Symposium on Interactions between Sediments and Water.
- Melack, J. M., R. Jellison, et al. (1993). Primary Productivity and its environmental control in alkaline, saline lakes. Abstracts of the 1993 annual meeting of the American Society of Limnology and Oceanography, Edmonton, Alberta, Canada.

- Melack, J. M., R. Jellison, et al. (1991). Ecosystem Responses to Changes in Freshwater Inflow to Mono Lake, California. The History of Water; Eastern Sierra Nevada, Owens Valley, and White-Inyo Mountains. WMRS Symposium, University of California, Los Angeles.
- Melack, J. M. and Pilorz (1990). Reflectance spectra from eutrophic Mono Lake, California, measured with the airborne and infrared imaging spectrometer. Proceedings of the SPIE Conference.
- Melack, J. M., R. Jellison, et al. (1990). Biological Consequences of meromixis in Mono Lake. Annual Meeting of American Society of Limnology and Oceanography., Williamsburg, Virginia.
- Melack, J. M. and M. W. Williams (1989). Chemistry of wet deposition in the Sierra Nevada, California. Transactions of the American Geophysical Union.
- Melack, J. M., R. Jellison, et al. (1989). Plankton and ammonium dynamics of Mono Lake. Annual meeting of the Southern California Academy of Sciences, Lutheran University, Thousand Oaks, California.
- Molotch, N. P., T. H. Painter, et al. (2003). Incorporation of remotely sensed snow grain size into a spatially distributed physical snowmelt model. AVIRIS Workshop, Pasadena.
- Molotch, N. P., T. H. Painter, et al. (2001). Analysis of the spatial variability of snow cover depletion in an alpine watershed, Tokopah Basin, Sierra Nevada, California, U.S.A. Proceedings, Western Snow Conference.
- Noda, G. (2003). The Expanding Range of the New Zealand Mud Snail, *Potamopyrgus antipodarum*, in the Upper Owens River Watershed, California. 3rd Annual *Potamopyrgus antipodarum* in the Western USA Conference, Bozeman, MT.
- Noda, G. (2002). Tracking New Zealand mudsnail in the upper Owens River watershed. New Zealand Mudsnail in the Western USA: Conference 2002, Cheever Hall, Montana State University, Bozeman, Montana.
- Nolin, A. W., K. Steffen, et al. (1994). Measurement and modeling of the bidirectional reflectance of snow. Proceedings IGARSS '94, IEEE 94CH3378-7.
- Nolin, A. W., J. C. Shi, et al. (1993). Characterization of snow grain size in the near-infrared and microwave wavelengths. Topical Symposium on Combined Optical-Microwave Earth and Atmosphere Sensing Symposium, IEEE.
- Nolin, A. W. and J. Dozier (1993). Inversion technique for quantitative determination of snow grain size with imaging spectrometry. Imaging Spectrometry of the Terrestrial Environment.
- Nolin, A. W. and J. Dozier (1991). Retrieval of snow properties from AVIRIS data. Third Airborne Geoscience Workshop, Pasadena, CA, Jet Propulsion Laboratory.
- Nolin, A. W. and J. Dozier (1991). Spectral reflectance of thin snow. Physical Measurements and Signatures in Remote Sensing.
- Nolin, A. W., J. Dozier, et al. (1990). Bidirectional reflectance of optically thin snow. Proceedings IGARSS '90, IEEE No. 90CH2825-8.
- Nolin, A. W., J. Dozier, et al. (1988). Light transmission through snow. EOS, Transactions, American Geophysical Union 69.
- Nodvin, S. C. (1988). Mechanisms of winter alkalinity generation in a high elevation Sierra Nevada lake. Interannual Mountain Watershed Symposium, Lake Tahoe, California.
- Nodvin, S. C. (1987). Processes affecting the chemistry of waters passing through a high elevation Sierra Nevada watershed. Proceedings of UNEFSCOIHP-III International Symposium on Acidification & water pathways,, Bolkesjo, Norway.
- Nodvin, S. C., L. B. Weeks, et al. (1986). Alkalization of a high elevation Sierra Nevada stream. Seventy-sixth Annual Meeting of the American Society of Agronomy., Las Vegas, Nevada.
- Nodvin, S. C. (1986). Soil buffering and sulfate adsorption in Sierra Nevada soils. Agronomy Abstracts.
- Nodvin, S. C., E. P. Edgerton, et al. (1985). Spatial and temporal trends in water chemistry within a Sierra Nevada watershed. Bulletin of the Ecological Society of America.
- Nodvin, S. C. (1985). Sulfate adsorption in some high elevation Sierra Nevada soils. Agronomy Abstracts.
- Nodvin, S. C., W. T. Frankenburger, et al. (1984). Chemical characterization of Eastern Brook Lake: a high elevation lake in the Sierra Nevada. Forty Seventh Annual Meeting of the American Society of Limnology and Oceanography., Vancouver. B. C.
- Nodvin, S. C., L. B. Weeks, et al. (1984). Alkalization of a high elevation Sierra Nevada stream. Agronomy Abstracts.
- Nodvin, S. C., L. J. Lund, et al. (1984). Chemical characterization of Eastern Brook Lake: a high elevation lake in the Sierra Nevada. Abstracts 46th International Meeting of the American Society of

- Limnology and Oceanography., Vancouver. B. C.
- Okin, G. S., B. Murray, et al. (1999). The supercomputing visualization workbench for the analysis and classification of imaging spectrometer data. Summaries of the 8th JPL Airborne Earth Science Workshop, AVIRIS Workshop.
- O'Loughlen, A. (1992). Delayed song learning in yearling brown-headed cowbirds. 72nd Annual Meeting of the Western Society of Naturalists, Santa Barbara, California.
- O'Loughlen, A. (1992). Female brown-headed cowbirds prefer males with local songs. 4th International Behavioral Ecology Congress,, Princeton University, New Jersey.
- O'Loughlen, A. and S. Rothstein (1992). An extreme example of delayed vocal development: Song Learning in a population of wild brown-headed cowbirds. 29th Annual Meeting of the Animal Behavior Society, ,, Queens University, Kingston, Ontario, Canada.
- Novo, E. M., M. Gastil, et al. (1993). Estimativa de concentracao superficial de clorofila no Lago Mono, a partir de dados de espectra radiometro imageador AVIRIS. Proceedings VII Simposio Brasileiro do Sensoriamento Remoto.
- Painter, T. H. and J. Dozier (2002). Measurements of the bidirectional reflectance of snow at fine spectral and angular resolution. Proceedings, Western Snow Conference.
- Painter, T. H., B. Duval, et al. (2001). Mapping snow algae concentration in the Sierra Nevada with imaging spectroscopy. Proceedings, Western Snow Conference.
- Painter, T. H., J. Dozier, et al. (2000). Validation of an automated algorithm for the retrieval of snow covered area and snow grain size from imaging spectrometer data. Imaging Spectrometry VI, Proceedings of SPIE 4132.
- Painter, T. H., D. Donahue, et al. (2000). The Mammoth Mountain cooperative snow study site: data acquisition, management, and dissemination. Proceedings International Snow Science Workshop, Big Sky, Mt.
- Painter, T. H., B. A. Paden, et al. (2000). Automated spectro-goniometer: a robotic arm for the measurement of the bi-directional reflectance distribution function of snow. Proceedings, Western Snow Conference.
- Painter, T. H., J. Dozier, et al. (2000). Validation of an automated algorithm for inversion of imaging spectrometer data for subpixel snow covered area and snow grain size. SPIE.
- Painter, T. H., D. A. Roberts, et al. (1998). Automated subpixel snow parameter mapping with AVIRIS data. Seventh Airborne Geoscience Workshop, Pasadena, CA, Jet Propulsion Laboratory.
- Painter, T. H., D. A. Roberts, et al. (1997). Estimating snowcover and grain size from AVIRIS data with spectral mixture analysis and modeled snow spectra. Imaging Spectrometry III, Proceedings of SPIE 3118.
- Painter, T. H., D. A. Roberts, et al. (1996). Subpixel snow-covered-area and snow grain size from mixture analysis with AVIRIS data. Summaries of the Sixth Annual JPL Airborne Earth Science Workshop, AVIRIS Workshop, Pasadena, California, Jet Propulsion Laboratory.
- Painter, T. H., D. A. Roberts, et al. (1995). Improving alpine-region spectral mixture analysis estimates of snow-covered area. Remote Sensing for Forestry, Agriculture, and Natural Resources, Paris.
- Painter, T. H., D. A. Roberts, et al. (1995). Improving alpine-region spectral unmixing with optimal fit snow endmembers. Fifth Airborne Geoscience Workshop, Pasadena, CA, Jet Propulsion Laboratory.
- Perla, R., R. E. Davis, et al. (1987). Dilution method for measuring liquid water in snow: field tests in a subalpine snowpack. Snow Property Measurement Workshop, Ottawa, National Research Council of Canada.
- Perla, R., J. Dozier, et al. (1986). On the objective analysis of snow microstructure. Proceedings of the International Symposium on Avalanche Formation, Movement and Effects.
- Perla, R. and J. Dozier (1984). Observations on snow structure. Proceedings, Sixth International Snow Science Workshop, Aspen, CO, Mountain-Rescue.
- Pangburn, T., R. E. Davis, et al. (1997). Issues in Integrating Remote Sensing and GIS in Operational Snow Hydrology: Perspectives from Recent Experience. Proceedings of the Western Snow Conference. Joint Meeting of the Canadian Geophysical Union, Eastern Snow Conference and Western Snow Conference.
- Ransom, B., N. Bano, et al. (2004). Sulfide oxidation drives dissimilatory arsenate reduction in alkaline, hypersaline, Mono Lake, CA. American Society of Limnology and Oceanography, Savannah, Georgia.
- Prothero, W., J. E. Eickemeyer, et al. (1987). Preliminary results from teleseismic converted wave studies

- using portable arrays in Mojave and Mammoth Lakes. EOS, Transactions, American Geophysical Union.
- Roll, S. K. and R. Jellison (2003). The non-linear response of *Artemia* development to food availability results in large variation in peak adult abundances in hypersaline Mono lake, California. Aquatic Sciences Meeting of the American Society of Limnology and Oceanography, Salt Lake City, Utah, USA.
- Roll, S. K. and R. Jellison (2002). Seasonal variability in the deep chlorophyll maximum in hypersaline Mono Lake, California and the contribution of newly described *Picocystis salinarum*. Annual Meeting of the American Society of Limnology and Oceanography, Victoria, British Columbia, Canada.
- Rogers, D. B. and S. J. Dreiss (1993). Long-term control of lake salinity by groundwater at a closed-basin saline lake: Mono Lake, California. EOS, Transactions, American Geophysical Union.
- Rogers, D. B. and S. J. Dreiss (1993). Basin-scale variable density groundwater flow at a hydrologically closed, saline lake: Mono Lake, California. Geological Society of America, Annual Meeting.
- Rogers, D. B., S. J. Dreiss, et al. (1991). Nearshore groundwater and salt-flat processes at Mono Lake, California. The History of Water: Eastern Sierra, Owens Valley, White-Inyo Mountains. WMRS Symposium, University of California, Los Angeles.
- Richards, J. H., L. A. Donovan, et al. (1994). Rapid establishment of shrubs on a recently exposed desert plays, Mono Lake, CA. Bulletin of the Ecological Society of America.
- Rothstein, S. I. and R. C. Fleischer (1983). The cowbird's whistle: dialects and other patterns of variation. American Ornithologists' Union Annual Meeting, New York, New York.
- Rothstein, S. I. (1980). Range expansion of the brown-headed cowbird in the Sierra Nevada: potential threat to the avifauna. Soc. Western Field Ornithologists' Annual Meeting., Santa Barbara, California.
- Rothstein, S. I., J. Verner, et al. (1979). The brown-headed cowbird in the Sierra Nevada Mountains: an example of a dual spacing system. Cooper Ornithological Society Annual Meeting., Arcata, California.
- Rosenthal, W. and J. Saleta (2004). Scanning electron microscopy of snow grain boundary filaments. Proceedings of the International Snow Science Workshop.
- Rosenthal, W., K. Elder, et al. (2002). Operational decision tree avalanche forecasting. Proceedings of the International Snow Science Workshop, Penticton, BC Canada, Ministry of Transportation, Canada.
- Rosenthal, W. (1996). Estimating alpine snow cover with unsupervised spectral unmixing. Proceedings of IGARSS 96, Lincoln, Nebraska.
- Rose, K. N., R. Jellison, et al. (2002). High natural rates of nutrient loading to a montane reservoir (Crowley Lake, CA). Annual Meeting of the American Society of Limnology and Oceanography, Victoria, British Columbia, Canada.
- Rubega, M. A. (1993). Effects of changing prey density on foraging Red-necked Phalaropes: the significance of sexual size dimorphism in a changing environment. Symposium of the American Ornithologist's Union: Behavior, Ecology and Conservation of Western Hemisphere Shorebirds, Fairbanks, Alaska.
- Rubega, M. A. (1993). The functional significance of sexual size dimorphism in Red-necked Phalaropes. Invited presentation, Department of Biology, University of California, Los Angeles., Los Angeles.
- Rubega, M. A. (1993). Foraging efficiency of free-living Red-necked Phalaropes at Mono Lake: a test of the usefulness of laboratory measures of feeding performance. Annual meeting of the Pacific Seabird Group, Seattle, Washington.
- Rubega, M. A. (1990). Surface-tension feeding in Red-necked /Phalaropes/: Discovery of a novel feeding mechanism. Annual Meeting of the American Ornithological Union, Los Angeles, California.
- Rott, H., R. E. Davis, et al. (1992). Polarimetric and multifrequency SAR signatures of wet snow. Proceedings IGARSS '92, IEEE 92CH3041-1.
- Scholten, J. C. M., S. B. Joye, et al. (2003). Anaerobic degradation of glycine-betaine in Mono Lake, a moderately, hypersaline, alkaline environment. American Society of Limnology and Oceanography Aquatic Sciences Meeting., Salt Lake City, Utah.
- Sabet, S. and S. Jiang (2004). Biodiversity and Ecology of Haloalkaliphilic Bacteriophage: Establishment of a genomic library of uncultured phage from Mono Lake. American Society of Limnology and Oceanography and The Oceanography Society (ASLO/TOS) Ocean Research Conference,

Honolulu, Hawaii.

- Shi, J. and J. Dozier (1996). Estimation of snow water equivalence using SIR-C/X-SAR. Proceedings IGARSS '96, IEEE 96CH35875.
- Shi, J., T. H. Painter, et al. (1996). Estimation of snow surface albedo using Landsat Thematic Mapper. Proceedings of IGARSS 96., Lincoln, Nebraska.
- Shi, J. C. and J. Dozier (1995). SIR-C/X-SAR mapping of snow in alpine regions. Proceedings IGARSS '95, IEEE 95CH357770.
- Shi, J. C. and J. Dozier (1995). SIR-C/X-SAR investigations of snow properties in alpine regions. Proceedings IGARSS '95, IEEE 95CH35770.
- Shi, J., J. Dozier, et al. (1994). Active microwave measurements of snow cover progress in polarimetric SAR. Proceedings IGARSS '94, IEEE 94CH3378-7.
- Shi, J. C. and J. Dozier (1994). Estimating snow particle size using TM band-4. Proceedings IGARSS '94, IEEE 94CH3378-7.
- Shi, J. C., J. Dozier, et al. (1993). Snow properties derived from TM and SAR measurements. Topical Symposium on Combined Optical-Microwave Earth and Atmosphere Sensing, IEEE.
- Shi, J. C., J. Dozier, et al. (1993). Modeling and observation of polarimetric SAR response to dry snow. Proceedings IGARSS '93, IEEE 93CH3294-6.
- Shi, J. C., J. Dozier, et al. (1993). Deriving snow liquid water content using C-band polarimetric SAR. Proceedings IGARSS '93, IEEE 93CH3294-6.
- Shi, J. C. and J. Dozier (1992). Radar backscattering response to wet snow. Proceedings IGARSS '92 IEEE no. 92CH3041-1, Piscataway, New Jersey, Institute of Electrical and Electronics Engineers.
- Shi, J. C., J. Dozier, et al. (1991). Snow and glacier mapping in alpine regions with polarimetric SAR. Proceedings IGARSS '91, IEEE 91CH2971-0.
- Shi, J. C., J. Dozier, et al. (1991). Modeling and observations of polarimetric SAR response to wet snow. EOS, Transactions, American Geophysical Union 72.
- Shi, J. C., J. Dozier, et al. (1990). Simulation of snow-depth estimation from multi-frequency radar. Proceedings IGARSS.
- Shi, J., J. Dozier, et al. (1990). Stereological characterizing of snow microstructure for microwave modeling. EOS, Transactions, American Geophysical Union 71.
- Shi, J. C. and J. Dozier (1989). Simulation of sub-pixel terrain effects of radar backscattering of snow. Proceedings of the 1989 International Geoscience and Remote Sensing Symposium. '.
- Steck, L. and W. A. Prothero (1987). Preliminary results from converted wave studies in the Long Valley Caldera. Seismological Research Letters.
- Smith, A., N. Bano, et al. (2004). Vertical distribution of bacteria in sediment from Mono Lake, CA. American Society of Limnology and Oceanography, Savannah, Georgia.
- Smith, L., T. R. Fisher, et al. (1984). Regeneration of ammonium in an Amazon floodplain lake. American Society of Limnology and Oceanography, Vancouver, Canada.
- Shi, J. C., S. Hensley, et al. (1997). Mapping snow cover with repeat pass synthetic aperture radar. Proceedings IGARSS '97, IEEE 95CH35770.
- Shi, J. C., R. Kattelmann, et al. (1997). Effects of large structures in wet snow cover on SAR measurements. Proceedings IGARSS '97, IEEE 97CH36042.
- Sylvester, A. G. (1983). Benchmarks and tilt, Long Valley Caldera, California. 1982-1983. American Geophysical Union, Fall Meeting., San Francisco, California.
- Stoddard, J. L. (1984). Alkalinity dynamics in an unacidified alpine lake, Sierra Nevada, California. EOS, Transactions, American Geophysical Union.
- Steward, G. F., J. P. Zehr, et al. (2003). Diverse nitrogen-fixers, but undetectable nitrogen fixation in alkaline, hypersaline, meromictic Mono Lake, California. Aquatic Sciences Meeting of the American Society of Limnology and Oceanography, Salt Lake City, Utah, USA.
- Steward, G. F., R. Jellison, et al. (2001). Detection of novel and diverse nitrogenase genes suggests potential for pelagic diazotrophy in alkaline, hypersaline Mono Lake. American Society for Limnology and Oceanography Annual Meeting., Albuquerque, New Mexico.
- Stephens, A. Q., G. F. Steward, et al. (2002). Computer simulation of TRFLP using functional gene sequences and implications for microbial community analysis. American Society for Limnology and Oceanography Summer Meeting, Victoria, British Columbia, Canada.
- Thomas, W. H. and B. Duval (1996). Effects of microalgal blooms on Sierra Nevada snow albedo. Proceedings of the Western Snow Conference.

- Thomas, W. H. (1994). Tioga Pass revisited: Interrelationships between snow algae and bacteria. Western Snow Conference 1994,, Santa Fe, New Mexico.
- Thomas, W. H., F. Azam, et al. (1988). Relationships between phytoplankton and bacteria in Eastern Brook Lake, Sierra Nevada, California. American Society of Limnology and Oceanography Annual Meeting.
- Thomas, W. H., F. Azam, et al. (1988). Planktonic algal and bacterial productivities and crops in Eastern Brook Lake, Sierra Nevada, California. 1989 Annual Meeting of the American Society of Limnology and Oceanography, Inc., University of Colorado, Boulder, Colorado.
- Thomas, W. H., D. R. L. Seibert, et al. (1986). Laboratory Selection of Desert Saline Microalgae for Mass Culture Applications: Conclusions. Applied Phycology Forum.
- Thomas, W. H., D. L. R. Seibert, et al. (1983). Microalgae from desert saline waters as potential biomass producers. Progress in Solar Energy, Proceedings of the American Solar Energy Society, Minneapolis, Mn.
- Taulbee, K. (2003). A stream field experiment on the effects of light levels across a nutrient gradient on algae and invertebrate grazers. North American Benthological Society, Athens, Georgia.
- Wallschlager, D., H. Hurleyuk, et al. (2003). Arsenic speciation and cycling in a permanently-stratified soda lake. 39th IUPAC Congress, Ottawa, Ontario, Canada.
- Verner, J. and S. I. Rothstein (1985). Implications of range expansion into the sierra nevada by the parasitic brown-headed cowbird. Proceedings, State of the Sierra Symposium.
- Vehrencamp, S. (1987). Energetic costs of lek display in sage grouse. American Ornithological Union, San Francisco, California.
- Tonnessen, K., K. Elder, et al. (1991). Seasonal snowpack dynamics and chemistry in the Sierra Nevada (California, USA) and the Tien Shan (Xinjiang Province, China). Proceedings Western Snow Conference 59.
- Tonnessen, K., M. W. Williams, et al. (1991). Comparative hydrology and hydrochemistry of the Sierra Nevada, CA (USA) and the Tien Shan (PRC). EOS, Transactions, American Geophysical Union.
- Toft, C. A., D. L. Elliot-Fisk, et al. (1992). Development of Late Holocene sand-dune ecosystems rimming Mono Lake: Influence of hydrologic, geomorphic, and biological interaction. The History of Water: Eastern Sierra Nevada, Owens Valley, White-Inyo Mountains. WMRS Symposium, University of California, Los Angeles.
- Welch, K. (2004). Getting Fat in Thin Air: The Cost of Hover-Feeding as a Function of Altitude and Temperature in Migratory Rufous Hummingbirds, *Selasphorus rufus*. Mathias Symposium, Bogeda Marine Laboratory/Reserve.
- Weis, J. J., D. Madrigal, et al. (2008). Effects of algal diversity on the production of biomass in homogeneous and heterogeneous nutrient environments. A microcosm experiment. Ecological Society of America 93rd Annual conference, Milwaukee, WI.
- Wan, Z. M. and J. Dozier (1990). Effects of the atmosphere and surface emissivity on the thermal infrared spectral signature measured from MODIS-N. Proceedings IGARSS '90, IEEE 90CH2825-8.
- Welch, K. (2005). The cost of Hover-Feeding as a function of altitude and temperature in Migratory Rufous Hummingbirds, *Selasphorus rufus*. Society for Integrative and comparative biology Annual Meeting, San Diego, CA.
- Wilkie, J. A. and J. G. Hering (1996). Redox Speciation of Arsenic in Hydrothermal Source Waters of the Los Angeles Aqueduct. Gordon Research Conference on Environmental Sciences-Water, New Hampton, NH.
- Whitmore, D., S. A. Burak, et al. (1987). Evaluation of snow stability with the Swiss Rutschblock test. Proceedings, Seventh International Snow Science Workshop., University of California Santa Barbara.
- Whiting, M. C. (1987). The diatom-inferred paleoecology of Selected Sierra lakes. Ninth North American Diatom Symposium, Treehaven Field Station, Wisconsin.
- Whiting, M. C., R. W. Holmes, et al. (1987). Paleo-ecological insights into lake acidification trends in the Sierra Nevada. American society of Limnology & Oceanography, 50th Annual Meeting, Madison, Wisconsin.
- Whiting, M. C., R. W. Holmes, et al. (1987). Lake acidification trends in the Sierra Nevada: preliminary paleoecological insights. American Institute of Biological Sciences Annual Meeting, Columbus, Ohio.
- Whitehead, D. R., D. F. Charles, et al. (1988). Long-term studies of watershed-lake systems: the

- contribution of paleoecology. American Society of Limnology & Oceanography, Boulder, Colorado.
- Winstral, A., K. Elder, et al. (1999). Implementation of digital terrain analysis to capture the effects of wind redistribution in spatial snow modeling. Proceedings of the 67th Western Snow Conference.
- Williams, M. R., J. M. Melack, et al. (1993). Export of major ionic solutes from two subalpine watersheds before and after fire. EOS, Transactions, American Geophysical Union 74.
- Williams, M. W., J. M. Melack, et al. (1991). Hydrogeochemical controls on the solute composition of streams in a high-elevation catchment, Sierra Nevada. EOS, Transactions, American Geophysical Union 72.
- Williams, M. and J. M. Melack (1990). Groundwater contributions to the hydrochemistry of an alpine basin. Symposium on Hydrology of Alpine areas, International Association of Hydrologic Sciences (IAHS), Lausanne, Switzerland.
- Williams, M. W. and D. W. Clow (1990). Hydrologic and biologic consequences of an avalanche striking an ice-covered lake. Proceedings of the Western Snow Conference 58.
- Williams, M. and J. M. Melack (1989). Sources and sinks of acidity during snowmelt runoff in the Emerald Lake Basin. Transactions of the American Geophysical Union.
- Williams, S. N. and K. W. Hudnut (1984). Changes in Rn and Hg^o distribution patterns reflect decline in activity in Long Valley Caldera. U.S.G.S.-L.B.L. Conference on Monitoring the Hydrothermal System at Long Valley Caldera in Mammoth Lakes.
- Williams, S. N. and K. W. Hudnut (1984). Soil mercury and radon distribution pattern at Long Valley Caldera, eastern California. U.S.G.S. Earthquake Hazards Reduction Program Workshop on magmatic and tectonic processes in Long Valley Caldera, Napa, California.
- Williams, S. N. and K. W. Hudnut (1984). Soil gas radon and mercury at an active silicic caldera: Long Valley, California. Geol. Soc. Am. Annual Meeting.
- Williams, S. N., K. W. Hudnut, et al. (1983). Soil Hg^o distribution patterns and response to magmatic resurgence at Long Valley Caldera, California. EOS, Transactions, American Geophysical Union 64.
- Yokel, D. A. (1985). The social organization of the brown-headed cowbird in the Owens Valley, California. Natural History of the White-Inyo Range, Eastern California and Western Nevada and High Altitude Physiology, WMRS Symposium.

Technical Reports:

- Bradford, G. R., A. L. Page, et al. (1984). Quarterly Report from Program of Excellence In Energy Research, on Environmental Consequences of Energy Development On Agricultural and Natural Ecosystems. Rosemead, CA, So. Cal. Edison Co., Research and Development.
- Blinn, D. W. and D. B. Herbst (2003). Use of diatoms and soft algae as indicators of stream abiotic determinants in the Lahontan Basin, USA., Lahontan Regional Water Quality Control Board.
- Blinn, D. W. and D. B. Herbst (2003). Use of Diatoms and Soft Algae as Indicators of Environmental Determinants in the Lahontan Basin, USA., The Lahontan Water Quality Control Board.
- Bilham, R. (1988). Mammoth Lakes Michelson tiltmeter: Report to the USGS, University of Colorado: 3.
- Berg, N., B. McGurk, et al. (1989). Evaluation of methods for measurement of snowfall and collection of snow for chemical analysis. Final Report to the California Air Resources Board.
- Bradford, D. F., S. D. Cooper, et al. (1994). Distribution of Aquatic Animals Relative to Naturally Acidic Waters in the Sierra Nevada. Prepared for: California Air Resources Board, Contract No. A132-173.
- Bradford, D. F., C. Swanson, et al. (1992). Aquatic amphibians in the Sierra Nevada: Current status and potential effects of acidic deposition on population. Final Report to the California Air Resources Board Contract Number A932-139: 87.
- Carpenter, F. L. (1987). Energetics of feeding territoriality in hummingbirds. Physiology , Ecology & Population Biology, National Science Foundation Final Report. NSF Award No. BSR 840669, National Science Foundation.
- Curry, R. R. (1996). Development of specific plans and policies to avoid or mitigate the impacts of future development in certain Mono County wetlands, Final Report to the California Regional Water Quality Control Board, Contract No. 4-075-160-0: 75.
- Csuti, B. A. (1979). Patterns of adaptation and variation in the Great Basin kangaroo rat (*Dipodomys microps*), University of California Press, A contribution from the Museum of Vertebrate Zoology: 69.
- Corporation, S. A. I. (1985). So. Cal. Edison Co. Rock Creek Lake Meteorological and Air Quality Monitoring Program Annual Data Report - Vol I. Southern California Edison Co., Environmental Research Department, 2244 Walnut Grove Ave., Rosemead, CA 91770.
- Cooper, S. D., K. Kratz, et al. (1988). An integrated watershed study: an investigation of the biota in the Emerald Lake system and stream channel experiments. Final Report to the California Air Resources Board, Contract A5-139-32.
- Dana, G. L., R. Jellison, et al. (1992). Relationships between *Artemia monica* life history characteristics and salinity. Sacramento, Auxiliary Report No. 12/. Prepared for the Mono Basin water rights EIR under the direction of California Water Resources Control Board.
- Dana, G. L., R. Jellison, et al. (1992). Mixing and plankton dynamics in Mono Lake, California, 1991 Annual Report to the Los Angeles Department of Water and Power.
- Dana, G. L., R. Jellison, et al. (1991). Technical Appendix to the Mono Lake Database: Methods Manual, Annual Report to the Los Angeles Department of Water and Power: 32.
- Dana, G. L., R. Jellison, et al. (1991). Mono Lake Database, Annual Report to the Los Angeles Department of Water and Power: 32.
- Dana, G. L., J. M. Melack, et al. (1990). Abundance and life history variations of an *Artemia* population in a changing environment (Mono Lake, California)., Annual report to the Los Angeles Department of Water and Power: 14.
- Dana, G. L. and P. H. Lenz. (1984). Ecology and salinity bioassay of *Artemia* in Mono Lake, California, Report to the Packard Foundation, Mono County and the Inyo-Mono Fish and Game Advisory Commission: 33.
- Dana, G. L. and P. H. Lenz (1983). Reproductive cycle and ecology of *Artemia* in Mono Lake, Report to the Conservation Endowment Fund.
- Dana, G. L. and P. H. Lenz (1983). Ecology and Salinity Bioassay of *Artemia* in Mono Lake, California, Preliminary Report to The David and Lucile Packard Foundation and The Inyo-Mono Fish and Game Advisory Commission.
- Dana, G. L. and P. H. Lenz (1982). Spring hatching dynamics of *Artemia* in Mono Lake, California, Report to Conservation Endowment Fund.

- Davis, R. E. (1980). Simulation of an alpine soil thermal regime beneath a snowpack, Discussion Paper #1, Department of Geography, University of CA, Santa Barbara: 57.
- Davis, R. E. (1991). Spatially Distributed Snowpack Information from Satellite and Aircraft Data. Final Draft, work unit 32712, U.S. Army Cold Regions Research Plan: 12.
- Davis, R. E. (1990). Stream cooling by heat transfer to instream rocks. Stream Evaluation Report 90-2., California Department of Fish and Game: 22.
- Davis, R. E. (1989). Effects of partially submerged instream boulders on small freezing streams, Contract No. FG7613 Completion Report to the California Department of Fish and Game.
- Davis, R. E. and J. Dozier (1987). Research relative to angular distribution of snow / Snow cover characterization and microwave emission. Final Report NASA NAG 5-328.
- Dozier, J., D. Marks, et al. (1983). Use of the Sierra Nevada Aquatic Research Laboratory and Valentine Reserve for studies in snow hydrology and remote sensing, University of California Natural Reserve System Advisory Committee, Santa Barbara.
- Dozier, J. (1980). Satellite identification of surface radiant temperature fields of subpixel resolution. NOAA Technical Memorandum NESS 113, NOAA.
- Dozier, J. (1980). Improved algorithm for calculation of UTM and geodetic coordinates. Technical Report NESS 81, NOAA.
- Dozier, J. (1979). Use of Environmental Satellite Data for Input to Energy Balance Snowmelt Models. Final Report NOAA Grant 04-8-MO, Computer Systems Laboratory, University of California, Santa Barbara, Report TR-CSL-8001, University of California, Santa Barbara.
- Dodge, B. and M. Wasserman (1978). Lab analysis of selected soils: Valentine Eastern Sierra Ecological Reserve, University of California, Natural Land and Water Reserve System.
- Davis, R. E. (2001). HEC-HMS Models for the Sacramento and San Joaquin River Basins Comprehensive Study. Sacramento, CA, Prepared by: U.S. Army Corps of Engineers Hydrologic Engineering Center
- Prepared for: Sacramento District, Corps of Engineers.
- Dozier, J. and C. W. Rosenthal (1993). Automated snow mapping and identification of sub-resolution spectral mixtures with high-resolution satellite and aircraft data, U.S. Army Corp of Engineers. Cold Regions Research and Engineering Laboratory.
- Dozier, J. and J. M. Melack (1989). Snow, snowmelt, rain, runoff, and chemistry in a Sierra Nevada watershed. Final Report to California Air Resources Board Contract A6-147-32, California Air Resources Board.
- Dozier, J. and R. C. Davis (1989). Annual Report to NASA, NASA.
- Dozier, J. and J. M. Melack (1987). Snow deposition, melt, runoff, and chemistry in a small alpine watershed, emerald lake basin, sequoia national park. Final Report to California Air Resources Board for Contract A3-1 06-32, California Air Resources Board.
- Dozier, J. and R. E. Davis (1987). Research Relative to Angular Distribution of Snow Reflectance/ Snow Cover Characterization and Microwave Emission. Final Report to NASA NAG 5-328, NASA.
- Dozier, J. and P. M. I. Panel (1987). High -Resolution Multifrequency Microwave Radiometer: Instrument Panel Report. Earth Observing System Reports, Vol 2E. Washington, D.C., National Aeronautics and Space Administration: 59.
- Dozier, J., J. M. Melack, et al. (1987). High-Resolution Imaging Spectrometry: Science Opportunities for the 1990's. Earth Observing System Reports, Vol 2C. Washington, D.C., National Aeronautics and Space Administration: 74.
- Dzurisin, D., K. Cashman, et al. (1982). Tilt measurements at Long Valley Caldera, California. United States Geological Survey Open File Report 82-83, United States Geological Survey.
- Epanchin, P. (2005). Resource Subsidies and Indirect Effects of Non-native Fish in an Alpine Food Web. Davis, University of California: 9.
- Enzmann, B. (2005). Protein flow through harvester ant colonies. Los Angeles, University of California: 3.
- Field, C., G. Daily, et al. (1999). Confronting Climate Change in California: Ecological Impacts on the Golden State, Union of Concerned Scientists and the Ecological Society of America.
- Farrar, C. D., J. M. Neil, et al. (1999). Magmatic Carbon Dioxide Emissions at Mammoth Mountain, California. U.S. Geological Survey Water-Resources Investigations Report 98-4217, U.S. Geological Survey: 34.
- Greenstone, M. H. (1981). Web spider resource-partitioning and species diversity along temperate and tropical elevational gradients. Final Report to the National Geographic Society, National

Geographic Society.

- Grasso, R. L. (2005). Palatability and Antipredator response of Yosemite Toad (*Bufo canorus*) larvae to nonnative brook trout (*Salvelinus fontinalis*) in the Sierra Nevada mountains of California. Sacramento, California State University: 2.
- Herbst, D. B. (1992). Mono Lake benthic ecosystem research: Aquatic productivity component of the Environmental Impact Report, California State Water Resources Control Board.
- Herbst, D. B. (1992). Mono Lake Benthic Productivity. Auxiliary Report No. 8. Sacramento, The Mono Basin water rights EIR under the direction of California Water Resources Control Board.
- Herbst, D. B. and T. J. Bradley (1990). Predicting the ecological impact of stream diversions on Mono Lake, a population model for lake level management. California Policy Seminar Brief, 1990, 2(9).
- Herbst, D. B. (1987). Scenarios for the impact of changing lake levels and salinity at Mono Lake: Benthic ecology and the alkali fly, *Ephydra hians* Say (Diptera: Ephydriidae). Appendix to The Future of Mono Lake. University of California Santa Barbara/CORI Report to the California Department of Fish and Game and California State Legislature, University of California Santa Barbara/CORI Report to the California Department of Fish and Game and California State Legislature.
- Harrison, L. (2005). Pool evolution and response to sediment pulses in mountain streams. Santa Barbara, University of California: 3.
- Herbst, D. B. (2004). Bioassessment Monitoring of acid mine drainage impacts in streams of the Leviathan Mine Watershed: An update for 2001 and 2002 surveys, Lahontan Regional Water Quality Control Board and US Environmental Protection Agency.
- Herbst, D. B. (2004). Stream Invertebrate Baseline community monitoring: seasonal contrasts for year 2002 in the Kings River Experimental Watershed., US Forest Service and Pacific Southwest Research Station, Fresno.
- Herbst, D. B. (2004). Evaluating Recovery of Stream Invertebrate communities following removal of introduced trout, Kings Canyon National Park., National Park Service (Sequoia-Kings Canyon).
- Herbst, D. B. (2004). An evaluation of the vulnerability of Desert Spring Habitats to OHV disturbance in Surprise Canyon (Panamint Mountains - Inyo County, California) using aquatic invertebrates as indicators., Bureau of Land Management and National Park Service (Death Valley).
- Herbst, D. B. (2004). Trout Creek Restoration Monitoring: Assessment of Channel Reconstruction Using Benthic Invertebrates as Indicators of Ecological Recovery. City of South Lake Tahoe, City of South Lake Tahoe.
- Herbst, D. B. and J. M. Kane (2004). Macroinvertebrate Monitoring for the Bagley Valley Watershed Restoration Project on the Humboldt-Toiyabe National Forest., US Forest Service, Lahontan Regional Water Quality Control Board.
- Herbst, D. B. and E. L. Silldorff (2003). Performance of Different bioassessment methods from California: side by side comparisons of Field, laboratory and analysis procedures for streams of the Eastern Sierra Nevada., Lahontan Regional Water Quality Control Board.
- Herbst, D. B., E. L. Silldorff, et al. (2003). The Influence of Introduced Trout on Native Aquatic Invertebrate Communities in a Paired Watershed Study of High Sierran Streams., The Nature Conservancy (ecosystem research program) and The University of California Water Resources Center.
- Herbst, D. B. (2003). Macroinvertebrate Monitoring for the Bagley Valley Watershed Restoration Project on the Humboldt-Toiyabe National Forest: First Year Post-Project Assessment., The U. S. Forest Service.
- Herbst, D. B. (2003). Trout Creek Restoration Monitoring: Initial Post-Project Assessment Using Benthic Invertebrates as Indicators of Ecological Recovery., City of South Lake Tahoe.
- Herbst, D. B. (2003). Owens Lake Playa Floodwaters Invertebrate Survey: Winter and Spring 2002-2003, Great Basin Unified Air Pollution Control District.
- Herbst, D. B. (2002). Biomonitoring on the Upper Truckee River using aquatic macroinvertebrates: baseline data for 1998-2000., The Lahontan Regional Water Quality Control Board.
- Herbst, D. B. (2001). An overview of information on aquatic invertebrate life of the Owens Lake basin and evaluation of habitat suitability of irrigation drainwater, Great Basin Unified Air Pollution Control District.
- Herbst, D. B. (2001). Macroinvertebrate monitoring for the Bagley Valley watershed restoration project on the Humboldt-Toiyabe National Forest, US Forest Service.
- Herbst, D. B. (2001). Trout Creek restoration monitoring baseline: use of benthic invertebrates as

indicators of ecological recovery, City of South Lake Tahoe.

- Herbst, D. B. and P. A. Levine (2001). Productivity of the alkali fly at Mono Lake: assessment of field and laboratory methods for monitoring changes in population dynamics and establishing baseline conditions in the shallow littoral environment, Mono Lake Foundation.
- Herbst, D. B. (2001). An evaluation of aquatic habitats formed by irrigation and drainage of managed vegetation tracts and shallow flooding on the Owens Lake Playa, Inyo County, California., Great Basin Unified Air Pollution Control District.
- Herbst, D. B. (1993). Long Valley Geothermal Habitat Summary. Bishop, California, California Department of Fish and Game: 27.
- Herbst, D. B. (1993). East Walker River Sedimentation Impacts. Bishop, California, California Department of Fish and Game: 15.
- Herbst, D. B. (2005). Stream Invertebrate Bioassessment Monitoring of Monitor Creek: Baseline of Biological Conditions to Evaluate Mitigation of the Lower Advance Adit Discharge to Surface Flow (2003 and 2004), Sierra Nevada Aquatic Research Laboratory, United States Forest Service, Humboldt-Toiyabe National Forest.
- Herbst, D. B. (2004). Bioassessment Monitoring of Acid Mine Drainage Impacts in Streams of the Leviathan Mine Watershed: An Update for 2003 surveys., Sierra Nevada Aquatic Research Laboratory, Lahontan Regional Water Quality Control Board, U.S. Environmental Protection Agency.
- Herbst, D. B. (2004). Baseline Biological Stream Surveys in Center Basin - Upper Bubbs Creek Watershed of Sequoia-Kings Canyon National Park: Invertebrate Communities of Lake Outlet Streams Prior to Experimental Removal of Exotic Trout., Sierra Nevada Aquatic Research Laboratory.
- Herbst, D. (2004). Establishing Reference Conditions for Streams and Measuring Ecological Responses to Management Actions Using Aquatic Invertebrate Biological Assessments. Mammoth Lakes, CA, Sierra Nevada Aquatic Research Laboratory, USDA Forest Service: 133-141.
- Herbst, D. B. and J. M. Kane (2004). Responses of stream channels, riparian habitat, and Aquatic invertebrate community structure to varied livestock grazing exposure and management in the West Walker River Watershed (Mono County, CA), Lahontan Regional Water Quality Control Board.
- Hering, J. G., J. A. Wilkie, et al. (1997). Arsenic Geochemistry in Source Waters of the Los Angeles Aqueduct. Technical Completion Report. University of California Water Resources Center, Project UCAL-WRC-W-829., University of California Water Resources Center.
- Howald, A. M. and B. K. Orr (1981). A flora of Valentine Eastern Sierra Reserve. The Herbarium, Department of Biological Sciences, University of California Santa Barbara: 98.
- Howald, A. and Kennedy (1981). Environmental Impact Report. Valentine Camp: Environmental impacts expected from subdivision and development of the Madden property, University of California, Natural Land and Water Reserve System.
- Howald, A. M. and B. K. Orr (1980). Valentine Camp and the adjacent urban open space riparian zone: Environmental effects expected as a result of additions to the Aspen Creek development, University of California, Natural Land and Water Reserve System.
- Jellison, R. S., G. L. Dana, et al. (1992). A modeling analysis of Artemia Dynamics in Mono Lake. Auxiliary Report No. 13. Sacramento, Mono Basin water rights EIR under the direction of California Water Resources Control Board.
- Jellison, R., G. L. Dana, et al. (1990). Phytoplankton and brine shrimp dynamics in Mono Lake, California. Draft Report, Los Angeles Department of Water and Power.
- Jellison, R., G. L. Dana, et al. (1989). Phytoplankton and brine shrimp dynamics in Mono Lake, California. Annual Report, Los Angeles Department of Water and Power.
- Jellison, R., G. L. Dana, et al. (1988). Phytoplankton and brine shrimp dynamics in Mono Lake, California. Annual Report, Los Angeles Department of Water and Power.
- Jellison, R. (1987). Study and modeling of plankton dynamics in Mono Lake, California.
- Jellison, R., G. L. Dana, et al. (1987). Phytoplankton and brine shrimp dynamics in Mono Lake, California. Annual Report, Los Angeles Department of Water and Power: 49.
- Jellison, R. (1987). Modeling of plankton dynamics in Mono Lake, California. /In/ Appendix to The Future of Mono Lake. University of California Santa Barbara/CORI Report to the California Department of Fish and Game and California State Legislature, University of California Santa Barbara/CORI

- Report to the California Department of Fish and Game and California State Legislature.
- Jellison, R. (1987). Ammonium dynamics in Mono Lake: an analysis of vertical flux, brine shrimp excretion and nutrient enrichment experiments. /In/ Appendix to The Future of Mono Lake. University of California Santa Barbara/CORI Report to the California Department of Fish and Game and California State Legislature, University of California Santa Barbara/CORI Report to the California Department of Fish and Game and California State Legislature.
- Jellison, R., G. L. Dana, et al. (1986). Primary productivity and limnological conditions in Mono Lake, California. Annual Report, Los Angeles Department of Water and Power: 189.
- Jellison, R. and J. M. Melack (1984). Primary productivity in Mono Lake, Summer 1982 and 1983, Los Angeles Department of Water and Power.
- Jellison, R. and J. M. Melack (1982). Primary productivity in Mono Lake, Summer 1982, Los Angeles Department of Water and Power.
- Howald, A. M. (1983). The vegetation and flora of Mammoth Mountain. Mammoth Mountain Ski Area: 200.
- Howald, A. M. (1982). Botanical Inventory: Mammoth Mountain, Lower East-facing slope, U. S. Forest Service, Inyo National Forest and Mammoth Mountain Ski Area.
- Jellison, R., G. L. Dana, et al. (1993). Functional relationships between *Artemia* life history characteristics and salinity. Mono Basin EIR Auxiliary Report No. 12. Sacramento, California, California State Water Resources Control Board.
- Jellison, R. and J. M. Melack (1993). Meromixis in hypersaline Mono Lake, California. I. Stratification and vertical mixing during the onset, persistence, and breakdown of meromixis. Mono Basin EIR Auxiliary Report No. 15. Sacramento, California, California State Water Resources Control Board.
- Jellison, R. and J. M. Melack (1993). Algal photosynthetic activity and its response to meromixis in hypersaline Mono Lake, California. Mono Basin EIR Auxiliary Report No. 16. Sacramento, California, California State Water Resources Control Board.
- Jellison, R., J. M. Melack, et al. (1993). Functional relationships between *Artemia* life history characteristics and salinity. Mono Basin EIR Auxiliary Report No. 15. Sacramento, California, California State Water Resources Control Board.
- Jellison, R. and J. M. Melack (1999). Mixing and plankton dynamics in Mono Lake, California. Annual Report, Los Angeles Department of Water and Power: 114.
- Jellison, R. (1996). Mono Lake Microzooplankton.
- Jellison, R., J. Romero, et al. (1994). Mixing and plankton dynamics in Mono Lake, California. Annual Report, Los Angeles Department of Water and Power.
- Jellison, R., Y. S. Zadereev, et al. (2004). Conservation and Management Challenges of Saline Lakes: A Review of Five Experience Briefs, International Society of Salt Lake Research.
- Jellison, R. and D. R. Dawson (2003). Restoration of riparian habitat and assessment of riparian corridor fencing and other watershed best management practices on nutrient load and eutrophication of Crowley Lake, California, The California State Water Resources Control Board.
- Jellison, R., K. Rose, et al. (2003). Assessment of internal nutrient loading to Crowley Lake, Mono County. Santa Barbara, Marine Science Inst. - Univ. of California: 61.
- Jenkins, T. M., Jr. and D. R. Dawson (1988). Eastern Sierra winter flow trout population investigation. Job Completion Report to the California Department of Fish and Game, California Department of Fish and Game.
- Jenkins, T. M., Jr. (1982). Fishery research needs in the Eastern Sierra Nevada, Southern California Edison Company.
- Jellison, R., S. Parmenter, et al. (2007). Hot Creek Hatchery Stressor Identification. Bishop, CA, University of California Santa Barbara, Marine Science Institute, Sierra Nevada Aquatic Research Lab; California Department of Fish and Game, University of California, Davis, Vet Med; Stetson Engineers Inc; University of California Berkeley, Geography Department; Eastern Sierra and Inland Deserts, Region 6: 127.
- Jellison, R. (2006). Mixing and plankton dynamics in Mono Lake, California. 2005 Annual report to the Los Angeles Department of Water and Power. Santa Barbara, University of California Marine Science Institute: 95.
- Jellison, R. (2005). Mixing and plankton dynamics in Mono Lake, California. 2004 Annual report to the Los Angeles Department of Water and Power. Santa Barbara, University of California, Marine Science Institute: 89.

- Jenkins, T. M., Jr. and D. R. Dawson (1997). Mammoth Creek 1996 Fish Community Survey, Mammoth Community Water District.
- Jenkins, T. M., Jr. and D. R. Dawson (1996). Mammoth Creek 1995: Fish community survey, Mammoth County Water District.
- Jenkins, T. M. J., R. A. Knapp, et al. (1994). Aquatic biota in the Sierra Nevada: current status and potential effects of acid deposition on populations. Final Report, Contract A932-138, California Air Resources Board: 150.
- Jenkins, T. M., Jr. and D. R. Dawson (1991). Significance of flow volume in the winter ecology of brown trout (*Salmo trutta*) in a mid-elevation Sierra Nevada stream. Final Report. Contract Numbers FG5C2001, FG8232, and FG9345., California Department of Fish and Game: 95.
- Jenkins, T. M., Jr. (1990). A study of the Owens River Gorge fish community, with emphasis on the distributions, population biology and habitat of Owens Tui Chub *Glyptothorax bicolor synderi*. Final Report to the California Department of Fish and Game. Contract No. 7662, California Department of Fish and Game: 25.
- Kattelman, R. and M. Embury (1996). Riparian Areas and Wetlands. In Appendix on Management and Land Use, Sierra Nevada Ecosystem Project: Final Report to Congress, Assessments and scientific basis for management options. Centers for Water and Wildland Resources. University of CA, Davis, Centers for Water and Wildland Resources: 201-274.
- Kattelman, R. (1996). Hydrology and Water Resources. Sierra Nevada Ecosystem Project: Final Report to Congress, vol. II, Assessments and scientific basis for management options: 855-920.
- Knapp, R. A. (2003). Yosemite Lakes Survey 2000-2002, Yosemite National Park: 158.
- Knapp, R. A. (1996). Non-native trout in natural lakes of the Sierra Nevada: An analysis of their distribution and impacts on native aquatic biota. Sierra Nevada Ecosystem Project: Final Report to Congress. Volume III: Assessments, Commissioned Reports, and Background Information. Chapter 8. Davis: University of California, Centers for Water and Wildland Resources, University of California, Centers for Water and Wildland Resources.
- Kubly, D. M. (1989). Aquatic invertebrates of the eastern brook lake watershed. UCR Subcontract 86-09, Dept. of Soil and Environmental Sciences, UC Riverside.
- Lipshie, S. R. (1973). Surficial and engineering geology of part of the Mammoth Creek area, Mono County, California. Los Angeles, Environmental Science and Engineering Program, University of CA: 51.
- Lenz, P. H. (1988). Artemia population dynamics in Mono Lake at increasing salinities. /In/ Appendix to The Future of Mono Lake. University of California Santa Barbara/CORI Report to the California Department of Fish and Game and California State Legislature, California Department of Fish and Game and California State Legislature.
- Loomis, J. (1987). An economic evaluation of public trust resources of Mono Lake. Institute of Ecology Report #30., College of Agricultural and Environmental Sciences, Public Services Research and Dissemination Program, University of California, Davis: 136.
- Marks, D., J. Dozier, et al. (1983). Automated basin delineation from digital terrain data. NASA Technical Memorandum 84984: 21.
- Mahood, G. and C. Ganescki (1994). Geological Controls on Natural Acidification of Alpine Lakes in the Sierra Nevada. Report to the California Air Resources Control Board.
- Melack, J. M. (1987). Limnological conditions in Mono Lake, California: a review of current understanding. /In/ Appendix to The Future of Mono Lake. University of California Santa Barbara/CORI Report to the Department of Fish and Game and California State Legislature, Department of Fish and Game and California State Legislature.
- Melack, J. M. and G. L. Dana (1985). Phytoplankton and brine shrimp dynamics in Mono Lake, California. Progress Report to the Department of Los Angeles Water and Power, Department of Los Angeles Water and Power.
- Melack, J. M. and R. Jellison (1985). Final Report -- Limnology and Primary Productivity of Mono Lake. 1982 - 1984. Available from Los Angeles Department of Water and Power, Los Angeles Department of Water and Power.
- Melack, J. M. and R. Jellison (1983). Final Report -- Limnology and Primary Productivity of Mono Lake. Available from Los Angeles Department of Water and Power, Los Angeles Department of Water and Power.
- Melack, J. M., J. L. Stoddard, et al. (1983). Atmospheric deposition and the chemical and biological status

- of lakes in the Sierra Nevada. Technical Completion Report to California Water Resources Center, California Water Resources Center.
- Melack, J. M. and L. Lesack (1982). Long Valley Reservoir Research Program. Report to Los Angeles Department of Water and Power, Los Angeles Department of Water and Power.
- Melack, J. M., J. O. Sickman, et al. (1998). Comparative analyses of high-altitude lakes and catchments in the Sierra Nevada: susceptibility to acidification. Final Report to the California Air Resources Board, Contract AO32-188, California Air Resources Board: 615.
- Melack, J. M., J. O. Sickman, et al. (1997). Monitoring of Wet Deposition in Alpine Areas in the Sierra Nevada. Final Report to the CA Air Resources Board, CA Air Resources Board.
- Melack, J. M., J. O. Sickman, et al. (1995). Monitoring of wet deposition in alpine areas in the Sierra Nevada. Draft Final Report to California Air Resources Board (Contract A932-081), California Air Resources Board.
- Melack, J. M., J. O. Sickman, et al. (1993). Long-term studies of lakes and watersheds in the Sierra Nevada: patterns and processes of surface-water acidification. Final Report, California Air Resources Board, Contract A932-060, California Air Resources Board: 185.
- Melack, J. M. (1993). Ecology of offshore waters of Mono Lake, California. Direct testimony, California Water Resources Control Board, California Water Resources Control Board: 28.
- Melack, J. M., S. D. Cooper, et al. (1989). Chemical and biological characteristics of Emerald Lake and the streams in its Watershed, and the responses of the lake and streams to acidic deposition. Final Report to the California Air Resources Board, Contract A6-184-32, California Air Resources Board.
- Miller, C. D., D. R. Mullineaux, et al. (1982). Potential hazards from future volcanic eruptions in the Long Valley - Mono Lake area, East-Central California and Southwest Nevada - a preliminary assessment. Geological Survey Circular 877, United States Geological Survey, United States Geological Survey: 10.
- Nelson, C. A. and S. R. Lipshie (1986). Guidebook to the Eastern Sierra Nevada, White-Inyo Range, California. Earth and Space Sciences Alumni Field Trip, Oct. 11-12, 1986.
- Nelson, C. E., C. A. Carlson, et al. (2008). Nutrient deposition and alteration of food web structure in high-elevation lakes of the Sierra Nevada: response by microbial communities. Santa Barbara, University of California: 48.
- Nodvin, S. C., L. J. Lund, et al. (1984). Cycling of acidulating constituents in terrestrial ecosystems: a watershed study. /In/ Annual Report from the Program in Excellence in Energy Research, Dept. of Soil and Environmental Science, U.C. Riverside to So. Cal. Edison Co., S.C.E. R. & D. Series Pub. 84-RD-62, p.III 25-III, So. Cal. Edison Co.
- Nodvin, S. C. (1983). Acid deposition and aquatic ecosystems in the Sierra Nevada Mountains of California, Department of Soil and Environmental Science, University of California, Riverside.
- Page, A. L., L. J. Lund, et al. (1986). Annual Report from Program of Excellence in Energy Research, Environmental Consequences of Energy Development on Agricultural and Natural Ecosystems. Southern California Edison Co. Research and Development Series, 86-RD, Southern California Edison Co. Research and Development.
- Page, A. L., G. R. Bradford, et al. (1985). Annual Report from Program of Excellence in Energy Research, Environmental Consequences of Energy Development on Agricultural and Natural Ecosystems. Southern California Edison Co. Research and Development Series, 85-RD, Southern California Edison Co. Research and Development.
- Page, A. L., S. C. Nodvin, et al. (1984). Annual Report from Program of Excellence in Energy Research, Environmental Consequences of Energy Development on Agricultural and Natural Ecosystems. Southern California Edison Co. Research and Development Series, 84-RD-62, Southern California Edison Co. Research and Development.
- Pister, E. P. (1960). Some Limnological Factors influencing the Trout Fishery of Crowley Lake, Mono County, California, California Department of Fish and Game: 20.
- Pinter, N. and E. A. Keller (1990). Deformation in northern Owens Valley from Owens River Terraces, Geological Society of America, Cordilleran Section.
- Pister, E. P. (1965). The Trout Fishery of Crowley Lake, Mono County, California, State of California, The Resources Agency, Department of Fish and Game: 24.
- Rogers, D. B. (1993). Hydrological processes and salt flat development on the shorelands of Mono Lake, California: Implications of lake level for future dust production. Final report for the State

- Implementation Plan and the Mono Basin EIR. Bishop, California, Great Basin Unified Air Pollution Control District: 27.
- Rogers, D. B. (1992). Mid -year project report: Groundwater hydrology and geochemistry affecting Mono Lake playas. Bishop, California, Great Basin Unified Air Pollution Control District: 27.
- Rogers, D. B. (1991). Year-End Project Report: Groundwater Hydrology and Geochemistry Affecting Mono Lake Playas. Bishop, Great Basin Unified Air Pollution Control District: 16.
- Rosenthal, W. (1996). Automated snow mapping at subpixel resolution from NOAA--AVHRR data; final report: programs for estimating subpixel snow-covered area. Technical report. Hanover, NH, U. S. Army Cold Regions Research and Engineering Laboratory.
- Rosenthal, W. (1996). Automated snow mapping at subpixel resolution from NOAA--AVHRR data; interim report: theoretical basis. Technical Report CRRLRR-6043-5400. Hanover, NH, U. S. Army Cold Regions Research and Engineering Laboratory.
- Romero, J. (1992). 50-yr. DYRESM simulations of Mono Lake with different water management scenarios. Auxiliary Report No. 14. Prepared for the Mono Basin Water Rights EIR under the direction of California Water Resources Control Board, Sacramento. Sacramento, California Water Resources Control Board.
- Rowan, D. E., S. C. Parmenter, et al. (1997). Fishery and Riparian Resources of Devil's Postpile National Monument and Surrounding Water, United States Department of the Interior.
- Sadinski, W. (2004). Amphibian Declines: Causes, The Yosemite Fund.
- Sada, D. W. and D. B. Herbst (2001). A survey of the aquatic macroinvertebrates of seeps and springs within the Owens Valley (Inyo County, California). Report to the Los Angeles Department of Water and Power., Los Angeles Department of Water and Power.
- Sada, D. W. and D. B. Herbst (2001). Effects of flow diversion on distribution and abundance of rare macroinvertebrates in Travertine Springs, Death Valley National Park. Report to the National Park Service., National Park Service.
- Sherburne, R. W., (Ed.) (1980). Mammoth Lakes, California earthquakes of May, 1980. Special report 150.
- Shepard, B. J., M. Wasserman, et al. (1978). Soil survey report: Valentine Eastern Sierra Reserve. University of California, Natural Land and Water Reserve System.
- Stephens, S. L. (1996). Fire history of Jeffrey Pine and upper montane forest types at the University of California Valentine Reserve, Mono County, California. Report to the Resident Director, Valentine Eastern Sierra Reserve: 16.
- Steele, D. T. (1989). An ecological survey of endemic mountain beavers *Aplodontia rufa* in California. Wildlife Management Division Administrative Report No.89-1.
- Smith, O. R. and P. R. Needham (1935). A stream survey in the Mono and Inyo National Forests, California, 1934, Bureau of Fisheries, Department of Commerce.
- Silldorff, E. L., D. B. Herbst, et al. (2003). Impacts from Trout Introductions on Benthic Invertebrates Above and Below Waterfall Barriers in Streams of the Sierra Nevada., The Nature Conservancy (ecosystem research program) and The University of California Water Resources Center.
- Sickman, J. D. and J. M. Melack (1989). Characterization of year-round sensitivity of California's Mountain Lakes to Acidic Deposition. Final Report to the California Air Resources Board, Contract A5-203-32, California Air Resources Board.
- Surko, T., R. Laton, et al. (2003). Owens Valley, Mammoth Lakes, Long Valley Caldera Field Trip. Fullerton, California State University, Department of Geological Sciences: 188.
- Thomas, W. H. (1994). Seasonal changes in Sierra Nevada snow albedo: relationships to snow algae blooms. First Quarterly Report to Southern California Edison Company. Southern California Edison Company.
- Thomas, W. H. (1994). Effects of high-altitude, natural ultraviolet radiation on photosynthesis of snow algae.
- Thomas, W. H. (1993). Tioga Pass Revisited: Interrelationships Between Snow Algae and Bacteria. Interim Report to: U.S. Dept. of Agriculture, U.S. Forest Service, Inyo National Forest, LeeVining Ranger Station, Permit # FSH 2709.11, sec 54-6.
- Thomas, W. H. (1985). Selection of Oil-Producing Desert Microalgae. Subcontract No. XK-2-02/70-0-01, IMR Referece No. 85-3, Solar Energy Reserch Institute: 147.
- Thomas, W. H., D. L. R. Seibert, et al. (1983). Selection of high-yielding microalgae from desert saline environments. Solar Energy Research Institute, U.S. Department of Energy, Contract Number

- EG77-C-01-4042, Solar Energy Research Institute, U.S. Department of Energy: 34.
- Thomas, W. H. (1978). Preliminary Studies of Two High Sierra Nevada (California) Lakes. IMR Reference No. 78-6. Mammoth Lakes, CA, United States Forest Service.
- Taylor, P. (2000). Valentine Eastern Sierra Reserve, Coastal Discovery : The Journal of the Marine Science Institute, UCSB: 11.
- Taylor, P. (2000). The Trout and the Tadpole. Coastal Discovery: The Journal of the Marine Science Institute, UCSB: 11.
- Sylvester, A. G. (1986). Nearfield investigations of crustal movements in southern California. U. S. Geological Survey (University of California Santa Barbara Contract No 14-08-0001-21997), U. S. Geological Survey.
- Sylvester, A. G. (1985). Nearfield investigations of crustal movements in southern California. U. S. Geological Survey (University of California Santa Barbara Contract No 14-08-0001-21218), U. S. Geological Survey.
- Tonnessen, e. a. (1991). Annual Report to the Governor and Legislature of Atmospheric Acidity Protection Program, 1990. Sacramento, California: 93.
- Toft, C. A., D. L. Elliott-Fisk, et al. (1993). Development of sand dune ecosystems at Mono Lake. Mono Lake Newsletter 15:18: 18.
- Wilson, K. P., D. W. Blinn, et al. (2001). Devils Hole energetics/community relationships: Death Valley National Park, California., USGS Biological Resources Division and the National Park Service.
- Woodley, C. M. (2005). The regional variation in routine metabolism and physiological tolerances of Sacramento Perch: Implication for restoring Sacramento Perch to their native range. Davis, University of California: 14.

Theses and Dissertations:

- Bachman, G. (1992). Physiological and Behavioral Ecology of Energy Acquisition in Belding's Ground Squirrels. Los Angeles., University of California.
- Almanza, E. (1983). Landsat analysis of phytoplankton patchiness and seasonality in Mono Lake, California. Department of Geography. Santa Barbara, University of California.
- Behr, J. (1991). Observation of surface tilt through Biaxial Michelson tiltmeter, University of Colorado.
- Behnke, R. J. (1963). Taxonomy of the cutthroat trout of the Great Basin with notes on the rainbow series. Department of Zoology. Los Angeles, University of California.
- Basham, S. (1988). The chemical composition of spring flow near Mono Lake, California: Applications to ground water circulation. Department of Earth Sciences. Santa Cruz, University of California.
- Bursik, M. (1988). Late quaternary volcano-tectonic evolution of the Mono Basin, Eastern California, California Institute of Technology.
- Carpenter, C. (1991). The environmental control of seedling establishment in a subalpine forest association of red fir and lodgepole pine at Deadman Creek, Mono County, California. Division of Environmental Studies. Davis, University of California.
- Connell, T. L. (1993). The Chemical Evolution of Shallow Groundwater Along the Northeastern Shoreline of Mono Lake, California. Santa Cruz, University of California.
- Csuti, B. A. (1977). Patterns of adaptation and variation in the Great Basin kangaroo rat (*Dipodomys microps*). Berkeley, University of California.
- Coopenhaver, C. (1986). Embry abortion as a possible mate selection mechanism in the plant, *Ipomopsis aggregata*. Irvine, University of California.
- Dana, G. L. (1981). Comparative population ecology of the brine shrimp /*Artemia*. Department of Biology. San Francisco, California State University.
- Davis, R. E. (1980). Simulation of an alpine soil thermal regime beneath a snowpack. Department of Geography. Santa Barbara, University of California.
- Davis, R. E. (1986). Snow property measurements correlative to microwave emission at 35 GHz. Department of Geography. Santa Barbara, University of California.
- Elder, K. J. (1988). Spatial and temporal variation of net snow accumulation in a small alpine watershed, Emerald Lake basin, Sierra Nevada, California. Department of Geography. J. Dozier. Santa Barbara, University of California.
- Elder, K. (1988). Topographic controls on snow distribution. Santa Barbara, University of California.
- Frew, J. E. (1980). Remote sensing of snow surface albedo. Department of Geography. Santa Barbara, University of California.

- Frampton, M. (1982). Measurement of snow surface temperature from thermal satellite data in the southern Sierra Nevada. Department of Geography. J. Dozier. Santa Barbara, University of California.
- Grasso, R. L. (2005). Palatability and Antipredator response of Yosemite Toad (*Bufo Canorus*) to Nonnative Brook Trout (*Salvelinus Fontinalis*) in the Sierra Nevada Mountains of California. Biological Science. Sacramento, California State University: 67.
- Herbst, D. B. (1986). Comparative studies of the population ecology and life history of an alkaline salt lake insect: *Ephydra hians* Say (Diptera: Ephydriidae), Oregon State University.
- Herbert, B. E. (1988). Precipitation and throughfall at Eastern Brooks Lake Watershed, eastern Sierra Nevada, California. Department of Soil and Environmental Sciences. Riverside, University of California.
- Haston, L. (1986). Mapping zones of similar terrain for improved estimation of snow volume in an alpine watershed. Department of Geography. Santa Barbara, University of California.
- Holtford, T. P. (1984). Breeding system, fruiting pattern and optimal outcrossing distance of a Sierra Nevada lily. Department of Ecology and Evolutionary Biology. Irvine, University of California.
- Holton, P. A. (1988). Mono County Water Resources Study. Berkeley, University of California.
- Holt, E. W. (1993). Debris,avalanche emplacement of a Mid-Cretaceous caldera collapse breccia, Minarelts Caldera, Sierra Nevada, CA, Stanford University: 51.
- Jellison, R. S. (1992). Limnology of Hypersaline Mono Lake, California, During the Onset, Persistence and Breakdown of Meromixis. Department of Biological Sciences. J. M. Melack. Santa Barbara, University of California.
- Jenkins, T. M., Jr. (1968). The non-reproductive behavior of brown and rainbow trout (*Salmo trutta* and *Salmo gairdneri*) resident in natural and near-natural mountain streams. Department of Zoology. Los Angeles, University of California.
- Kattelman, R. C. (1995). Water movement and ripening processes in snowpacks of the Sierra Nevada. Department of Geography. Santa Barbara, University of California: 94.
- Karim, A. (1991). Geologic mapping of the Gull Lake Roof Pendant, eastern sections. Department of Geology, University of Nevada.
- Kilkenny, F. and C. Gibson (2000). The Recovery of a Riparian Ecosystem From the Effects of Cattle Grazing Along Convict Creek in the Great Basin of California. Environmental Studies. D. S. Gliessman. Santa Cruz, CA, University of CA, Santa Cruz: 151.
- Kennedy, H. D. (1954). Life history study of a new species of mountain midge, *Deuterophlebia nielsoni*, from eastern California with a taxonomic review of the genus. Department of Biology. Reno, University of Nevada.
- Kramer, A. M. (2007). Copepodology in Alpine Lakes: limitations to recovery of *Hesperodiaptomus Shoshone* after exotic fish eradication. Department of Fisheries and Wildlife and Program in Ecology, Evolutionary Biology and Behavior, Michigan State University: 99.
- Kramer, A. (2007). Copepodology in alpine lakes: limitations to recovery of *Hesperodiaptomus shoshone* after exotic fish eradication. Fisheries and Wildlife. East Lansing, Michigan State University.
- Kneebone, P. (2000). Arsenic geochemistry in a geothermally impacted system: the Los Angeles aqueduct. Environmental Engineering. J. Herring. Pasadena, California Institute of Technology.
- Ladau, J. (2006). Robust Statistical tests for detecting the effects of interspecific competition on ecological communities. Ithaca, Cornell University: 220.
- Kratz, K. (1997). Analysis of factors and mechanisms influencing the structure of stream invertebrate communities. Ecology, Evolution, and Marine Biology. Santa Barbara, University of California.
- Liu, W. (1988). The sensitivity of selected soils from Sierra Nevada to acidic deposition. Department of Soil and Environmental Sciences. Riverside, University of California.
- Lipshie, S. R. (1974). Surficial and engineering geology of the Mammoth Creek area, Mono County, California. Department of Geological Sciences. Los Angeles, University of California.
- Li, S. (1997). Angularly dependent atmospheric correction for radiometric satellite data over snow covered terrain. Santa Barbara, University of California.
- Li, S. (1982). A model for the anisotropic reflectance of pure snow. Department of Geography. Santa Barbara, University of California.
- Lenz, P. H. (1982). Population studies on *Artemia* in Mono Lake, California. Department of Biology. Santa Barbara, University of California.
- Luedtke, L. (1998 In progress). Influence of genetic variability and phenotypic plasticity on growth and

- fitness in selected, widely distributed, western North American range plants. Davis, University of California.
- Mateo, J. M. (1995). The development of alarm-call responses in free-living and captive Belding's ground squirrels, *Spermophilus beldingi*. Ann Arbor, University of Michigan: 270.
- Mason, D. T. (1967). Limnology of Mono Lake, California. Department of Biological Science. Davis, University of California: 110.
- Marks, D. (1988). Climate, energy exchange and snowmelt in Emerald Lake Watershed, Sierra Nevada. Department of Geography. Santa Barbara, University of California.
- Marks, B. (1981). A method for estimating canopy density over large areas. Department of Geography. Santa Barbara, University of California.
- Marks, D. (1978). A longwave radiation model for application in a remote alpine area. Department of Geography. Santa Barbara, University of California.
- Maciolek, J. A. (1950). The chemical composition of lakes in the Convict Creek Basin, Mono County, California and its probable influence on biological productivity. Department of Zoology. Berkeley, University of California.
- Morey, S. (1994). Age and size at metamorphosis in spadefoot toads: A comparative study of adaptation to uncertain environments. Riverside, University of California.
- Nelson, C. E. (2008). The Phenology, Biogeography, and Metabolism of Bacteria in High-Elevation Lakes of the Sierra Nevada, CA. Ecology, Evolution and Marine Biology. Santa Barbara, University of California: 236.
- Newton, M. S. (1991). Holocene Stratigraphy and Magnetostratigraphy of Owens and Mono Lakes, Eastern California, University of Southern California.
- Neuman, K. (1993). Strontium Isotope and Other Geochemical Evidence for Groundwater Movement in Mono Basin, California. Santa Cruz, University of California.
- Nolin, A. W. (1993). Radiative heating in alpine snow. Department of Geography. J. Dozier. Santa Barbara, University of California.
- Noda, G. (2006). *Potamopyrgus antipodarum* (Gray): Distribution, Abundance, and Correlation with Benthic Macroinvertebrates in the Upper Owens River Watershed, CA, USA. Department of Ecology and Evolutionary Biology. Los Angeles, University of California, Los Angeles: 97.
- Orr, B. K. (1979). The flora and fauna of the Valentine Eastern Seirra Reserve. Santa Barbara, University of California.
- O'Loughlen, A. L. (1993). Vocal ontogeny and the maintenancer of dialects in wild populations of Brown-headed Cowbirds. Biological Sciences Department. S. I. Rothstein. Santa Barbara, University of California.
- O'Hearn, K., J. Sandstrom, et al. (1996). The effects of livestock grazing on a riparian ecosystem along Convict Creek in the Great Basin of California. Environmental Studies. Santa Cruz, University of California.
- Painter, T. H. (2002). The hyperspectral bidirectional reflectance distribution function of snow: modeling, measurement, and instrumentation. Geography. Santa Barbara, University of California.
- Painter, T. H. (1996). Improving spectral mixture analysis of snow-covered area with AVIRIS. Geography. Santa Barbara, University of California.
- Pister, E. P. (1953). The food and feeding habits of trout in the lakes of Convict Creek Basin, California. Department of Zoology. Berkeley, University of California.
- Pinter, N. (1992). Tectonic Geomorphology and Earthquake Hazard of the Northern Owens Valley, California. Santa Barbara, University of California.
- Peterson, C. E. (1990). Ion flux through a shallow snowpack: Effects of intial and melt conditions. Department of Hydrology, University of Arizona.
- Reimers, N. (1951). Age and growth of trout in lakes of the Convict Creek Basin, California. Department of Zoology. Berkeley, University of California.
- Roll, S. K. (1998). The effects of a gradient of nutrient additions on levels of primary producers and consumers in Convict Creek, California. Department of Ecology, Evolution, and Marine Biology. D. S. Cooper. Santa Barbara, University of CA, Santa Barbara: 121.
- Rogers, D. (1993). Saline Groundwater Circulation and Solute Balance at Mono Lake, California. Santa Cruz, University of California.
- Rosenthal, C. W. (1993). Mapping montane snow cover at subpixel resolution from the landsat thematic mapper. Santa Barbara, University of California.

- Rubega, M. A. (1993). The functional morphology and ecology of feeding in *Phalaropus lobatus* the Red-necked Phalarope. Irvine, University of California.
- Rowan, D. E. (1996). Effect of Fish and Habitat Factors on Benthic Invertebrate Communities in High-Elevation Lakes of the Sierra Nevada. Fishery and Wildlife Science. Las Cruces, New Mexico State University.
- Schaber, E. (1994). Salinity and nutrient effects on the germination and growth of *Chrysothamnus nauseosus* and *Sarcobatus vermiculatus* in plays dunes around Mono Lake, CA. Davis, University of California.
- Shi, J. C. (1991). Radar polarimetric modeling and obserations of snow-covered terrain. Department of Geography. J. Dozier. Santa Barbara, Univeristy of California.
- Sinclair, S. (1988). A field study of the near shore groundwater system of Mono Lake. Department of Earch Sciences. Santa Cruz, University of California.
- Sickman, J. O. (1991). Planktonic Primary Productivity and Responses of Phytoplankton to Acid and Nutrient Additions in Emerald Lake, Sierra Nevada, California. Biology. Santa Barbara, University of California: 143.
- Shuldman, M. (2006). Biogenic carbon accumulation across a cold desert dune chronosequence. Davis, University of California.
- Stoddard, J. L. (1986). Nutritional status, microcrustacean communities and susceptibility to acid precipitation of high elevation lakes in the Sierra Nevada, California. Department of Biological Sciences. J. M. Melack. Santa Barbara, University of California.
- Stewart, B. J. (1982). Sensitivity and significance of turbulent energy exchange over an alpine snow surface. Department of Geography. Santa Barbara, University of California.
- Wan, Z. (1981). A method for digital snow mapping at subpixel resolution from NOAA thermal satellite data. Department of Geography. Santa Barbara, University of California.
- Vorster, P. (1985). A water balance forecast model for Mono Lake, California. Hayward, California State.
- Tonnessen, K. A. The Potential Effects of Acid Deposition on Aquatic Ecosystems of the Sierra Nevada, California. Energy and Resources. Berkeley, University of California: 259.
- Warner, R. W. (1965). The limnology of Crowley Lake, California with special reference to the quantitative estimation of the plankton pigments. Department of Biology. Reno, University of Nevada.
- Wanninkhof, R. (1986). Gas exchange across the air-water interface determined with man made and natural tracers. Lamont Doherty Geological Observatory. W. Broeker, Columbia University.
- Wan, Z. (1988). Land surface temperature measurement from space. Santa Barbara, University of California.
- Welch Jr., K. C. (2007). Energetics and Fuel Use During Hovering Flight in Small North American Hummingbirds. Ecology, Evolution and Marine Biology. Santa Barbara, University of California Santa Barbara: 124.
- Williams, M. W. (1991). Snow chemistry and runoff. Santa Barbara, University of California.
- Wilkie, J. A. (1997). Processes Controlling Arsenic Mobility in Natural and Engineered Aquatic Systems. Civil and Environmental Engineering Department. J. G. Hering. Los Angeles, University of California.
- Zhang, X. (1982). A model for microwave emission from snow. Department of Geography. Santa Barbara, University of California.
- Yokel, D. A. (1987). Sexual selection and the mating system of the brown-headed cowbird (*Molothrus ater*) in the eastern Sierra. Department of Biological Sciences. Santa Barbara, University of California.

Journal Articles:

- Bales, R. C., R. E. Davis, et al. (1989). "Ionic elution through shallow, homogenous snow." *Water Resources Research* 25(8): 1869-1877.
- Bair, E. H., J. Dozier, et al. (2008). "Avalanche crown-depth distributions." *Geophys. Res. Lett.* 35(L23502).
- Bachman, G. C. and M. A. Chappell (1998). "The energetic cost of begging behaviour in nestling house wrens." *Animal Behaviour* 55: 1607-1618.
- Bachman, G. (1994). "Food restriction effects on the body composition of free-living ground squirrels (*Spermophilus beldingi*)." *Physiological Zoology* 67(3).
- Bachman, G. (1993). "The effect of body condition on the trade-off between vigilance and foraging in Belding's ground squirrels." *Animal Behavior* 46: 233-244.
- Aspbury, A. S. and R. M. Gibson (2004). "Long-range visibility of greater sage grouse leks: a GIS-based analysis." *Animal Behaviour* 67(06): 1127-1132.
- Armstrong, T. W. and R. A. Knapp (2004). "Response by trout populations in alpine lakes to an experimental halt to stocking." *Canadian Journal of Fisheries and Aquatic Sciences*. 61: 2025-2037.
- Almanza, E. P. and J. M. Melack. (1985). "Chlorophyll difference in Mono Lake, California, observable on Landsat imagery." *Hydrobiologia* 122: 13-17.
- Aizen, V. B., E. M. Aizen, et al. (1997). "Snow distribution and melt in central Tien Shan, Susamir Valley." *Arctic Alpine Research*(29): 403-413.
- Aizen, V. B., E. M. Aizen, et al. (1996). "Precipitation, melt and runoff in the northern Tien Shan." *Journal Hydrology* 186: 229-251.
- Aizen, V., E. Aizen, et al. (1996). "Isotopic measurements of precipitation on central Asian glaciers." *Journal Geophysical Research* 101: 85-91.
- Aizen, V. B., E. M. Aizen, et al. (1995). "Climate, snow cover, glaciers and runoff in the Tien Shan, central Asia." *Water Resource Bulletin* 31: 1113-1125.
- Aanderud, Z. T., M. I. Shuldman, et al. (2008). "Shrub-interspace dynamics alter relationships between microbial community composition and belowground ecosystem characteristics." *Soil Biology and Biogeochemistry* 40: 2206-2216.
- Bradbury, J. W., R. M. Gibson, et al. (1989). "Dispersion of displaying malesage grouse. II. The role of female dispersion." *Behavioral Ecology and Sociobiology* 24: 15-24.
- Bradbury, J. W., S. L. Vehrencamp, et al. (1989). "Dispersion of displaying male sage grouse. I. Environmental determinants of temporal variation." *Behavioral Ecology and Sociobiology* 24: 1-14.
- Boylan, R. T. (1982). "Mammoth Lakes/Long Valley microearthquake project." *California Geology* 1982: 187-190.
- Boyko, A. R., R. M. Gibson, et al. (2004). "How Predation Risk Affects the Temporal Dynamics of Avian Leks: Greater Sage Grouse versus Golden Eagles." *The American Naturalist* 163(1): 154-165.
- Bose, R. and J. Frew (2005). "Lineage retrieval for scientific data processing: a survey." *ACM Computing Surveys* 37(1): 1-28.
- Bischoff, J. L., D. B. Herbst, et al. (1991). "Gaylussite formation at Mono Lake, California." *Geochimica Cosmochimica Acta* 55: 1743-1747.
- Bezzerides, A., T. Yong, et al. (2004). "Plant-derived pyrrolizidine alkaloid protects eggs of a moth (*Utetheisa ornatix*) against a parasitoid wasp (*Trichogramma ostrinia*)." *Proceedings of the National Academy of Sciences USA*, 101: 9029-9032.
- Bertsch, P. M. (1987). "Conditions for Al₁₃ polymer formation in partially neutralized aluminum solutions." *Soil Sci. Soc. Am. J.* 51: 825-828.
- Berlow, E. L. (1999). "Strong effects of weak interactions in ecological communities." *Nature* 398: 330-334.
- Berinati, D. J. and G. J. Crowley. (1972). "Blood sample preparation for hemoglobin assay." *Progressive Fish-Culturist* 34(1): 63-64.
- Barmuta, L. A., S. K. Hamilton, et al. (1991). "Responses of zooplankton and zoobenthos to experimental acidification in a high elevation lake (Sierra Nevada, California, USA)." *Freshwater Biology* 23: 571-586.

- Bales, R. C. and R. F. Harrington. (1995). "Recent progress in snow hydrology." *Reviews of Geophysics* 33: 1011-1020.
- Bales, R. C., R. E. Davis, et al. (1993). "Tracer release in melting snow: Diurnal and seasonal patterns." *Hydrologic Processes*(7): 389-401.
- Bales, R. C., M. W. Williams, et al. (1993). "Discussion on acidification potential of snowpacks in Sierra Nevada." *Journal of Environmental Engineering* 119: 399-401.
- Bales, R. C., M. W. Williams, et al. (1992). "1. Comments on Acidification potential of snowpacks in Sierra Nevada." *J. Environmental Engineering*: 399-402.
- Brose, U., E. L. Berlow, et al. (2005). "Body sizes of consumers and their resources." *Ecology* 86(9): 2545-2545.
- Brooks, P. D., S. K. Schmidt, et al. (1997). "Winter production of CO₂ and N₂O from alpine tundra: environmental controls and relationship to inter-system C and N fluxes." *Oecologia* 110: 403-413.
- Broecker, W. S. and R. Wanninkhof (2007). "Mono Lake Radiocarbon: The Mystery Deepens." *EOS, Transactions, American Geophysical Union* 88(12): 141-142.
- Broecker, W. S., R. Wanninkhof, et al. (1988). "Radiocarbon budget for Mono Lake: an unsolved mystery." *Earth & Planetary Science Letters* 88: 16-26.
- Breen, A. N. and J. H. Richards (2008). "Seedling growth and nutrient content of two desert shrubs growing in amended soil." *Arid Land Research and Management* 22: 46-61.
- Breen, A. N. and J. H. Richards (2008). "Irrigation and fertilization effects on seed number, size, germination and seedling growth: Implications for desert shrub establishment." *Oecologia* 157(13-19).
- Bradley, T. J. and D. B. Herbst (1994). "Growth and survival of larvae of *Ephydra hians* say (Diptera: Ephydriidae) on unialgal diets." *Environmental Entomology* 23(2): 276-281.
- Bradford, D. F., S. D. Cooper, et al. (1998). "Influences of natural acidity and introduced fish on faunal assemblages in California alpine lakes." *Canadian Journal of Fisheries and Aquatic Science* 55: 2478-2491.
- Bradford, D. F., C. Swanson, et al. (1994). "Effects of low pH and aluminum on amphibians at high elevation in the Sierra Nevada, California." *Can. J. Zool.* 72: 1272-1279.
- Bradford, D. F., M. S. Gordon, et al. (1994). "Acidic deposition as an unlikely cause for amphibian population declines in the Sierra Nevada, California." *Biological Conservation* 69: 155-161.
- Bradford, D. F., C. Swanson, et al. (1992). "Effects of Low pH and Aluminum on Two Declining Species of Amphibians in the Sierra Nevada, California." *Journal of Herpetology* 26: 369-377.
- Caldwell, M. M., T. E. Dawson, et al. (1998). "Hydraulic lift: consequences of water efflux from the roots of plants." *Oecologia* 113: 151-161.
- Cahn, M. L., O. J. Schmitz, et al. (2008 In Review). "Integrating disease in an analysis of population viability for an endangered bighorn sheep metapopulation." *Conservation Biology*.
- Bursik, M. and K. Sieh (1989). "Range front faulting and vulcanism in the Mono Basin, Eastern California." *Journal of Geophysical Research* 94(part B): 15587-15610.
- Burnell, K. and S. I. Rothstein (1996). "Variation in the structure of female brown-headed cowbird vocalizations and its relation to vocal function and development." *The Condor* 96: 703-715.
- Budinoff, C. R. and J. T. Hollibaugh. (2008). "Arsenite-dependent photoautotrophy by an *Ectothiorhodospira*-dominated consortium." *ISME Journal*. 2: 340-343.
- Budinoff, C. R. and J. T. Hollibaugh. (2007.). "Ecophysiology of a Mono Lake cyanobacterium." *Limnology and Oceanography* 52: 2484-2496.
- Brum, J. R., G. F. Steward, et al. (2005). "Spatial and temporal variability of prokaryotes, viruses, and viral infections of prokaryotes in an alkaline, hypersaline lake." *Aquatic Microbial Ecology* 41(3): 247-260.
- Bruck, J. N. and J. M. Mateo (In review 2008). "How habitat features shape ground squirrel navigation." *Journal of Comparative Psychology*.
- Carpenter, F. L., M. A. Hixon, et al. (1991). "Why hummingbirds have such large crops." *Evolutionary Ecology* 5: 405-414.
- Carpenter, F. L. and M. A. Hixon (1988). "A new function for torpor: Fat conservation in a wild migrant hummingbird." *The Condor* 90: 373-378.
- Carpenter, F. L. (1987). "The study of territoriality: Complexities and future directions." *American Zoology* 27: 401-409.
- Carpenter, F. L. (1987). "Introduction to the Symposium: Territoriality: Conceptual Advances in Field and

- Theoretical Studies." *American Zoology* 27: 222-228.
- Carpenter, F. L. (1987). "Food abundance and territoriality: to defend or not to defend." *American Zoology* 27: 387-399.
- Carpenter, H. L., D. C. Paton, et al. (1983). "Weight gain and adjustment of feeding territory size in migrant hummingbirds." *Proceedings of the National Academy of Science* 80: 7259-7263.
- Carpenter, F. L., M. A. Hixon, et al. (1981). "Premigratory changes in time budgets of territorial hummingbirds." *American Zoologist* 21: 921.
- Carpenter, F. L. (1980). "Pollination energetics in avian communities: simple concepts and complex realities." *Crossosoma* 6(5): 4-5.
- Carpenter, F. L. (1979). "Competition between hummingbirds and insects for nectar." *American Zoologist* 19: 1105-1114.
- Carpenter, F. L. (1978). "A spectrum of nectar-eater communities." *American Zoologist* 18: 809-819.
- Carini, S. and S. B. Joye (In Press (2003)). "Spatial and temporal patterns in aerobic methanotrophy as a function of geochemical variables and methanotroph community composition in Mono Lake, CA." *Applied and Environmental Microbiology*.
- Carini, S. C. and S. B. Joye (2008 In press). "Nitrification in Mono Lake, California: Rates and microbial community composition during contrasting hydrological regimes." *Limnology and Oceanography*.
- Carini, S., N. Bano, et al. (2005). "Patterns of Aerobic methanotrophy and methanotroph community composition during seasonal stratification in a meromictic Lake, Mono Lake, California (USA)." *Environmental Microbiology* 7(8): 1127-1138.
- Carini, S. A., B. N. Orcutt, et al. (2003). "Interactions between methane oxidation and nitrification in coastal sediments." *Geomicrobiology Journal* 20: 355-374.
- Cardinale, B. J., D. Bennett, et al. (In press 2007). "Does productivity drive diversity or vice versa? Support for the multivariate productivity-diversity hypothesis in streams." *Ecology*.
- Conte, F. P., R. S. Jellison, et al. (1988). "Nearshore and Pelagic Abundances of Artemia-Monica in Mono Lake, California." *Hydrobiologia* 158: 173-181.
- Conte, F. P., R. S. Jellison, et al. (1988). "Nearshore and pelagic abundances of Artemia monica in Mono Lake, California." *Hydrobiologia* 158: 173-181.
- Connell, T. L. and S. J. Dreiss (1995). "Chemical evolution of shallow groundwater along the northeast shore of Mono Lake, California." *Water Resources Research* 31(12): 3171-3182.
- Cline, D. W., R. C. Bales, et al. (1998). "Estimating the spatial distribution of snow in mountain basins using remote sensing and energy balance modeling." *Water Resources Reserch* 34(5): 1275-1285.
- Chen, C. W., L. E. Gomez, et al. (1991). "Acidification Potential of snowpack in Sierra Nevada." *J. Environmental Engineering* 117: 472-486.
- Chappell, M. A. and E. M. Dlugosz (2009). "Aerobic capacity and running performance across a 1.6 km altitude difference in two sciurid rodents." *Journal of Experimental Biology* 212: 610-619.
- Chappell, M., E. L. Rezende, et al. (2004). "Climatic adaptation and the evolution of basal and maximum rates of metabolism in rodents." *Evolution* 58: 1361-1374.
- Chappell, M. A. and G. C. Bachman (1998). "The exercise capacity of House Wren nestlings: begging chicks are not working as hard as they can." *The Auk* 115: 683-870.
- Chappell, M. A., G. C. Bachman, et al. (1997). "The heat increment of feeding in house wren chicks: magnitude, duration, and substitution for thermostatic costs." *Journal of Comparative Physiology B*. 167: 313-318.
- Chappell, M. A., G. C. Bachman, et al. (1995). "Repeatability of maximal aerobic performance in Belding's ground squirrels, *Spermophilus beldingi*." *Functional Ecology* 9: 498-504.
- Chappel, M. A. and G. C. Bachman (1994). "Aerobic performance in Belding's ground squirrels (*Spermophilus beldingi*): variance, ontogeny, and aerobic capacity model of endothermy." *Physiological Zoology* 68(3): 421-442.
- Cecil, M. R., M. N. Ducea, et al. (2006). "Cenozoic Exhumation of the Northern Sierra Nevada, California, from (U-Th)/He Thermochronology." *GSA Bulletin* 118(11): 1481-1488.
- Carpenter, F. L. and M. A. Hixon (1992). "Fighting Rufous Hummingbirds." *Anima* 2: 59-64.
- Dajoz, R. (1998). "Le feu et son influence sur les insectes forestiers. Mise au point bibliographique et presentation de trois cas observes dans l'ouest des Etats-Unis." *Bulletin de la Societe entomologique de France* 103(3): 299-312.
- Dajoz, R. (1998). "Deux Coleopteres terricoles nouveaux de Californie: *Araeoschizus muthi*

- (Tenebrionidae) et *Rhadine albamontana* (Carabidae)." Nouv. Revue Ent. 15(1): 87-94.
- Dajoz, R. (1997). "Description et biologie d'un *Callisthenes* nouveau de la Sierra Nevada de Californie (Coleoptera: Carabidae)." Nouv. Revue Ent. 14(1): 69-73.
- Dajoz, R. (1997). "Description de *Corticotomus testaceus* n. sp. (Coleoptera Trogositidae) et notes sur trois especes de l'Ouest des Etas-Unis." Bulletin Mensuel Societe Linneenne de Lyon 66(2): 40-44.
- Dajoz, R. (1997). "Description de la larve et note sur la biologie de *Psydrus piceus* Leconte (Coleoptera, Carabidae)." Bulletin de la Societe entomologique de France 102(2): 133-136.
- Dajoz, R. (1995). "Allometric growth of antennae, sex ratio, variations in body size and sexual dimorphism in longhorn beetles (Coleoptera: Cerambycidae). Their roles in the biology of these insects." Cahiers des Naturalistes 49: 15-38.
- Dajoz, R. (1991). "Description de deux especes nouvelles du genre *Araeoschizus*, de la arve, de la nymphe et notes sur leur biologie (Col. Tenebrionidae)." Bull. Soc. ent. Fr. 96(2): 165-174.
- Dahlgren, R. A., J. H. Richards, et al. (1997). "Soil and groundwater chemistry and vegetation distribution in a desert playa, Owens Lake, California." Arid Soil and Rehabilitation 11: 221-244.
- Crowley, G. J. and D. J. Berinati. (1972). "Effect of MS-222 on blood sugar and liver glycogen in rainbow trout." Transactions of the American Fisheries Society 101(1): 125-128.
- Crowley, G. J. (1972). "A battery powered magnetic stirrer for field use." Progressive Fish-Culturist 34(3): 159.
- Cronmiller, F. F. (1940). "The Convict Creek Test Stream." Associated Sportsman January 1940: 6-13.
- Cooper, S. D., S. Diehl, et al. (1998). "Implications of scale for patterns and processes in stream ecology." Australian Journal of Ecology 23: 27-40.
- Cooper, S. D., L. Barmuta, et al. (1997). "Quantifying spatial heterogeneity in streams." Journal of the North American Benthological Society 16: 174-188.
- Cooper, S. D., D. W. Winkler and P. H. Lenz. (1983). "The effect of grebe predation on the brine shrimp population in Mono Lake." Journal of Animal Ecology 53: 51-64.
- Dana, G. L., R. Jellison, et al. (1993). "Relationships between *Artemia monica* life history characteristics and salinity." Hydrobiologia 263: 129-143.
- Dana, G. L., R. Jellison, et al. (1990). "Artemia-Monica Cyst Production and Recruitment in Mono Lake, California, USA." Hydrobiologia 197: 233-243.
- Dana, G. L., R. Jellison, et al. (1990). "*Artemia monica* cyst production and recruitment in Mono Lake, California, USA." Hydrobiologia 197: 233-243.
- Dana, G. L., C. J. Foley, et al. (1988). "In situ hatching of *Artemia monica* cysts in hypersaline Mono Lake, California." Hydrobiologia 158: 183-190.
- Dana, G. L. and P. H. Lenz. (1986). "Effects of increasing salinity on an *Artemia* population from Mono Lake, California." Oecologia 68: 428-436.
- Daly, S. F., R. E. Davis, et al. (2000). "An Approach to spatially distributed snow modelling of the Sacramento and San Joaquin basins, California." Hydrological Processes 30: 79-90.
- Davidson, C. and R. A. Knapp (2007). "Multiple stressors and amphibian declines: dual impacts of pesticides and fish on yellow-legged frogs." Ecological Applications 17: 587-597.
- Dantzker, M. S., G. B. Deane, et al. (1999). "Directional Acoustic Radiation in the Strut Display of Male Sage Grouse *Centrocercus urophasianus*." Journal of Experimental Biology 202: 2893-2909.
- Dana, G. L., R. Jellison, et al. (1995). "Effects of Different Natural Regimes of Temperature and Food on Survival, Growth and Development of Artemia-Monica Verrill." Journal of Plankton Research 17(11): 2117-2130.
- Dana, G. L., R. Jellison and J. M. Melack (1995). "Effects of different natural regimes of temperature and food on survival, growth and development of *Artemia monica* Verill." Journal of Plankton Research 17(11): 2117-2130.
- Dana, G. L., R. Jellison, et al. (1993). "Relationships between Artemia-Monica Life-History Characteristics and Salinity." Hydrobiologia 263(3): 129-143.
- Davis, R. E., K. Elder, et al. (1999). "Storm and weather factors related to dry slab avalanche activity." Cold Regions Science and Technology 30: 79-90.
- Davis, R. E., K. Elder, et al. (1999). "Relating storm and weather factors to dry slab avalanche activity at Alta, Utah, and Mammoth Mountain, California using classification and regression trees." Cold Regions Science and Technology 30: 79-89.
- Davis, R. E., J. C. McKensie, et al. (1995). "Distributed snow process modelling: an image processing

- approach." *Hydrological Processes* 9: 865-875.
- Davis, R. E., A. W. Nolin, et al. (1993). "Towards predicting temporal changes of the spectral signature of snow in visible and near infrared wavelengths." *Annals of Glaciology* 17: 143-148.
- Davis, R. E. and J. Dozier (1989). "Stereological characterization of dry alpine snow for microwave remote sensing." *Advances in Space Research* 9(1): 145-251.
- Davis, R. E. and J. Dozier (1986). "Stereological characterization of dry alpine snow for microwave remote sensing." *Advances in Space Research* 9: 245-251.
- Davis, R. E., J. Dozier, et al. (1985). "Field and laboratory measurements of snow liquid water by dilution." *Water Resources Research* 21(9): 1415-1420.
- Davis, R. E. and J. Dozier (1984). "Snow wetness measurement by fluorescent dye dilution." *Journal of Glaciology* 30(106): 362-363.
- Dozier, J. (1984). "Snow reflectance from Landsat-4 thematic mapper." *IEEE Transactions on Geoscience and Remote Sensing* GE-22: 323-328.
- Dozier, J. and S. G. Warren. (1982). "Effect of viewing angle on the infrared brightness temperature of snow." *Water Resources Research* 18(5): 1424-1434.
- Dozier, J., J. Bruno, et al. (1981). "A faster solution to the horizon problem." *Computers and Geosciences* 7(2): 145-151.
- Dozier, J., S. R. Schneider, et al. (1981). "Effect of grain size and snowpack water equivalence on visible and near-infrared satellite observation of snow." *Water Resources Research* 17(4): 1213-1221.
- Dozier, J. and J. Frew. (1981). "Atmospheric corrections to satellite radiometric data over rugged terrain." *Remote Sensing of Environment* 11: 191-205.
- Dozier, J. (1981). "A Method for Satellite Identification of Surface Temperature Fields of Subpixel Resolution." *Remote Sensing of Environment* 11: 221-229.
- Dozier, J. (1980). "A clear-sky spectral solar radiation model for snow-covered mountainous terrain." *Water Resources Research* 16(4): 709-718.
- Dozier, J. and S. I. Outcalt (1979). "An approach toward energy balance simulation over rugged terrain." *Geographical Analysis* 11: 65-85.
- Donovan, L. A., J. H. Richards, et al. (1997). "Nutrient relations of the halophytic shrub, *Sarcobatus vermiculatus*, along a soil salinity gradient." *Plant and Soil* 190: 105-117.
- Diehl, S., S. D. Cooper, et al. (2000). "Effects of multiple, predator-induced behaviors on short-term producer-grazer dynamics in open systems." *The American Naturalist* 156(3): 293-313.
- Diamond, J. M., W. H. Karasov, et al. (1986). "Digestive physiology is a determinant of foraging bout frequency in hummingbirds." *Nature* 320: 62-63.
- Day, G., J. Dozier, et al. (1990). "Methods evolve for snowmelt runoff analysis." *Eos, Transactions American Geophysical Union* 71(8): 292.
- Drenovsky, R. E. and J. H. Richards (2006). "Low leaf N and P resorption contributes to nutrient limitation in two desert shrubs." *Plant Ecology* 183: 305-314.
- Dozier, J. and T. H. Painter (2004). "Multispectral and hyperspectral remote sensing of alpine snow properties." *Annual Review of Earth and Planetary Sciences* 32: 465-494, doi: 10.1146/annurev.earth.32.101802.120404.
- Dozier, J. (1992). "Opportunities to improve hydrologic data." *Reviews of Geophysics* 30(4): 315-331.
- Dozier, J. and J. Frew. (1990). "Rapid calculation of terrain parameters for radiation modeling from digital elevation data." *IEEE Transactions on Geoscience and Remote Sensing* 28(5): 963-969.
- Dozier, J., R. D. Faisant, et al. (1989). "Field tests of avalanche beacons at 2275 Hz and 457 Hz." *Avalanche Review* 8(1): 4-5.
- Dozier, J. (1989). "Spectral signature of alpine snow cover from the Landsat Thematic Mapper." *Remote Sensing of Environment* 28: 9-22.
- Dozier, J. (1989). "Estimation of properties of alpine snow from Landsat Thematic Mapper." *Advances in Space Research* 9(1): 207-215.
- Dozier, J. and D. Marks (1987). "Snow mapping and classification from LANDSAT Thematic Mapper." *Annals of Glaciology* 9: 97-103.
- Dozier, J. (1987). "Recent research in snow hydrology." *Reviews of Geophysics* 25: 153-161.
- Elder, K., J. Dozier, et al. (1991). "Snow accumulation and distribution in an alpine watershed." *Water Resources Research* 27: 1541-1552.
- Elder, K., J. Dozier, et al. (1989). "Spatial and temporal variation of net snow accumulation in a small alpine watershed, Emerald Lake basin, Sierra Nevada, California, USA." *Annals of Glaciology* 13:

- Dyer, L. E. and M. D. Bowers (1996). "The importance of sequestered iridoid glycosides as a defense against an ant predator." *Journal of Chemical Ecology* 22(8): 1527-1539.
- Duval, B., K. Shetty, et al. (2000). "Phenolic compounds and antioxidant properties in the snow alga *Chlamydomonas nivalis* after exposure to UV light." *Journal of Applied Phycology* 11: 559-566.
- Dudley, T. L. (1988). "The roles of plant complexity and epiphyton in colonization of macrophytes by stream insects." *Verhandlungen des Internationalen Vereins Limnologie* 23: 1153-1158.
- Dubayah, R. O. and J. Dozier (1986). "Orthographic terrain views using data derived from digital elevation models." *Photogrammetric Engineering and Remote Sensing* 52(4): 509-518.
- Drinkwater, L. E. and J. H. Crowe (1984). "Metabolic processes and release from dormancy in Mono Lake California USA /Artemia/ cysts." *American Zoology* 24(3).
- Engle, D. and J. M. Melack (2001). "Ecological consequences of infrequent events in high-elevation lakes and streams of the Sierra Nevada, California." *Verh. Internat. Verein. Limnol.* 27: 3761-3765.
- Engle, D. and J. M. Melack (1995). "Zooplankton of high elevation lakes of the Sierra Nevada, California: potential effects of chronic and episodic acidification." *Arch. hydrobiol.* 133: 1-21.
- Elphick, C. S. and M. A. Rubega (1995). "Prey choices and foraging efficiency of recently fledged California Gulls at Mono Lake, California." *Great Basin Naturalist* 55(4): 363-367.
- Elliott, G. V. and J. T. M. Jenkins (1972). "Winter food of trout in three high elevation Sierra Nevada lakes." *California Fish and Game* 58(3): 231-237.
- Elder, K., W. Rosenthal, et al. (1998). "Estimating the spatial distribution of snow water equivalence in a montane watershed." *Hydrological Processes* 12(10-11): 1793-1808.
- Fisher, J. C., D. Wallschläger, et al. (2008). "Sulfur plays an unexpected role in the arsenic cycle of Mono Lake, CA." *Environmental Science and Technology* 42: 81-85.
- Fisher, J. C. and J. T. Hollibaugh. (2008). "Selenate-dependent anaerobic arsenite oxidation by a bacterium from Mono Lake, CA." *Applied and Environmental Microbiology*. 74(9): 2588-2594.
- Fisher, J. C., D. Wallschläger, et al. (2008). "A new role for sulfur in arsenic cycling." *Environmental Science & Technology* 42(1): 81-85.
- Fisher, J. C. and J. T. Hollibaugh. (2007 Submitted.). "*Bacillus oremlandii*, sp. nov., a selenate-reducing, arsenite-oxidizing bacterium isolated from a hypersaline soda lake (Mono Lake, CA)." *International Journal of Systematic and Evolutionary Microbiology*.
- Feldmeth, C. R. and T. M. J. Jr. (1973). "An Estimate of Energy Expenditure by Rainbow Trout (*Salmo gairdneri*) in a Small Mountain Stream." *J. Fish. Res. Board Can.* 30: 1755-1759.
- Fugle, G. N. and S. I. Rothstein (1987). "Experiments on the control of deceptive signals of status in White-crowned sparrows." *Auk* 104: 188-197.
- Fleischer, R. C., S. I. Rothstein, et al. (1990). "Mitochondrial DNA variation indicates gene flow across a zone of known secondary contact between two subspecies of the Brown-headed cowbird." *Condor* 93: 185-189.
- Fleischer, R. C. and S. I. Rothstein (1988). "Known secondary contact and rapid gene flow among subspecies and dialects in the brown-headed cowbird." *Evolution* 42(6): 1146-1158.
- Fleischer, R. C., A. P. Smyth, et al. (1987). "Temporal and age-related variation in the laying rate of the parasitic brown-headed cowbird in the eastern Sierra Nevada." *Can. J. Zoology* 65: 2724-2730.
- Fisk, D. L., L. C. L. IV, et al. (2007). "Rapid evolution in response to introduced predators 1: rates and patterns of morphological and life-history trait divergence." *BMC Evolutionary Biology* 7(22): 11.
- Giri, B. J., N. Bano, et al. (2004). "Distribution of RuBisCO genotypes along a redox gradient in Mono Lake, California." *Applied and Environmental Microbiology* 70: 3443-3448.
- Gillespie, I. G. and M. E. Loik (2004). "Pulse events in Great Basin Desert shrublands: physiological responses of *Artemisia tridentata* and *Purshia tridentata* seedlings to increased summer precipitation." *Journal of Arid Environments* 59: 41-57.
- Gibson, R. M., D. Pires, et al. (In press). "Microsatellite analysis shows that greater sage-grouse leks are not kin groups." *Molecular Ecology*.
- Gibson, R. M. (1996). "Female choice in sage grouse: the roles of attraction and active comparison." *Behavioral Ecology and Sociobiology* 39: 55-59.
- Gibson, R. M. (1996). "A reevaluation of hotspot settlement in lekking sage grouse." *Animal Behavior* 52: 993-1005.
- Gibson, R. M. and G. C. Bachman (1992). "The costs of female choice in a lekking bird." *Behavioral Ecology* 3: 300-309.

- Gibson, R. M. (1992). "Lek formation in sage grouse: The effect of female choice on male territory settlement." *Animal Behavior* 43: 443-450.
- Gibson, R. M. and J. Hoglund (1992). "Copying and sexual selection." *Trends in Ecology and Evolution* 7: 229-232.
- Gibson, R. M., J. W. Bradbury, et al. (1991). "Mate choice in lekking sage grouse revisited: The roles of vocal display, site fidelity and copying." *Behavioral Ecology* 2: 165-180.
- Gibson, R. M. (1990). "Relationships between blood parasites, mating success and phenotypic cues in male sage grouse /*Centrocercus urophasianus*/." *American Zoology* 30: 271-278.
- Gibson, R. M., C. E. Taylor and D. R. Jefferson. (1990). "Lek formation by female choice: a simulation study." *Behavioral Ecology* 1: 36-42.
- Gibson, R. M. (1989). "Field playback of male display attracts females in lek breeding sage grouse." *Behavioral Ecology and Sociobiology* 24: 438-443.
- Gibson, R. M. and J. W. Bradbury (1987). "Lek organization in sage grouse: Variations on a territorial theme." *Auk* 104: 77-84.
- Gibson, R. M. and J. W. Bradbury (1985). "Sexual selection in lekking sage grouse: phenotypic correlates of male mating success." *Behavioral Ecology and Sociobiology* 18: 117-123.
- Gross, K. and B. J. Cardinale (2007). "Does species richness drive community production or vice versa? Reconciling historical and contemporary paradigms in competitive communities." *American Naturalist* 170: 207-220.
- Greenstone, M. H. (1984). "Determinants of web spider species diversity: vegetation structural diversity vs. prey availability." *Oecologia* 62: 299-304.
- Green, R. O., J. Dozier, et al. (2002). "Spectral snow reflectance models for grain size and liquid water fraction in melting snow for the solar reflected spectrum." *Annals of Glaciology* 34: 71-73.
- Herbst, D. B. and T. J. Bradley (1993). "A Population Model for the Alkali Fly at Mono Lake: Depth Distribution and Changing Habitat Availability." *Hydrobiologia* 267: 191-201.
- Herbst, D. B. (1990). "Distribution and abundance of the alkali fly (*Ephydra hians*) at Mono Lake, California (USA) in relation to physical habitat." *Hydrobiologia* 197: 193-205.
- Herbst, D. B. and T. J. Bradley (1989). "Salinity and nutrient limitations on the growth of benthic algae from an alkaline salt lake." *Journal of Phycology* 25: 673-678.
- Herbst, D. B. and T. J. Bradley (1989). "A malpighian tubule lime gland in an insect inhabiting alkaline salt lakes." *Journal of Experimental Biology* 145: 63-78.
- Herbst, D. B. and T. J. Bradley (1988). "Osmoregulation in Dolichopodid larvae from a saline lake." *Journal of Insect Physiology* 34(5): 369-372.
- Herbst, D. B., F. P. Conte, et al. (1988). "Osmoregulation in an alkaline salt lake insect, *Ephydra* (*Hydropyrus*) *hians* Say (Diptera: Ephydriidae), in relation to water chemistry." *Journal of Insect Physiology* 34: 903-909.
- Herbst, D. B. (1988). "Comparative population ecology of *Ephydra hians* Say (Diptera: Ephydriidae) at Mono Lake (California) and Abert Lake (Oregon)." *Hydrobiologia* 158: 145-166.
- Henson, J. M. and R. E. Davis (2001). "The modeling of forested areas for real and synthetic aperture imaging radar simulation when tree locations are known." *International Journal of Computers and Their Applications* 8(3): 139-144.
- Harrington, R. and R. C. Bales (1998). "Interannual, seasonal, and spatial patterns of meltwater and solute fluxes in a seasonal snowpack." *Water Resources Research* 34(5): 823-831.
- Harrington, R., R. C. Bales, et al. (1996). "Variability of meltwater and solute fluxes from homogeneous melting snow at the laboratory scale." *Hydrological Processes* 10(7): 945-953.
- Harrington, R. F., R. C. Bales, et al. (1995). "Variability of melt-water and solute fluxes from melting snow at the laboratory scale." *Hydrological Processes* 10: 945-953.
- Herbst, D. B. (2001). "Gradients of salinity stress, environmental stability and water chemistry as a template for defining habitat types and physiological strategies in inland salt waters." *Hydrobiologia* 466: 209-219.
- Herbst, D. B. (1999). "Biogeography and physiological adaptations of the brine fly genus *Ephydra* (Diptera: Ephydriidae) in saline waters of the Great Basin." *Great Basin Naturalist* 59(2): 127-135.
- Herbst, D. B. and D. W. Blinn (1998). "Experimental mesocosm studies of salinity effects on the benthic algal community of a saline lake." *Journal of Phycology* 34: 772-778.
- Herbst, D. B. (1998). "Potential salinity limitations on nitrogen fixation in sediments from Mono Lake, California." *International Journal of Salt Lake Research* 7: 261-274.

- Herbst, D. B. and R. W. Castenholz (1994). "Growth of the filamentous green alga *Ctenocladus circinnatus* (Chaetophorales, Chlorophyceae) in relation to environmental salinity." *Journal of Phycology* 30: 588-593.
- Herbst, D. B. (2006). "Salinity controls on trophic interactions among invertebrates and algae of solar evaporation ponds in the Mojave Desert and Relation to shorebird foraging and selenium risk." *Wetlands* 26(2): 475-485.
- Hixon, M. A. and F. L. Carpenter (1988). "Distinguishing energy maximizers from time minimizers: A comparative study of two hummingbird species." *Amer. Zool.* 28: 913-925.
- Hixon, M. A., F. L. Carpenter, et al. (1983). "Territory area, flower density and time budgeting in hummingbirds: an experimental and theoretical analysis." *American Naturalist* 122(3): 366-391.
- Herbst, D. B., M. T. Bogan, et al. (2008). "Low Specific conductivity limits growth and survival of the New Zealand Mud Snail from the Upper Owens River, California." *Western North American Naturalist* 68(3): 324-333.
- Herbst, D. (2006 submitted). "The influence of introduced trout on the benthic communities of paired headwater streams in the Sierra Nevada of California." .
- Herbst, D. (2006 submitted). "Responses of aquatic macroinvertebrates to stream channel habitat reconstruction in a degraded rangeland creek in the Sierra Nevada." .
- Herbst, D. (2006 submitted). "Conductivity limits survival and growth of the New Zealand Mud Snail from the Upper Owens River, California." .
- Herbst, D. B. and E. L. Silldorff (2006). "Comparison of the performance of different bioassessment methods: similar evaluations of biotic integrity from separate programs and procedures." *J. N. Am. Benthol. Soc.* 25(2): 513-530.
- Hollibaugh, J. T., S. Carini, et al. (2005). "Arsenic Speciation in Mono Lake, California: Response to Seasonal Stratification and Anoxia." *Geochimica et Cosmochimica Acta* 69(8): 1925-1937.
- Hollibaugh, J. T., S. Carini, et al. (2005). "Distribution of arsenic species in alkaline, hypersaline, Mono Lake, California and response to seasonal stratification and anoxia." *Geochimica et Cosmochimica Acta* 69: 1925-1937.
- Hollibaugh, J. T., P. S. Wong, et al. (2001). "Stratification of microbial assemblages in Mono Lake, California, and response to a mixing event." *Hydrobiologia* 466: 45-60.
- Hoef, S. E., T. R. Kulp, et al. (2004). "Dissimilatory arsenate reduction with sulfide as the electron donor: experiments with Mono Lake water and isolation of Strain MLMS-1, a chemoautotrophic arsenate-respirer." *Applied and Environmental Microbiology* 70: 2741-2747.
- Hoef, S. E., F. Lucas, et al. (2002). "Characterization of microbial arsenate reduction in the anoxic bottom waters of Mono Lake, California." *Geomicrobiology Journal* 466: 23-40.
- Hopkirk, J. D. and R. J. Behnke. (1966). "Additions to the known native fish fauna of Nevada." *Copeia* 1: 134-136.
- Hooper, F. F. and D. R. Ottey (1988). "Responses of macroinvertebrates of two headwater streams to discharge fluctuations." *Verhandlungen des Internationalen Vereins Limnologie* 21: 819-829.
- Holtsford, T. P. (1985). "Nonfruiting hermaphroditic flowers of *Calochortus leichtlinii* (Liliaceae): Potential reproductive functions." *American Journal of Botany* 72(11): 1687-1694.
- Holt, E. W. and J. Taylor H.P. (1998). "¹⁸O/¹⁶O mapping and hydrogeology of a short-lived (10-25 yr), fumarolic (>500°C), meteoric-hydrothermal event in the upper part of the 0.76 Ma Bishop Tuff." *Journal of Volcanology and Geothermal Research* 83: 115-139.
- Holmes, W. G. (1997). "Temporal aspects in the development of Belding's ground squirrels' litter-mate preferences." *Animal Behavior* 53: 1323-1336.
- Holmes, W. G. (1994). "The development of littermate preferences in juvenile Belding's ground squirrels." *Animal Behavior* 48: 1071-1084.
- Hollibaugh, J. T., C. Budinoff, et al. (2006). "Sulfide oxidation coupled to arsenate reduction by a diverse microbial community in a soda lake." *Applied and Environmental Microbiology* 72(3): 2043-2049.
- Jellison, R. and J. M. Melack (1988). "Photosynthetic Activity of Phytoplankton and Its Relation to Environmental-Factors in Hypersaline Mono Lake, California." *Hydrobiologia* 158: 69-88.
- Jellison, R. S. and J. M. Melack (1988). "Photosynthetic activity of phytoplankton and its relation to environmental factors in hypersaline Mono Lake, California." *Hydrobiologia* 158: 69-88.
- James, J. J. and J. H. Richards (2007). "Influence of temporal heterogeneity in nitrogen supply on

- competitive interactions in a desert shrub community." *Oecologia* 152: 721-727.
- James, J. J., N. N. Alder, et al. (2006). "High apoplastic solute concentrations in leaves alter water relations of the halophytic shrub, *Sarcobatus vermiculatus*." *Journal of Experimental Botany* 57: 139-147.
- James, J. J. and J. H. Richards (2006). "Plant nitrogen capture in pulse-driven systems: interactions between root responses and soil processes." *Journal of Ecology* 94: 765-777.
- James, J. J., Z. T. Aanderud, et al. (2006). "Seasonal timing of N pulses influences N capture in a saltbush scrub community." *Journal of Arid Environments* 67(688-700).
- Humayoun, S. B., N. Bano, et al. (2003). "Phylogenetic composition of the bacterioplankton from an alkaline, hypersaline lake, Mono Lake, California." *Applied and Environmental Microbiology* 69: 1030-1042.
- Humayoun, S. B., N. Bano, et al. (2003). "Depth distribution of microbial diversity in Mono Lake, a meromictic soda lake in California." *Applied and Environmental Microbiology* 69(2): 1030-1042.
- Jellison, R., L. G. Miller, et al. (1993). "Meromixis in Hypersaline Mono Lake, California .2. Nitrogen Fluxes." *Limnology and Oceanography* 38(5): 1020-1039.
- Jellison, R. and J. M. Melack (1993). "Meromixis in Hypersaline Mono Lake, California .1. Stratification and Vertical Mixing During the Onset, Persistence, and Breakdown of Meromixis." *Limnology and Oceanography* 38(5): 1008-1019.
- Jellison, R. S., G. Miller, et al. (1993). "Meromixis in hypersaline Mono Lake, California. 2. Nitrogen fluxes." *Limnology and Oceanography* 38: 1020-1039.
- Jellison, R. S. and J. M. Melack (1993). "Meromixis in hypersaline Mono Lake, California. 1. Verticle mixing and density stratification during the onset, persistence, and breakdown of meromixis." *Limnology and Oceanography* 38: 1008-1019.
- Jellison, R. and J. M. Melack (1993). "Algal photosynthetic activity and its response to meromixis in hypersaline Mono Lake, California." *Limnology and Oceanography* 38: 818-837.
- Jellison, R. and J. M. Melack (2001). "Nitrogen limitation and particulate elemental ratios of seston in hypersaline Mono Lake, California, USA." *Hydrobiologia* 466(1-3): 1-12.
- Jellison, R., H. Adams, et al. (2001). "Re-appearance of rotifers in hypersaline Mono Lake, California, during a period of rising lake levels and decreasing salinity." *Hydrobiologia* 466(1-3): 39-43.
- Jellison, R. and J. M. Melack (2001). "Nitrogen limitation and sestonic elemental ratios in hypersaline Mono Lake, California." *Hydrobiologia* 466: 45-60.
- Jellison, R., S. MacIntyre, et al. (1999). "Density and conductivity properties of Na-CO₃-Cl-SO₄ brine from Mono Lake, California, USA." *Int. J. Salt Lake Res.* 8: 41-53.
- Jellison, R., S. MacIntyre, et al. (1999). "Density and conductivity properties of Na-CO₃-Cl-SO₄ brine from Mono Lake, California, USA." *International Journal of Salt Lake Research* 8: 41-53.
- Jellison, R., J. Romero, et al. (1998). "The onset of meromixis during restoration of Mono Lake, California; Unintended consequences of reducing water diversions." *Limnology and Oceanography* 43(4): 706-711.
- Jellison, R., R. F. Anderson, et al. (1996). "Organic matter accumulation in sediments of hypersaline Mono Lake during a period of changing salinity." *Limnology and Oceanography* 41(7): 1539-1544.
- Jellison, R., G. L. Dana, et al. (1995). "Zooplankton cohort analysis using systems identification techniques." *Journal of Plankton Research* 17(11): 2093-2115.
- Jellison, R. and J. M. Melack (1993). "Algal Photosynthetic Activity and Its Response to Meromixis in Hypersaline Mono-Lake, California." *Limnology and Oceanography* 38(4): 818-837.
- Jellison, R. and M. Sevon (2005). "Conservation and management of four large saline lakes in the Western Great Basin (USA)." *Verh. Internat. Verein. Limnol.* 29: 137-139.
- Jenkins, T. M., Jr. (1971). "Role of social behavior in dispersal of introduced rainbow trout (*Salmo gairdneri*)." *Journal of the Fishery Research Board of Canada* 28: 1019-1027.
- Jenkins, T. M., Jr., C. R. Feldmeth, et al. (1970). "Feeding of rainbow trout (*Salmo gairdneri*) in relation to abundance of drifting invertebrates in a mountain stream." *Journal of the Fishery Research Board of Canada* 27: 2356-2361.
- Jenkins, T. M., Jr. (1969). "Social structure, position choice and microdistribution of two trout species (*Salmo trutta* and *Salmo gairdneri*) resident in mountain streams." *Animal Behavior Monographs* 2(2): 57-123.
- Jenkins, T. M., Jr. (1969). "Observations on color changes of brown and rainbow trout (*Salmo trutta* and

- /S. gairdneri) in stream habitats, with description of an unusual color pattern in Brown trout." Transactions of the American Fisheries Society 98(3): 517-519.
- Jenkins, T. M., Jr. (1969). "Night feeding of brown and rainbow trout in an experimental stream channel." Journal of the Fishery Research Board of Canada 26: 3275-3278.
- Jenkins, T. M., Jr. and A. Klain (1969). "A regulated-temperature electric tool for marking fish." Transactions of the American Fisheries Society 98(2): 338-340.
- Jellison, R. (2005). "International Conference on Salt Lake Research: Research Opportunities and Management Challenges." Saline Systems 1(12): online.
- Johnson, M. C. and M. J. Rutherford (1989). "Experimental calibration of the aluminum-in-hornblende geobarometer with application to Long Valley caldera (California) volcanic rocks." Geology 17: 837-841.
- Jiang, S., G. Steward, et al. (2004). "Abundance, distribution, and diversity of viruses in alkaline, hypersaline Mono Lake, California." Microbial Ecology 47(1): 9-17.
- Jennings, W. B., D. F. Bradford, et al. (1992). "Dependence of the garter snake *Thamnophis elegans* on amphibians in the Sierra Nevada of California." Journal of Herpetology 26: 503-505.
- Karban, R., J. Maron, et al. (2003). "Herbivore damage to sagebrush induces wild tobacco: evidence for eavesdropping between plants." Oikos 100: 325-333.
- Karban, R. and J. Maron (2002). "The fitness consequences of interspecific eavesdropping between plants." Ecology 83(5): 1209-1213.
- Karban, R. (2001). "Communication between sagebrush and wild tobacco in the field." Biochemical Systematics and Ecology 29: 995-1005.
- Karban, R. and K. J. Baxter (2001). "Induced Resistance in Wild Tobacco with Clipped Sagebrush Neighbors: The Role of Herbivore Behavior." Journal of Insect Behavior 14(2): 147-156.
- Karban, R., I. T. Baldwin, et al. (2000). "Communication between plants: induced resistance in wild tobacco plants following clipping of neighboring sagebrush." Oecologia 125: 66-71.
- Karban, R. (1997). "Neighbourhood affects a plant's risk of herbivory and subsequent success." Ecological Entomology 22: 433-439.
- Karasov, W. H., D. Phan, et al. (1986). "Food passage and intestinal nutrient absorption in hummingbirds." Auk 103: 453-464.
- Ju-Ling, L., S. B. Joye, et al. (2005). "Analysis of Methane Monooxygenase Genes in Mono Lake suggests that increased methane oxidation activity may correlate with a change in methanotroph community structure." Appl. Envir. Microbiol. 71: 6458-6462.
- Jørgensen, N. O. G., P. Engel, et al. (2008). "Contribution of bacterial cell wall components to DOM in alkaline, hypersaline Mono Lake, California." Geomicrobiology Journal 25: 38-55.
- Joye, S. B., T. L. Connell, et al. (1999). "Oxidation of ammonia and methane in an alkaline, saline lake." Limnology and Oceanography 44(1): 178-188.
- Kattelman, R. (1994). "Improving the knowledge base for Himalayan water development." Water Nepal 4(1): 89-97.
- Kattelman, R. and J. Dozier (1991). "Environmental hydrology of the Sierra Nevada, California, USA." Hydrological Science and Technology 7: 73-80.
- Kattelman, R. and K. Elder. (1991). "Hydrologic characteristics and water balance of an alpine basin in the Sierra Nevada." Water Resources Research 27: 1553-1562.
- Karban, R., C. Karban, et al. (2007). "Haypiles of the mountain beaver, *Aplodontia rufa*." Western North American Naturalist 67(4): 618-621.
- Karban, R., K. Shiojiri, et al. (2006). "Damage-induced resistance in sagebrush: volatiles are key to intra- and interplant communication." Ecology 87: 922-930.
- Karban, R., M. Huntzinger, et al. (2004). "The specificity of eavesdropping on sagebrush by other plants." Ecology 85(7): 1846-1852.
- Keys, G. C., R. C. Fleischer, et al. (1986). "Relationships between elevation, reproduction and the hematocrit level of brown-headed cowbirds." Comp. Biochem. Physiol. 83A(4): 765-769.
- Kennedy, H. D. (1967). "Seasonal abundance of aquatic invertebrates and their utilization by hatchery-reared rainbow trout." United States Fish and Wildlife Service Technical Papers 12: 1-41.
- Kennedy, H. D. (1964). "Air and water temperature and stream flow data, Convict Creek, Mono County, California, 1950 - 1962." United States Fish and Wildlife Service, Special Scientific Report, Fisheries No. 481: 1-49.
- Kennedy, H. D. (1960). "*Deuterophlebia inyoensis*, a new species of mountain midge from the alpine

- zone of the Sierra Nevada Range, California. (DIPTERA: Deuterophlebiidae)." Transactions of the American Microscopical Society 79(2): 191-210.
- Kennedy, H. D. (1958). "Biology and life history of a new species of mountain midge, *Deuterophlebia nielsoni*, from eastern California (DIPTERA: Deuterophlebiidae)." Transactions of the American Microscopical Society 77a(2): 201-228.
- Kennedy, H. D. (1955). "Colonization of a previously barren stream section by aquatic invertebrates and trout." Progressive Fish-Culturist 17(3): 119-122.
- Kattelmann, R. and J. Dozier (1999). "Observations of snowpack ripening in the Sierra Nevada, California, U.S.A." Journal of Glaciology 45(151): 409-416.
- Kattelmann, R. (1997). "Reinvestment in Sierra Nevada watersheds." The Watershed Management Council Networker: 10-11.
- Kattelmann, R. (1997). "Water resources and hydrology in the Sierra Nevada." The Watershed Management Council Networker 7(2): 4-5.
- Kattelmann, R. and P. Moyle (1997). "Watershed Issues in the Sierra Nevada Ecosystem Project." The Watershed Management Council Networker 7(2): 1-4.
- Kattelmann, R. (1997). "Rapid changes in snow cover at low elevations in the Sierra Nevada, California, U.S.A." Annals of Glaciology 25: 367-370.
- Kattelmann, R. (1997). "The road to water quality in the Sierra Nevada." Journal of Forestry 95(9): 22-26.
- Knapp, R. A. (2005). "Effects of nonnative fish and habitat characteristics on lentic herpetofauna in Yosemite National Park, USA." Biological Conservation 121: 265-279.
- Knapp, R. A., C. P. Hawkins, et al. (2005). "Fauna of Yosemite National Park Lakes has low resistance by high resilience to fish introductions." Ecological Applications 15: 835-847.
- Knapp, R. A. (2004). "Montane Lake Research Program." International Journal of Wilderness 10(2): 32-33.
- Knapp, R. A., K. R. Matthews, et al. (2003). "Developing probabilistic models to predict amphibian site occupancy in a patchy landscape." Ecological Applications 13(4): 1069-1082.
- Knapp, R. A., P. S. Corn, et al. (2001). "The introduction of nonnative fish into wilderness lakes: good intentions, conflicting mandates, and unintended consequences." Ecosystems 4(4): 275-278.
- Knapp, R. A., J. A. Garton, et al. (2001). "The use of egg shells to infer the historical presence of copepods in alpine lakes." Journal of Paleolimnology 25: 539-543.
- Knapp, R. A., K. R. Matthews, et al. (2001). "Resistance and Resilience of alpine lake fauna to fish introductions." Ecological Monographs 71(3): 401-421.
- Knapp, R. A. and K. R. Matthews (2000). "Non-native fish introductions and the decline of the Mountain Yellow-Legged Frog from within protected areas." Conservation Biology 14(2): 428-438.
- Knapp, R. A. (1999). "Is it possible to predict habitat use by spawning salmonids? A test using California golden trout (*Oncorhynchus mykiss aquabonita*)." Canadian Journal of Fisheries and Aquatic Science 56: 1576-1584.
- Knapp, R. A., V. T. Vredenburg, et al. (1998). "Effects of stream channel morphology on golden trout spawning habitat and recruitment." Ecological Applications 8: 1104-1117.
- Knapp, R. A. and K. M. Matthews (1998). "Eradication of non-native fish by gill-netting from a small mountain lake in California." Restoration Ecology 6: 207-213.
- Knapp, R. A. and V. T. Vredenburg (1996). "A field comparison of the substrate composition of California golden trout redds sampled with two devices." North American Journal of Fisheries Management 16: 674-681.
- Knapp, R. A. and V. T. Vredenburg (1996). "Spawning by California golden trout: characteristics of spawning fish, seasonal and daily timing, redd characteristics, and microhabitat preferences." Transactions of the American Fisheries Society 125: 519-531.
- Knapp, R. A. and K. M. Matthews (1996). "Livestock grazing, golden trout, and streams in the Golden Trout Wilderness, California: impacts and management implications." North American Journal of Fisheries Management 16: 805-820.
- Kramer, A. M., O. Sarnelle, et al. (2008). "Allee Effect limits colonization success of sexually reproducing zooplankton." Ecology 89(10): 2760-2769.
- Kocielek, J. P. and D. B. Herbst (1992). "Taxonomy and distribution of benthic diatoms from Mono Lake, California, USA." Transactions of the American Microscopy Society 111: 338-355.
- Kneebone, P. E. and J. G. Hering (2000). "The behavior of arsenic and other redox-sensitive elements in Crowley Lake, CA, a reservoir in the Los Angeles Aqueduct system." Environ. Sci. Technol 34:

4307-4312.

- Knapp, R. A. and O. Sarnelle (2008 In press). "Recovery after local extinction: factors affecting re-establishment of alpine Lake zooplankton after removal of nonnative fish." *Ecological Applications*.
- Knapp, R. A., D. M. Boiano, et al. (2007). "Removal of nonnative fish results in population expansion of a declining amphibian (mountain yellow-legged frog, *Rana muscosa*)." *Biological Conservation* 135: 11-20.
- Knapp, R. A. and J. A. T. Morgan (2006). "Tadpole Mouthpart Depigmentation as an Accurate Indicator of Chytridiomycosis, an Emerging Disease of Amphibians." *Copeia* 2: 188-197.
- Ladau, J. and S. J. Schwager (2008). "Robust hypothesis tests for independence in community assembly." *J. Math. Biol.* 47: 537-555.
- Ladau, J. (2004). "Territoriality and singing-site preferences in the cricket, *Cyphoderris monstrosa* (Orthoptera: Haglidae) in western North America." *Entomological News* 114(4): 197-204.
- Kuwabara, J. S., H. V. Leland, et al. (1984). "Copper transport along a Sierra Nevada stream." *Journal of Sanitary Engineering Division ASCE* 110: 646-655.
- Kulp, T. R., S. E. Hoelt, et al. (2008). "Arsenic (III) fuels anoxygenic photosynthesis in hot spring biofilms from Mono Lake, California." *Science* 321: 967-970.
- Kraus, B. (1985). "Oviposition on the backs of female giant water bugs, *Abedus indentatus*: the cinaceae)." *Madrono* 28(2): 91-93.
- Kratz, K. W. (1996). "Effects of stoneflies on local prey populations: mechanisms of impact across prey density." *Ecology* 77(5): 1573-1585.
- Kramer, A. and O. Sarnelle (2008). "Limits to genetic bottlenecks and founder events imposed by the Allee effect." *Oecologia* 157: 561-569.
- LeClerc, G. R., A. Buchan, et al. (2004). "Chitinase gene sequences from diverse aquatic habitats reveal complex patterns of diversity." *Applied and Environmental microbiology* 69: 6977-6983.
- Latta IV, L. C., J. W. Bakelar, et al. (2007). "Rapid evolution in response to introduced predators II: the contribution of adaptive plasticity." *BMC Evolutionary Biology* 7(21): 9.
- Ladau, J. (2008). "Validation of null model tests using Neyman-Pearson hypothesis testing theory." *Theor Ecol(Online)*.
- Leland, H. V., S. V. Fend, et al. (1989). "Effects of copper on species composition of benthic insects in a Sierra Nevada, California stream." *Freshwater Biology* 21: 163-179.
- Leland, H. V., J. L. Carter, et al. (1986). "Use of detrended correspondence analysis to evaluate factors controlling spatial distribution of benthic insects." *Hydrobiologia* 132: 113-123.
- Leland, H. V., S. V. Fend, et al. (1986). "Composition and abundance of periphyton and aquatic insects in a Sierra Nevada, California stream." *Great Basin Naturalist* 46(4).
- Leland, H. V. and J. L. Carter (1985). "Effects of copper on production of periphyton, nitrogen fixation and processing of leaf litter in a Sierra Nevada, California stream." *Freshwater Biology* 15: 155-173.
- Leland, H. V. (1985). "Drift response of aquatic insects to copper." *Verhandlungen des International Vereins Limnologie* 22: 2412-2419.
- Leland, H. V. and J. L. Carter (1984). "Effects of copper on species composition of periphyton in a Sierra Nevada, California stream." *Freshwater Biology* 14: 281-296.
- Leland, H. V. (1983). "Ultrastructural changes in the hepatocytes of juvenile rainbow trout, *Salmo trutta*, exposed to copper or zinc." *Environmental Toxicology and Chemistry* 2: 353-368.
- Leland, H. V. and E. Kent (1981). "Effects of copper on microfaunal species composition in a Sierra Nevada, California stream." *Verhandlungen des International Vereins Limnologie* 21: 819-829.
- LeClerc, G. R., A. Buchan, et al. (2007). "Comparison of chitinolytic enzymes from an alkaline, hypersaline lake and an estuary." *Environmental Microbiology* 9: 197-205.
- LeClerc, G. R. and J. T. Hollibaugh. (2006). "Chitinolytic bacteria from alkaline, hypersaline Mono Lake, California." *Aquatic Microbial Ecology* 42: 255-264.
- Lin, J. L., S. B. Joye, et al. (submitted). "Diversity of methanotrophs in Mono Lake, a meromictic soda lake in California." *Environmental Microbiology*.
- Lin, J.-L., S.B. Joye, et al. (2005). "Analysis of methane monooxygenase genes in Mono Lake suggests that increased methane oxidation activity may correlate with a change in methanotroph community structure." *Applied and Environmental Microbiology* 71: 6458-6462.
- Li, S., Z. Wan, et al. (1987). "A component decomposition model for evaluating atmospheric effects in remote sensing." *Journal of Electromagnetic Waves and Applications* 1(4): 323-347.

- Leydecker, A., J. O. Sickman, et al. (2001). "Spatial scaling of hydrological and biogeochemical aspects of high-altitude catchments in the Sierra Nevada, California, U.S.A." *Arctic, Antarctic and Alpine Research* 33: 391-396.
- Leydecker, A. and J. M. Melack (2000). "Estimating evaporation in seasonally snow-covered catchments in the Sierra Nevada, California." *Journal of Hydrology* 236: 121-138.
- Leydecker, A. and J. M. Melack (1999). "Evaporation from snow in the central Sierra Nevada of California." *Nordic Hydrology* 30(2): 81-108.
- Leydecker, A., J. O. Sickman, et al. (1999). "Episodic lake acidification in the Sierra Nevada, California." *Water Resources Research* 35(9): 2793-2804.
- Lewis, W. M., Jr., J. M. Melack, et al. (1999). "Nitrogen yields from undisturbed watersheds in the Americas." *Biogeochemistry* 46: 149-162.
- Lenz, P. H., J. M. Melack, et al. (1986). "Ammonium and phosphate regeneration by zooplankton in an Amazon floodplain lake." *Freshwater Biology* 16(6): 821-830.
- Lenz, P. H., S. D. Cooper, et al. (1986). "Spatial and temporal distribution patterns of three trophic levels in a saline lake." *Journal of Plankton Research* 8(6): 1051-1064.
- Lenz, P. H. (1984). "Life-history analysis of an *Artemia* population in a changing environment." *Journal of Plankton Research* 6(6): 967-983.
- MacIntyre, S. and R. Jellison (2001). "Nutrient fluxes from upwelling and enhanced turbulence at the top of the pycnocline in Mono Lake, California." *Hydrobiologia* 466(1-3): 13-29.
- MacIntyre, S. and J. R. Romero (2000). "Predicting upwelling, boundary mixing, and nutrient fluxes in lakes." *Verh. Internat. Verein. Limnol.* 27: 246-250.
- MacIntyre, S., K. M. Flynn, et al. (1999). "Boundary mixing and nutrient fluxes in Mono Lake, California." *Limnology and Oceanography* 44(3): 512-529.
- MacIntyre, S. and J. M. Melack (1995). "Vertical and horizontal transport in lakes: linking littoral, benthic, and pelagic habitats." *J. N. Am. Benthol. Soc.* 14: 599-615.
- Lucas, F. and J. T. Hollibaugh (2001). "Shifts in the composition of estuarine sediment bacterial assemblages in response to amendments with selenate and acetate." *Environmental Science and Technology* 35: 528-534.
- Lowther, P. E. and S. Rothstein (1982). "Head-down or 'preening invitation' displays involving juvenile brown-headed cowbirds." *Condor* 82: 459-460.
- Loik, M. E. (2006). "Sensitivity of water relations and photosynthesis to summer precipitation pulses for *Artemisia tridentata* and *Purshia tridentata*." *Plant Ecology* 191(1).
- Mateo, J. M. and W. G. Holmes (1999). "Plasticity of alarm-call response development in Belding's ground squirrels (*Spermophilus beldingi*, Sciuridae)." *Ethology* 105: 193-206.
- Mateo, J. M. and W. G. Holmes (1997). "Development of alarm-call responses in Belding's ground squirrels: the role of dams." *Animal Behavior* 54: 509-524.
- Mateo, J. M. (1996). "Early auditory experience and the ontogeny of alarm-call discrimination in Belding's ground squirrels (*Spermophilus beldingi*)." *Journal of Comparative Psychology* 110(2): 115-124.
- Mateo, J. M. (1996). "The development of alarm-call response behavior in free-living juvenile Belding's ground squirrels." *Animal Behavior* 52: 489-505.
- Mason, P. and S. I. Rothstein (1987). "Crypsis versus mimicry and the color of Shiny Cowbird eggs." *American Naturalist* 130(2): 161-167.
- Marks, D. and J. Dozier (1992). "Climate and energy exchange at the snow surface in the alpine region of the Sierra Nevada, 2, Snow cover energy balance." *Water Resources Research* 28(11): 3043-3054.
- Marks, D., J. Dozier, et al. (1992). "Climate and energy exchange at the snow surface in the alpine region of the Sierra Nevada: I. Micrometeorological measurements and monitoring." *Water Resources Research* 28(11): 3029-3042.
- Marks, D., J. Dozier, et al. (1984). "Automated basin delineation from digital elevation data." *Geo-Processing* 2: 299-311.
- Marks, D. and J. Dozier (1979). "A clear-sky longwave radiation model for remote alpine areas." *Archiv fur Meteorologi Geophysik und Bioklimatologie* 27B: 159-187.
- Maciolek, J. A. and M. G. Tunzi (1968). "Microseston dynamics in a simple Sierra Nevada lake stream system." *Ecology* 49(1): 60-75.
- Maciolek, J. A. (1966). "Abundance and character of microseston in a California mountain stream." *Verhandlungen des International Vereins Limnologie* 16: 639-645.

- Maciolek, J. A. and H. D. Kennedy (1964). "Spatial variation in periphyton production in a mountain lake at fall overturn." *Verhandlungen des Internationalen Vereins Limnologie* 15: 386-393.
- Maciolek, J. A. (1963). "Pressure filtration apparatus." *Limnology and Oceanography* 8(2): 301-302.
- Maciolek, J. A. (1962). "Limnological organic analyses by quantitative dichromate oxidation." United States Fish and Wildlife Service, Research Report No. 60: 1-61.
- Maciolek, J. A. (1954). "Artificial fertilization of lakes and ponds: a review of the literature." United States Fish and Wildlife Service, Special Scientific Report, Fisheries No. 113: 1-41.
- Maciolek, J. A. and P. R. Needham. (1951). "Ecological effects of winter conditions on trout and trout foods in Convict Creek, California." *Transactions of the American Fisheries Society* 81: 202-217.
- Mateo, J. M. (2006). "Development of individually distinct recognition cues." *Developmental Psychobiology* 48: 508-519.
- Mateo, J. M. and S. C. Cavigelli (2005). "A validation of extraction methods for non-invasive sampling of glucocorticoids in free-living ground squirrels." *Physiological and Biochemical Zoology*.
- Mateo, J. M. (2004). "Recognition systems and biological organization: The perception component of recognition." *Annales Zoologici Fennici* 41: 729-745.
- Mateo, J. M. and W. G. Holmes (2004). "Cross-fostering as a means to study kin recognition." *Animal Behaviour* 68: 1451-1459.
- Mateo, J. M. (2004). "Kin recognition ground squirrels and other rodents." *Journal of Mammology* 84: 1163-1181.
- Mateo, J. M. and W. G. Holmes (2004). "Design and interpretation of cross-fostering studies." *Animal Behaviour* 10.
- Mateo, J. M. (2002). "Kin Recognition abilities and nepotism as a function of sociality." *Proceedings of the Royal Society of London, Series B*. 269: 721-727.
- Mateo, J. M. and R. E. Johnston (2000). "Retention of social recognition after hibernation in Belding's ground squirrels." *Animal Behavior* 59: 491-499.
- Mateo, J. M. and W. G. Holmes (1999). "How rearing history affects alarm-call responses of Belding's ground squirrels (*Spermophilus beldingi*, Sciuridae)." *Ethology* 105: 207-222.
- Mateo, J. M. (In Press (2008)). "The causal role of odours in the development of recognition templates and social preferences." *Animal Behaviour*.
- Mateo, J. M. (2008). "Inverted-U shape relationship between cortisol and learning in ground squirrels." *Neurobiology of Learning and Memory* 89: 582-590.
- Mateo, J. M. (2007). "Ecological and hormonal correlates of anti-predator behavior in Belding's ground squirrels (*Spermophilus beldingi*)." *Behavioral Ecology and Sociobiology* 62: 37-49.
- Mateo, J. M. (2006). "The nature and representation of individual recognition cues in Belding's ground squirrels." *Animal Behaviour* 71(1): 141-154.
- Mateo, J. M. (2006). "Developmental and geographic variation in stress hormones in wild Belding's ground squirrels (*Spermophilus beldingi*)." *Hormones and Behavior* 50(5): 718-725.
- Melack, J. M., J. L. Stoddard, et al. (1985). "Major ion chemistry and sensitivity to acid precipitation of Sierra Nevada Lakes." *Water Resources Research* 21: 27-32.
- Melack, J. M., P. H. Lenz, et al. (1984). "The ecology of Mono Lake." *National Geographic Society Research Reports* 15: 461-470.
- Melack, J. M. (1983). "Large, deep salt lakes: a comparative limnological analysis." *Hydrobiologia* 105: 223-230.
- McJunkin, R. D. and T. L. Bedrossian (1980). "Mammoth Lakes earthquakes, May 25-27, 1980, Mono County California." *California Geology* 1980: 194-201.
- McIver, J. D. and C. Loomis (1993). "A size-distance relation in Homoptera-tending thatch ants (*Formica obscuripes*, *Formica planipilis*)." *Ins. Soc.* 40: 207-218.
- McCall, A. C. and R. Karban (2006). "Induced defense in *Nicotiana attenuata* (Solanaceae) fruit and flowers." *Oecologia* 146: 566-571.
- Matthews, K. R., K. L. Pope, et al. (2001). "Garter snake distributions in high-elevation aquatic ecosystems: Is there a link with declining amphibian populations and nonnative trout introductions." *Journal of Herpetology* 36(1): 16-22.
- Matthews, K. R., K. L. Pope, et al. (2001). "Effects of nonnative trout on Pacific Treefrogs (*Hyla regilla*) in the Sierra Nevada." *Copeia* 4: 1130-1137.
- Matthews, K. R. and R. A. Knapp (1999). "A study of high mountain lake fish stocking effects in the U.S. Sierra Nevada wilderness." *International Journal of Wilderness* 5(1): 24-26.

- Melack, J. M., J. Dozier, et al. (1997). "Effects of climate change on inland waters of the Pacific coastal mountains and western Great Basin of North America." *Hydrological Processes* 11: 971-992.
- Melack, J. M., S. K. Hamilton, et al. (1993). "Interannual solute variations in a high elevation lake of the Sierra Nevada, California." *Verh. Internat. Verein. Limnol.* 25: 374-377.
- Morgan, J. A. T., V. T. Vredenburg, et al. (2007). "Population genetics of the frog-killing fungus *Batrachochytrium dendrobatidis*." *Proceedings of the National Academy of Sciences, USA* 104: 13845-13850.
- Molotch, N. P., R. C. Bales, et al. (2004). "Estimating the spatial distribution of snow water equivalent in an alpine basin using binary regression tree models: the impact of digital elevation data and independent variable selection." *Hydrological Processes* 19(7): 1459-1479, doi: 10.1002/hyp.5586.
- Molotch, N. P., T. H. Painter, et al. (2004). "Incorporating remotely-sensed snow albedo into a spatially-distributed snowmelt model." *Geophysical Research Letters* 31: L03501, doi: 10.1029/2003GL019063.
- Miller, L. G., R. Jellison, et al. (1993). "Meromixis in Hypersaline Mono Lake, California .3. Biogeochemical Response to Stratification and Overturn." *Limnology and Oceanography* 38(5): 1040-1051.
- Milius, S. (2000). "Red Snow, Green Snow." *Science News* 157(May 20,2000): 328-330.
- Melack, J. M. (2002). "Ecological dynamics in saline lakes." *Verh. Internat. Verein. Limnol.* 28: 29-40.
- Melack, J. M. and D. Engle (2001). "Airborne remote sensing of chlorophyll distributions in Mono Lake, California." *Hydrobiologia* 466: 31-38.
- Melack, J. M. and R. Jellison (1998). "Limnological conditions in Mono Lake: contrasting monomixis and meromixis in the 1990s." *Hydrobiologia* 384: 21-39.
- Needham, P. R. (1947). "Survival of Trout in Streams." *Transactions of the American Fisheries Soc* 77: 26-31.
- Needham, P. R., J. W. Moffett, et al. (1945). "Fluctuations in wild brown trout populations in Convict Creek, California." *Journal of Wildlife Management* 9(1): 9-24.
- Needham, P. R. and D. W. Slater (1944). "Survival of hatchery-reared brown and rainbow trout as affected by wild trout populations." *Journal of Wildlife Management* 8: 21-36.
- Needham, P. R. and D. W. Slater (1943). "Seasonal changes in growth, mortality, and condition of rainbow trout following planting." *Transactions of the American Fisheries Society* 73: 117-124.
- Needham, P. R. and F. K. Cramer (1943). "Movement of trout in Convict Lake, California." *Journal of Wildlife Management* 7(2): 142-148.
- Needham, P. R. and H. J. Rayner (1939). "The experimental stream and method for study of trout planting problems." *Copeia* 1939: 31-38.
- Needham, P. R. (1937). "Methods of Measuring Anglers' Catches in Inland Waters." *Copeia* 1: 41-48.
- Nisbet, R. M., S. Diehl, et al. (1997). "Primary productivity gradients and short-term population dynamics in open systems." *Ecological Monographs* 67(4): 535-553.
- Nielson, R. S., N. Reimers, et al. (1957). "A six-year study of the survival and vitality of hatchery reared rainbow trout of catchable size in Convict Creek, California." *California Fish and Game* 43(1): 5-42.
- Nielson, R. S. (1953). "Should we stock brown trout?" *Progressive Fish-Culturist* 15(3): 125-126.
- Nielson, R. S. (1953). "Apparatus and methods for the collection of attachment materials in lakes." *Progressive Fish-Culturist* 15(2): 87-89.
- Newton, M. S. (1994). "Holocene fluctuations of Mono Lake, California: The sedimentary record." *Sedimentology and Geochemistry of Modern and Ancient Saline Lakes, SEPM Special Publication No. 50*: 143-157.
- Nercessian, O., M. G. Kalyuzhnaya, et al. (2005). "Analysis of fae and fhcd Genes in Mono Lake, California." *Appl. Envir. Microbiol.* 71: 8949-8953.
- Nelson, C. E., S. Sadro, et al. (In Revision). "Contrasting the influences of stream inputs and landscape position on bacterioplankton community structure and dissolved organic matter composition in high elevation lake chains." *Limnology and Oceanography*.
- Nolin, A. W. (2004). "Towards retrieval of forest cover density over snow from the Multi-angle Imaging SpectroRadiometer (MISR)." *Hydrological Processes* 18: 3623-3636, doi: 10.1002/hyp.5803.
- Nolin, A. W. and J. Dozier (2000). "A hyperspectral method for remotely sensing the grain size for snow." *Remote Sensing of the Environment* 74(2): 207-216.

- Nolin, A. W., J. Dozier, et al. (1993). "Mapping alpine snow using a spectral mixture modeling technique." *Annals of Glaciology* 17: 121-124.
- Nolin, A. W. and J. Dozier (1993). "Estimating snow grain size using AVIRIS data." *Remote sensing of the environment* 44: 231-238.
- Nolin, A. W., J. Dozier, et al. (1992). "Mapping alpine snow using a spectral mixture modeling technique." *Annals of Glaciology* 17: 231-238.
- Nodvin, S. C., L. B. Weeks, et al. (1986). "Alkalization of a high elevation Sierra Nevada stream." *Water Resources Research* 22(7): 1077-1082.
- Osenberg, C. W., O. Sarnelle, et al. (1997). "Effect size in ecological experiments: the application of biological models in meta-analysis." *The American Naturalist* 150(6): 798-812.
- Oremland, R. S., J. F. Stolz, et al. (2009). "Response to Comment on "Arsenic(III) Fuels Anoxygenic Photosynthesis in Hot Spring Biofilms from Mono Lake, California." *Science* 323: 583.
- Oremland, R. S., J. F. Stolz, et al. (2004). "The microbial arsenic cycle in Mono Lake, California." *FEMS Microbial Ecology* 48: 15-27.
- Oremland, R. S., S. E. Hoefft, et al. (2002). "Anaerobic oxidation of arsenite in Mono Lake water and by facultative, arsenite-oxidizing chemoautotroph, strain MLHE-1." *Applied and Environmental Microbiology* 68(10): 4795-4802.
- Obst, B. S. and J. M. Diamond (1989). "Interspecific variation in sugar and amino acid transport by the avian cecum." *Journal of Experimental Zoology* 251: 1259-1268.
- O'Loghlen, A. L. and S. I. Rothstein (2003). "Female preference for the songs of older males and the maintenance of dialects in brown-headed cowbirds (*Molothrus ater*)." *Behavioral Ecology & Sociobiology* 53(102-109).
- O'Loghlen, A. L. and S. I. Rothstein (1995). "Culturally correct song dialects are correlated with male age and female song preferences in wild populations of brown-headed cowbirds." *Behav. Ecol. Sociobiol.* 36: 251-259.
- O'Loghlen, A. and S. Rothstein (1993). "An extreme example of delayed vocal development: Song learning in a population of wild brown-headed cowbirds." *Animal Behavior* 46: 293-304.
- Nonacs, P. (2002). "Patterns of energy allocation within foragers of *Formica planipilis* and *Pogonomyrmex salinus*." *Western North American naturalist* 62(2): 188-196.
- Painter, T. M., B. Duval, et al. (2002). "Detection and Quantification of Snow Algae using an Airborne Imaging Spectrometer." *Applied and Environmental Microbiology* 67(11): 5267-5272.
- Painter, T. H., B. Duval, et al. (2001). "Detection and quantification of snow algae with an airborne imaging spectrometer." *Applied and Environmental Microbiology* 67(11): 5267-5272.
- Painter, T. H., D. A. Roberts, et al. (1998). "The effect of grain size on spectral mixture analysis of snow-covered area from AVIRIS data." *Remote Sensing of Environment* 65(3): 320-332.
- Phillips, A. M., Jr., R. S. Nielson, et al. (1954). "A comparison of hatchery diets and natural food." *Progressive Fish-Culturist* 16(4): 153-157.
- Perla, R., J. Dozier, et al. (1986). "Preparation of serial sections in dry snow specimens." *Journal of Microscopy* 142: 111-114.
- Peckarsky, B. L., S. D. Cooper, et al. (1997). "Extrapolating from individual behavior to populations and communities in streams." *Journal of the North American Benthological Society* 16: 375 - 390.
- Paton, D. C. and F. L. Carpenter (1984). "Peripheral foraging by territorial rufous hummingbirds: defense by exploitation." *Ecology* 65: 1808-1819.
- Painter, T. H. and J. Dozier (2004). "The effect of anisotropic reflectance on imaging spectroscopy of snow properties." *Remote Sensing of Environment* 89(4): 409-422, doi: 10.1016/j.rse.2003.09.007.
- Painter, T. H. and J. Dozier (2004). "Measurements of the hemispherical-directional reflectance of snow at fine spectral and angular resolution." *Journal of Geophysical Research* 109: D18115, doi: 10.1029/2003JD004458.
- Painter, T. H., B. Paden, et al. (2003). "Automated Spectro-Goniometer: a spherical robot for the measurement of the bi-directional reflectance of snow." *Reviews of Scientific Instruments* 74(12): 5179-5188.
- Painter, T. H., J. Dozier, et al. (2003). "Retrieval of subpixel snow-covered area and grain size from imaging spectrometer data." *Remote Sensing of Environment* 85(1): 64-77.
- Reimers, N. and E. P. Pister (1953). "A machine for sounding and for operating limnological apparatus." *Progressive Fish-Culturist* 15(1): 33-34.

- Rachowicz, L. J., R. A. Knapp, et al. (2006). "Emerging infectious disease as a proximate cause of amphibian mass mortality." *Ecology* 87(7): 1671-1683.
- Poretzky, R. S., N. Bano, et al. (2006 In press). "Environmental Transcriptomics: A method to access expressed genes in complex microbial communities." *Molecular Microbial Ecology Manual*, 3rd Ed.
- Poretzky, R. S., N. Bano, et al. (2005). "Analysis of microbial gene transcripts in environmental samples." *Applied and Environmental Microbiology* 71: 4121-4126.
- Planer-Friedrich, B., J. C. Fisher, et al. (2009 In press). "Oxidative transformation of trithioarsenate along alkaline geothermal drainages: abiotic versus microbially mediated processes." *Geomicrobiology Journal*.
- Rogie, J. D., D. M. Kerrick, et al. (2001). "Dynamics of carbon dioxide emission at Mammoth Mountain, California." *Earth and Planetary Science Letters* 188: 535-541.
- Reimers, N. (1979). "A history of a stunted brook trout population in an alpine lake: a lifespan of 24 years." *California Fish and Game* 65(4): 196-215.
- Reimers, N. (1966). "A low-maintenance fish barrier with free-flow characteristics." *Progressive Fish-Culturist* 28(2): 103-107.
- Reimers, N. (1963). "Body condition, water temperature, and over-winter survival of hatchery-reared trout in Convict Creek, California." *Transactions of the American Fisheries Society* 92(1): 39-46.
- Reimers, N. (1958). "Conditions of existence, growth, and longevity of brook trout in a small, high-altitude lake of the Eastern Sierra Nevada." *California Fish and Game* 44: 319-333.
- Reimers, N. (1957). "Some aspects of the relation between stream foods and trout survival." *California Fish and Game* 43(1): 43-69.
- Reimers, N. and B. D. Combs (1956). "Method of evaluating temperature in lakes with description of thermal characteristics of Convict Lake, California." *Fishery Bulletin* 105(56): 535-553.
- Reimers, N., J. A. Maciolek, et al. (1955). "Limnological study of the lakes in Convict Creek Basin, Mono County, California." *Fishery Bulletin* 193(56): 437-503.
- Rothstein, S. I., J. Verner, et al. (1987). "Behavioral differences among sex and age classes of the brown-headed cowbird and their relation to the efficacy of a control program." *Wilson Bull* 99: 322-337.
- Rothstein, S. I. and R. C. Fleischer (1987). "Vocal dialects and their possible relation to honest status signalling in the brown headed-cowbird." *Condor* 89: 1-23.
- Rothstein, S. I. and R. C. Fleischer (1987). "Brown-headed cowbirds learn flight whistles after the juvenile period." *Auk* 104: 512-516.
- Rothstein, S. I., D. A. Yokel, et al. (1986). "Social dominance, mating and spacing systems, female fecundity and vocal dialects in captive and free-ranging brown-headed cowbirds." *Current Ornithology* 3: 127-185.
- Rothstein, S. I., J. Verner, et al. (1984). "Radio-tracking confirms a unique diurnal pattern of spatial occurrences in the parasitic brown-headed cowbird." *Ecology* 65: 77-88.
- Rothstein, S. I., J. Verner, et al. (1980). "Range expansion and diurnal changes in dispersion of the brown-headed cowbird in the Sierra Nevada." *Auk* 97: 253-267.
- Rothstein, S. I. (1978). "Geographical variation in the nestling coloration of parasitic cowbirds." *Auk* 95: 152-160.
- Rosenthal, W., J. Saleta, et al. (2007). "Scanning electron microscopy of impurity structures in snow." *Cold Regions Sci. Technol.* 47: 80-89.
- Rosenthal, W. and K. Elder (2003). "Evidence of chaos in slab avalanching." *Cold Regions Science and Technology* 37(3): 243-253.
- Rosenthal, W. and J. Dozier (1996). "Automated mapping of montane snow cover at subpixel resolution from the Landsat Thematic Mapper." *Water Resources Research* 32(1): 115-130.
- Romero, J. R., R. Jellison, et al. (1998). "Stratification, vertical mixing, and upward ammonium flux in hypersaline Mono Lake, California." *Arch. Hydrobiol.* 141(3): 283-315.
- Romero, J. R. and J. M. Melack (1996). "Sensitivity of vertical mixing in a large saline lake to variations in runoff." *Limnology and Oceanography* 41(5): 955-965.
- Rubega, M. and C. Inouye (1994). "Prey switching in Red-necked Phalaropes *Phalaropus lobatus*: feeding limitations, the functional response and water management at Mono Lake, California, USA." *Biological Conservation* 70: 205-210.
- Rubega, M. A. and B. S. Obst (1993). "Surface-tension feeding in phalaropes: discovery of a novel feeding mechanism." *Auk* 110: 169-178.

- Rourke, B. C. (2000). "Geographic and Altitudinal Variation in Water Balance and Metabolic Rate in a California Grasshopper, *Melanoplus sanguinipes*." *The Journal of Experimental Biology* 203: 2699-2717.
- Rourke, B. C. and A. G. Gibbs (1999). "Effects of lipid phase transitions on cuticular permeability: model membrane and *In Situ* Studies." *The Journal of Experimental Biology* 202: 3255-3262.
- Rothstein, S. I. and S. K. Robinson (1994). "Conservation and coevolutionary implications of brood parasitism by cowbirds." *Trends in Ecology and Evolution* 9: 162-164.
- Rothstein, S. I. (1990). "Blood Parasitism and clutch-size determination in birds." *Trends in Ecol. Evol* 5: 101-102.
- Rothstein, S. I. (1990). "A model system for coevolution: Avian brood parasitism." *Ann. Rev. Ecol. Syst.* 21: 481-508.
- Rothstein, S. I., J. C. Ortega, et al. (1989). "Cowbird song." *Nature* 339: 21-22.
- Rothstein, S. I. and R. Pierotti (1989). "Definitions and the genetic bases of beneficent behavior." *Ethol. R. Sociobiol.* 10: 453-456.
- Rothstein, S. I. and R. Pierotti (1988). "Distinctions among Reciprocal Altruism, Kin Selection, and Cooperation and a Model for the Initial Evolution of Beneficent Behavior." *Ethology and Sociobiology* 9(2-4): 189-209.
- Rothstein, S. I., D. A. Yokel, et al. (1988). "The agnostic and sexual functions of vocalizations of male brown-headed cowbirds, *Molothrus ater*." *Animal Behavior* 36: 73-86.
- Scholten, J. C. M., S. B. Joye, et al. (2005). "Molecular analysis of the sulfate reducing and Archaeal community in a meromictic lake (Mono Lake, CA) by targeting 16s rRNA, *mcrA*, *apsA* and *dsrAB* reductase genes." *Microbial ecology* 50(1): 29-39.
- Schindler, D. E., R. A. Knapp, et al. (2001). "Alternation of nutrient cycles and algal production resulting from fish introductions into mountain lakes." *Ecosystems* 4(4): 308-321.
- Sarnelle, O. and R. A. Knapp (2005). "Nutrient recycling by fish versus zooplankton grazing as drivers of the trophic cascade in alpine lakes." *Limnology and Oceanography* 50: 2032-2042.
- Sarnelle, O. and R. A. Knapp (2004). "Zooplankton Recovery after fish removal: Limitations of the egg bank." *Limnology and Oceanography* 49(4): 1382-1392.
- Sampson, K., M. and L. C. Smith (2006). "Relative Ages of Pleistocene Moraines discerned from pebble counts: Eastern Sierra Nevada, California." *Physical Geography* 27(3): 223-235.
- Rubega, M. (1996). "Sexual size dimorphism in Red-necked Phalaropes and functional significance of nonsexual bill structure variation for feeding performance." *J. Morphology* 228: 45-60.
- Rubega, M. A. and C. S. Elphick (1995). "Prey choices and foraging efficiency of recently fledged California Gulls at Mono Lake, California." *Great Basin Naturalist* 55(4): 363-367.
- Shi, J. and J. Dozier (1997). "Mapping seasonal snow with SIR-C/X-SAR in mountainous areas." *Remote Sensing of the Environment* 59(2): 294-307.
- Shi, J. and J. Dozier (1995). "Inferring snow wetness using C-band data from SIR-C's polarimetric synthetic aperture radar (correction)." *IEEE Transactions on Geoscience and Remote Sensing* 33(6): 1340.
- Shi, J. and J. Dozier (1995). "Inferring snow wetness using C-band data from SIR-C's polarimetric synthetic aperture radar." *IEEE Transactions on Geoscience and Remote Sensing* 33(4): 905-914.
- Shi, J. C., J. Dozier, et al. (1994). "Snow mapping in alpine regions with synthetic aperture radar." *IEEE Transactions on Geoscience and Remote Sensing* 32(1): 152-158.
- Shi, J. C. and J. Dozier (1993). "Measurements of snow and glacier-covered areas with single-polarization SAR." *Annals of Glaciology* 17: 72-76.
- Shi, J., R. E. Davis, et al. (1993). "Steriological determination of dry snow parameters for discrete-scatterer microwave modeling." *Annals of Glaciology* 17: 295-299.
- Sharp, R. P. (1969). "Semiquantitative Differentiation of Glacial Moraines near Convict Lake, Sierra Nevada, California." *The Journal of Geology* 77(1): 68-91.
- Semple, K. E., R. K. Wayne, et al. (2002). "Microsatellite analysis of female mating behaviour in lek-breeding sage grouse (vol 10, pg 2043, 2001)." *Molecular Ecology* 11(1): 153-153.
- Semple, K., R. K. Wayne, et al. (2001). "Microsatellite analysis of female mating behaviour in lek-breeding sage grouse." *Molecular Ecology* 10(8): 2043-2048.
- Snyder, K. A., J. J. James, et al. (2008). "Does hydraulic lift or nighttime transpiration facilitate nitrogen acquisition?" *Plant and Soil* 306: 159-166.

- Smyth, A. P., B. K. Orr, et al. (1993). "Electrophoretic variants of egg white transferrin indicate a low rate of intraspecific brood parasitism in colonial cliff swallows in the Sierra Nevada, California." *Behav. Ecol. Sociobiol.* 32: 79-84.
- Smith, O. R. (1944). "Returns from natural spawning of cutthroat trout and eastern brook trout." *Transactions of the American Fisheries Society* 74: 281-296.
- Smith, O. R. and P. R. Needham (1942). "Problems Arising from the Transplantation of Trout in California." *California Fish and Game* 28(1): 22-27.
- Smith, O. R. (1941). "The spawning habits of cutthroat and eastern brook trout." *Journal of Wildlife Management* 5(4): 461-471.
- Simpson, H. J., R. M. Trier, et al. (1982). "Radionuclides in Mono Lake, California." *Science* 216: 512-514.
- Simpson, H. J., R. M. Trier, et al. (1980). "Fallout plutonium in an alkaline, saline lake." *Science* 207: 1071-1073.
- Sickman, J. O., J. M. Melack, et al. (2003). "Evidence for nutrient enrichment of high elevation in the Sierra Nevada, California." *Limnol. Oceanogr.* 48: 1885-1892.
- Sickman, J. O., J. M. Melack, et al. (2002). "Regional analysis of inorganic nitrogen yield and retention in high-elevation ecosystems of the Sierra Nevada and Rocky Mountains." *Biogeochemistry* 57/58: 341-374.
- Shiojiri, K. and R. Karban (2008). "Seasonality of herbivory and communication between individuals of sagebrush." *Arthropod-Plant Interactions* 2: 87-92.
- Shi, J. and J. Dozier (2000). "Estimation of snow water equivalence using SIR-C/X-SAR, Part II: Inferring snow depth and grain size." *IEEE Transactions on Geoscience and Remote Sensing* 38(6): 2475-2488.
- Shi, J. and J. Dozier (2000). "Estimation of snow water equivalence using SIR-C/X-SAR, Part I: Inferring snow density and subsurface properties." *IEEE Transactions on Geoscience and Remote Sensing* 38(6): 2465-2474.
- Shi, J., J. Wang, et al. (1997). "Estimation of bare surface soil moisture and surface roughness parameter using L-band SAR image data." *IEEE Transactions on Geoscience and Remote Sensing* 35(5): 1254-1266.
- Stoddard, J. L. (1995). "Episodic acidification during snowmelt of high elevation lakes in the Sierra Nevada Mountains of California." *Water Air and Soil Pollution* 85(2): 353-358.
- Stoddard, J. L. (1988). "Are Sierran lakes different? A reply to the comments of Kelly and Schindler." *Limnology and Oceanography* 33(6, part 2): 1641-1646.
- Stoddard, J. L. (1987). "Micronutrient and phosphorous limitation of phytoplankton abundance in Gem Lake, Sierra Nevada, California." *Hydrobiologia* 154: 103-111.
- Stoddard, J. L. (1987). "Microcrustacean communities of high-elevation lakes in the Sierra Nevada, California." *Journal Plankton Research* 9: 631-665.
- Stoddard, J. L. (1987). "Alkalinity dynamics in an unacidified alpine lake, Sierra Nevada, California." *Limnology and Oceanography* 32(4): 825-839.
- Steward, G. F., J. P. Zehr, et al. (2004). "Vertical distribution of nitrogen-fixing phylotypes in a meromictic, hypersaline lake." *Microbial Ecology* 47(1): 30-40.
- Stephens, S. L. (2001). "Fire history differences in adjacent Jeffrey pine and upper montane forests in the eastern Sierra Nevada." *International Journal of Wildland Fire* 10: 161-167.
- Thomas, W. H. and B. Duval (1995). "Sierra Nevada, California, U.S.A., snow algae: snow albedo changes, algal-bacterial interrelationships, and ultraviolet radiation effects." *Arctic and Alpine Research* 27(4): 389-399.
- Thomas, W. H., B. C. Cho, et al. (1991). "Phytoplankton and bacterial production and biomass in subalpine Eastern Brook Lake, Sierra Nevada, California. I. Seasonal interrelationships between the two biotic groups." *Arctic and Alpine Research* 23(3): 287-295.
- Thomas, W. H., B. C. Cho, et al. (1991). "Phytoplankton and bacterial production and biomass in subalpine Eastern Brook Lake, Sierra Nevada, California. II. Comparison with other high elevation lakes." *Arctic and Alpine Research* 23: 296-302.
- Thomas, W. H., F. Azam, et al. (1988). "Population dynamics of phytoplankton and bacteria in subalpine Eastern Brook Lake, Sierra Nevada, California, USA in relation to potential acid deposition." *Canadian Journal of Fisheries and Aquatic Sciences*: 1-26.
- Thomas, W. H., D. L. R. Seibert, et al. (1986). "Cultural requirements, yields and light utilization

- efficiencies of some desert saline microalgae." *Nova Hedwigia* 83: 60-69.
- Thomas, W. H. (1972). "Observations on snow algae in California." *Journal of Phycology* 8(1): 1-9.
- Taulbee, W. K., S. D. Cooper, et al. (2005). "Effects of nutrient enrichment on algal biomass across a natural light gradient." *Arch. Hydrobiol.* 164(4): 449-464.
- Sylvester, A. G. (1987). "Precise levelling across active faults in California." *Wild Reporter* 24: 8-13.
- Vredenburg, V. T., R. Bingham, et al. (2007). "Concordant molecular and phenotypic data delineate new taxonomy and conservation priorities for the endangered mountain yellow-legged frog." *Journal of Zoology* 271: 361-374.
- Vestal, E. H. (1954). "Creel returns from Rush Creek test Stream, Mono County, California, 1947-1951." *California Fish and Game*: 89-104.
- Vehrencamp, S. L., J. W. Bradbury, et al. (1989). "The energetic cost of display in male sage grouse." *Animal Behavior* 38: 885-896.
- Turicha, C. H., K. H. Freeman, et al. (2009 submitted). "Marine Archaeal lipid distributions: patterns and provenance in the water column." *Geochimica et Cosmochimica Acta*.
- Topozada, T. R., C. R. Real, et al. (1979). "Seismicity of California, January 1975 thru March 1979." *California Geology* 1979 139-142.
- Tomback, D. F. and Y. B. Linhart (1990). "The evolution of bird-dispersed pines." *Evol. Ecol.* 4: 185-219.
- Tomback, D. F. (1982). "Dispersal of whitebark pine seeds by Clark's nutcracker: a mutualism hypothesis." *Journal of Animal Ecology* 51: 451-467.
- Tomback, D. F. (1980). "Notes on cones and vertebrate-mediated seed dispersal of *Pinus albicaulis*." *Madrono* 28(2): 91-94.
- Tomback, D. F. (1980). "How nutcrackers find their seed stores." *Condor* 82: 10-19.
- Tomback, D. F. (1978). "Pre-roosting flight of the Clark's nutcracker." *Auk* 95: 554-562.
- Tomback, D. F. (1978). "Foraging strategies of the Clark's nutcracker." *Living Bird* 16: 123-162.
- Tomback, D. F. (1976). "A late nesting attempt by Clark's Nutcracker." *The Wilson Bulletin* 88(3): 499-500.
- Tomback, D. F. (1975). "An emetic technique to investigate food preferences." *Auk* 92: 581-583.
- Toft, C. A. (1995). "A ten-year demographic study of Rabbitbrush (*Chrysothamnus nauseosus*): Growth, survival and water limitation." *Oecologia* 101: 1-12.
- Weiss, J. J., B. J. Cardinale, et al. (2007). "Effects of algal species richness on community biomass production change predictably through successional time." *Ecology* 88: 929-939.
- Weiss, J. J., D. Madrigal, et al. (2008). "Effects of algal species richness on the production of community biomass in homogeneous versus heterogeneous environments." *PLoS One* 3: e2825-e2825.
- Ward, B. B., D. P. Martino, et al. (2000). "Analysis of Ammonia-oxidizing bacteria from hypersaline Mono Lake, California, on the basis of 16S rRNA sequences." *Appl. Envir. Microbiol.* 66: 2873-2881.
- Wanninkhof, R., J. R. Ledwell, et al. (1987). "Gas exchange on Mono Lake and Crowley Lake, California." *Journal Geophysical Research* 92(C13)14: 567-580.
- Wan, Z. M., D. Ng, et al. (1994). "Spectral emissivity measurements of land-surface materials and related radiative transfer simulations." *Advances in Space Research* 14(3): 91-94.
- Welch Jr., K. C., D. L. Altshuler, et al. (2007). "Oxygen consumption rates in hovering hummingbirds reflect substrate-dependent differences in P/O ratios: carbohydrate as a "premium fuel"." *The Journal of Experimental Biology* 210: 2146-2153.
- Welch Jr., K. C. and R. K. Suarez (2007). "Oxidation rate and turnover of ingested sugar in hovering Anna's (*Calypte anna*) and rufous (*Selasphorus rufus*) hummingbirds." *The Journal of Experimental Biology* 210: 2154-2162.
- Whiting, M. C., D. R. Whitehead, et al. (1989). "Paleolimnological reconstruction of recent acidity changes in four Sierra Nevada Lakes." *Journal of Paleolimnology* 2: 285-304.
- Welch Jr., K. C., L. G. Herrera, et al. (2008). "Dietary sugar as a direct fuel for flight in the nectarivorous bat *Glossophaga soricina*." *The Journal of Experimental Biology* 211: 310-316.
- Welch Jr., K. C. and R. K. Suarez (2008). "Altitude and temperature effects on the energetic cost of hover-feeding in migratory rufous hummingbirds, *Selasphorus rufus*." *Canadian Journal of Zoology* 86: 161-169.
- Winkler, D. W. and S. D. Cooper (1986). "Ecology of migrant black-necked grebes, *Podiceps nigricollis*, at Mono Lake, California." *Ibis* 128: 483-491.
- Williams, M. R. and J. M. Melack (1997). "Effects of prescribed burning and drought on the solute chemistry of mixed-conifer forest streams of the Sierra Nevada, California." *Biogeochemistry* 39:

225-253.

- Williams, M. R. and J. M. Melack (1997). "Atmospheric deposition, mass balances, and processes regulating streamwater solute concentrations in mixed conifer catchments of the Sierra Nevada, California." *Biogeochemistry* 37: 111-144.
- Williams, M. W., R. Bales, et al. (1995). "Fluxes and transformations of nitrogen in a high-elevation catchment, Sierra Nevada." *Biogeochemistry* 28: 1-31.
- Williams, M. W., A. D. Brown, et al. (1992). "Geochemical and hydrological controls on the composition of surface water in a high-elevation basin, Sierra Nevada, California." *Limnology and Oceanography* 38: 1008-1019.
- Williams, M. W. and J. M. Melack (1991). "Solute Chemistry of Snowmelt and Runoff in an Alpine Basin, Sierra Nevada." *Water Resources Research* 27: 1575-1588.
- Williams, M. W. and J. M. Melack (1991). "Precipitation Chemistry and Ionic Loading to an Alpine Basin, Sierra Nevada." *Water Resources Research* 27: 1563-1574.
- Williams, M. and J. M. Melack (1989). "Effects of spatial and temporal variation in snowmelt on nitrate and sulfate pulses in melt waters within an alpine basin." *Annals of Glaciology* 13: 285-289.
- Williams, S. N. (1985). "Soil radon and elemental mercury distribution an relation to magmatic resurgence at Long Valley Caldera." *Science* 229: 551-553.
- Wilkie, J. A. and J. G. Hering (1998). "Rapid oxidation of geothermal arsenic(III) in streamwaters of the eastern Sierra Nevada." *Environmental Science & Technology* 32(5): 657-662.
- Zurk, L. M., L. Tsang, et al. (1997). "Electromagnetic scattering calculated from pair distribution functions retrieved from planar snow sections." *IEEE Transactions on Geoscience and Remote Sensing* 35(6): 1419-1428.
- Zehr, J. P., M. J. Church, et al. (2005.). "Diversity, distribution and biogeochemical significance of nitrogen-fixing microorganisms in anoxic and suboxic ocean environments." *Anoxic Basins NATO Conference Series in Marine Sciences*(38): 237-249.
- Zandt, G., H. Gilbert, et al. (2004). "Active foundering of a continental arc root beneath the southern Sierra Nevada in California." *Nature* 431: 41-46.
- Yokel, D. A. and S. I. Rothstein (1991). "The basis for female choice in an avian brood parasite." *Behav. Ecol. Sociobiol.* 29: 39-45.
- Yokel, D. A. (1989). "Payoff asymmetries in contest among male brown-headed cowbirds." *Behav. Ecol. Sociobiol.* 24: 209-216.
- Yokel, D. A. (1986). "Monogamy and Brood Parasitism: An Unlikely Pair." *Animal Behavior* 34: 1348-1358.
- Yankielun, N., W. Rosenthal, et al. (2004). "Alpine snow depth measurements from aerial FMCW radar." *Cold Regions Science and Technology* 40: 123-134.
- Wrege, P. H., W. D. Shuford, et al. (2006). "Annual variation in numbers of breeding California Gulls at Mono Lake, California: The importance of natal philopatry and local and regional conditions." *Condor* 108(1): 82-96.
- Wooton, T. M. (1979). "Activities of the Strong Motion Instrument Program. August 3, 1977 to September 15, 1978." California Division of Mines and Geology Special Publication 55.
- Wolford, R. A. and R. C. Bales (1996). "Hydrochemical modeling of Emerald Lake watershed, Sierra Nevada, California: sensitivity of stream chemistry to changes in fluxes and model parameters." *Limnology and Oceanography* 41(5): 947-954.
- Wolford, R. A., R. C. Bales, et al. (1996). "Development of a hydrochemical model for seasonally snow-covered alpine watersheds: application to Emerald Lake watershed, Sierra Nevada, California." *Water Resources Research* 32(4): 1061-1074.
- Winstral, A., K. Elder, et al. (2002). "Spatial snow modeling of wind-redistributed snow using terrain-based parameters." *Journal of Hydrometeorology* 3(5): 524-538.

Magazine Articles:

Galyan, D., M. Hamburger, et al. (2005). A Natural Laboratory for Teaching. Indiana University Teaching and Learning. 1: 2-6.

Gibson, L. and J. M. Mateo (2005). March of the Ground Squirrels. University of Chicago Magazine.

Mateo, J. M. (2008). Ground Squirrels use "Armpit Effect". Magazine of the Society for Science and the Public. Web Edition.

Newspaper Articles:

Kay, J. (2006). It's Rising and Healthy: Three decades ago, a bunch of college students reported on and worried about the fate of Mono Lake. This month, they celebrated its recovery. San Francisco Chronicle. San Francisco.

Schwartz, J. (2006). Love at First Sniff. New York Times. New York, NY: 2.

Websites

Burbank, D. and C. Amos (2006). Geological Sciences 6: Mountains, boots and backpacks.
http://www.geol.ucsb.edu/classes/geol6_m07/.

FishGuyDave (2006). Daily Kos homepage.

Hamburger, M. and J. Rupp (2006). Volcanoes of the Eastern Sierra Nevada: Geology and Natural Heritage of the Long Valley Caldera. www.indiana.edu/~sierra/.

Hamburger, M. and J. Rupp (2005). Volcanoes of the Eastern Sierra Nevada: Geology and Natural Heritage of the Long Valley Caldera. www.indiana.edu/~sierra/.

Hamburger, M. and J. Rupp (2004). Volcanoes of the Eastern Sierra Nevada: Geology and Natural Heritage of the Long Valley Caldera. www.indiana.edu/~sierra/.

Hamburger, M. and J. Rupp (2003). Volcanoes of the Eastern Sierra Nevada: Geology and Natural Heritage of the Long Valley Caldera. www.indiana.edu/~sierra/.

Hamburger, M. and J. Rupp (2002). Volcanoes of the Eastern Sierra Nevada: Geology and Natural Heritage of the Long Valley Caldera. www.indiana.edu/~sierra/.

Mateo, J. M. (2006). Saying Hello. Discovery Channel, News briefs, Discovery Communications Inc.: 1.

Invited Seminars

- Hollibaugh, J. T. (2009). Arsenic and Old Lakes. Invited Seminar, Program in Ecology, Evolution and Conservation Biology, Indiana University
- Hollibaugh, J. T. (2008). Arsenic and Old Lakes. Invited Seminar, Leibniz Institute of Freshwater Ecology and Inland Fisheries, Berlin Germany
- Hollibaugh, J. T. (2007). Arsenic and Old Lakes. Invited Seminar, Department of Oceanography and Coastal Sciences, Louisiana State University, Baton Rouge LA
- Hollibaugh, J. T. (2007). Arsenic and Old Lakes. Seminar, Department of Marine Sciences, University of Georgia
- Hollibaugh, J. T. (2007). Microbially-mediated arsenic geochemistry in an alkaline, hypersaline and meromictic lake. Invited Seminar Department of Microbiology, University of Georgia
- Hollibaugh, J. T. (2005). Analysis of microbial communities in a soda lake: Who is doing what with whom, and how do we know? Invited Seminar, University of Tennessee, Department of Microbiology, Knoxville TN
- Joye, S. B. (2007). Controls on the Anaerobic Oxidation of Methane in Hypersaline Habitats. Invited Seminar, Environmental Sciences and Engineering, California Institute of Technology, Pasadena, CA
- Joye, S. B. (2007). New Insights into the biogeochemical dynamics of the anaerobic oxidation of methane. Invited Seminar, Department of Earth Sciences, University of Southern California, Los Angeles, CA

Audiovisual Material:

"The Reproductive Behavior of the Brook Trout" and "A Trout Stream in Winter". VHS

Institute, S. (1998). Explorations - Oceanography in the Forest, Tree Rings reveal secrets of past weather patterns. San Diego, Regents of the University of California, Scripps Institute of Oceanography, UCSD.